

Carboline Plasite 7159 Part B

INGREDIENTS	CAS NO	%	8HR OEL
Toluene (Reference Fuel)	108-88-3	1-2.5	191 mg/m3
propylene glycol monomethyl ether - alpha isomer	107-98-2	1-2.5	369 mg/m3
silica crystalline - quartz	14808-60-7	25-50	0.05 mg/m3
zinc phosphate	7779-90-0	25-50	-



UN No: 1760 Hazchem Code: 2X DG Class: 8

Subsidiary Risk: Not Applicable

Packing Group: III

Poisons Schedule: Not Applicable

HEALTH HAZARD INFORMATION










Harmful by inhalation











Harmful if swallowed. Causes burns. Risk of serious damage to eyes.

May cause SENSITISATION by skin contact. Vapours may cause drowsiness and dizziness.

Chronic Health

Acute Health

Effects:

Danger of cumulative effects.

Harmful: danger of serious damage to health by prolonged

exposure through inhalation.

* – limited evidence

PRECAUTIONS FOR USE











Appropriate engineering controls:

Local Exhaust Ventilation recommended

Glasses:

Consider full face-shield.

Gloves:

1.PE/EVAL/PE 2.PVA 3.VITON

Respirator:

Type AK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Dispose of this material and its container at hazardous or special waste collection point. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep away from food, drink and animal feeding stuffs. Handle and open container with care

Fire/Explosion Hazard:

Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Dispose of this material and its container at hazardous or special waste collection point.

Toxic to flora.

Environment:

Toxic to soil organisms. Use appropriate container to avoid

environmental contamination.

Avoid release to the environment. Refer to special

instructions/Safety data sheets.

NFPA Rating:

- ▶ 0: Minimum
- **1:** Low
- ▶ 2: Moderate
- **▶ 3:** High
- ▶ 4: Extreme

PROPERTIES





Liquid. Corrosive. Alkaline. Combustible. May form explosive peroxides.

EMERGENCY









FIRST AID

Give water (if conscious). URGENT MEDICAL ATTENTION. Swallowed:

> Wash with running water (15 mins). Medical attention. Eve:

Flood body with water. Remove contaminated clothing. Wash with

Fresh air. Rest, keep warm. If breath shallow, give oxygen. Inhaled:

Medical attention

Advice To Doctor:

Spills and

Disposal:

Treat symptomatically. Supportive care. Irrigate eyes with saline. Supportive care. Decontaminate if necessary. CaNa2EDTA is the chelator of choice

detergent.

Fire Fighting: Water spray/ fog.

Eliminate ignition sources. Pollutant. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so. Dispose of this material and its container at hazardous or special waste collection point. This material and its

container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS





Explosive Radioactive х

- Must not be stored together