

CRC CABLE CLEAN

INGREDIENTS	CAS NO	%	8HR OEL
tertiary butanol	75-65-0	<3	303 mg/m3
carbon dioxide	124-38-9	<5	9000 mg/m3
1-bromopropane	106-94-5	>90	-
1,2-butylene oxide	106-88-7	<1	-



UN No: 1950
 Hazchem Code: 2YE
 DG Class: 2.2
 Subsidiary Risk: **Not Applicable**
 Packing Group: **Not Applicable**
 Poisons Schedule: **Not Applicable**



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION



Acute Health Effects:

Harmful: danger of serious damage to health by prolonged exposure through inhalation.
 Irritating to eyes, respiratory system and skin.
 Vapours may cause drowsiness and dizziness.

Chronic Health Effects:

May cause CANCER.
 Harmful: danger of serious damage to health by prolonged exposure through inhalation.
 May impair fertility.
 Possible risk of harm to the unborn child.

* – limited evidence

PROPERTIES



Liquid.

Gas.

Does not mix with water.

Sinks in water. Can become highly flammable in use.

Does not burn.

EMERGENCY



FIRST AID

Swallowed:

Contact Doctor or Poisons Centre.
 Do NOT give milk or oil.
 Do NOT give alcohol.

Skin:

Wash with soap & water. Apply cleansing cream.

Advice To Doctor:

NO adrenalin.
 NO adrenalin.

Fire Fighting:

Keep containers cool.
 Keep surrounding area cool. Water spray/fog.

Spills and Disposal:

Pollutant.
 Prevent from entering drains.
 Contain spillage by any means.
 Control vapour with water spray/ fog.
 Absorb with dry agent.
 Stop leak if safe to do so.
 This material and its container must be disposed of in a safe way.
 To clean the floor and all objects contaminated by this material, use water and detergent.

PRECAUTIONS FOR USE



Glasses:

Consider chemical goggles.

Gloves:

1.PVA

Respirator:

Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area.
 Keep out of reach of children.
 Keep away from heat.

Fire/Explosion Hazard:

Vapours/gas heavier than air.
 Toxic smoke/fumes in a fire.
 Risk of explosion if heated under confinement.

Environment:

Toxic to aquatic organisms.
 May cause long-term adverse effects in the aquatic environment.
 Dangerous for the ozone layer. Use appropriate container to avoid environmental contamination.
 Avoid release to the environment. Refer to special instructions/Safety data sheets.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Flammable



Explosive



Radioactive



Oxidizing

x

x

x

x

x — Must not be stored together