


TCS Electrostatic developer

| INGREDIENTS | CAS NO | % | 8HR OEL |
|--------------------------------------|---------------|-------|---------|
| carbon black | 1333-86-4 | <0.5 | 3 mg/m3 |
| iron, powder | 7439-89-6 | 60-90 | 2 mg/m3 |
| polyamid resin, proprietary | Not Available | 2-10 | - |
| styrene allyl copolymer, proprietary | Not Available | 2-10 | - |

UN No: **Not Applicable**
 Hazchem Code: **Not Applicable**
 DG Class: **Not Applicable**
 Subsidiary Risk: **Not Applicable**
 Packing Group: **Not Applicable**
 Poisons Schedule: **Not Applicable**



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION

PRECAUTIONS FOR USE



Glasses: Consider chemical goggles.

Gloves: Leather Gloves.

Storage and Transportation: Store in cool, dry, protected area.

PROPERTIES



Does not mix with water.

EMERGENCY



FIRST AID

| | |
|--------------------------|--|
| Swallowed: | Rinse mouth with water. |
| Eye: | Wash with running water. |
| Skin: | Remove contaminated clothing. Wash with soap & water. |
| Inhaled: | Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention. |
| Advice To Doctor: | Treat symptoms NOT history. Emesis. Deferoxamine may be antidotal. Supportive care. "metal fume fever". Remove from exposure. Treatment is supportive. |
| Fire Fighting: | Dry agent. Do NOT fight fire with BCF extinguisher. Do NOT fight fire with water. |

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

x — Must not be stored together