

Basic Chemicals Electrolyte SG: 1.25 +/- 0.005

INGREDIENTS	CAS NO	%	8HR OEL
sulfuric acid	7664-93-9	33.21-34.4	1 mg/m3
water	7732-18-5	66.79-65.6	-



UN No: 2796
 Hazchem Code: 2R
 DG Class: 8
 Subsidiary Risk: **Not Applicable**
 Packing Group: II
 Poisons Schedule: S6



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION



Acute Health Effects:

Toxic by inhalation.
 Causes severe burns.
 Risk of serious damage to eyes.

PRECAUTIONS FOR USE



Appropriate engineering controls:

General Exhaust Ventilation adequate.

Glasses:

Consider full face-shield.

Gloves:

1.NEOPRENE 2.NATURALRUBBER

Respirator:

Type E-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area.
 Restrictions on Storage apply. Refer to Full Report.

Fire/Explosion Hazard:

Toxic smoke/fumes in a fire.
 Attacks metals to liberate hydrogen.

PROPERTIES



Liquid.
 Corrosive.
 Acid.Does not burn.

EMERGENCY



FIRST AID

Swallowed:

Give water (if conscious). URGENT MEDICAL ATTENTION.

Eye:

Wash with running water (15 mins). Medical attention.

Skin:

Flood body with water. Remove contaminated clothing. Wash with water

Inhaled:

Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.

Advice To Doctor:

Airway problems - 100% O2. Treat burns as thermal. Retract eyelids - irrigate 30 mins. Retract eyelids/ Irrigate 30 mins.

Fire Fighting:

Keep surrounding area cool. Water spray/fog.

Spills and Disposal:

Absorb with dry agent.
 Dilute with water.
 Neutralize with soda ash/ lime.
 Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Flammable



Explosive



Radioactive



Oxidizing

x

x

x

x

x — Must not be stored together