

## &lt;10% Perfluoro-1,2-Dimethyl Cyclobutane In Sulfur Hexafluoride

INGREDIENTS	CAS NO	%	8HR OEL
sulfur hexafluoride	2551-62-4	>90	5970 mg/m3
perfluorodimethylcyclobutane	2994-71-0	<10	-



UN No: **1080**  
 Hazchem Code: **2TE**  
 DG Class: **2.2**  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: **Not Applicable**  
 Poisons Schedule: **Not Applicable**



## NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

## HEALTH HAZARD INFORMATION



## Acute Health Effects:

Vapours may cause drowsiness and dizziness.

## PRECAUTIONS FOR USE



<b>Glasses:</b>	Consider full face-shield.
<b>Gloves:</b>	Leather Gloves.
<b>Respirator:</b>	Type BAX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
<b>Storage and Transportation:</b>	Store in cool, dry, protected area. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep away from heat.
<b>Fire/Explosion Hazard:</b>	Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement. Dispose of this material and its container at hazardous or special waste collection point.

## PROPERTIES



Gas. Does not mix with water. Sinks in water.

## EMERGENCY



## FIRST AID

<b>Swallowed:</b>	Give water (if conscious). Seek medical advice.
<b>Skin:</b>	Wash with soap For cold burns, immerse in cold water. Wash with soap & water, apply dressing. MEDICAL ATTENTION.
<b>Fire Fighting:</b>	Keep containers cool. Water spray/ fog.
<b>Spills and Disposal:</b>	Consider evacuation. Dilute with water. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way.

## SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

**x** — Must not be stored together