

TURCO-SOLVE, TROSOLV SOLVENT CLEANER and S-Fast

INGREDIENTS	CAS NO	%	8HR OEL
solvent naphtha petroleum, medium aliphatic	64742-88-7	68	5 mg/m3
trichloroethylene	79-01-6	27	54 mg/m3
methylene chloride	75-09-2	5	174 mg/m3



UN No: 1993 Hazchem Code: •3Y DG Class: 3

Subsidiary Risk: Not Applicable

Packing Group: III

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION











Harmful if swallowed. Irritating to eyes.

Acute Health Irritating to skin. Effects:

HARMFUL-May cause lung damage if swallowed.

Vapours may cause drowsiness and dizziness.

Possible risk of irreversible effects.

May cause CANCER.

Chronic **Health Effects:** Harmful: danger of serious damage to health by prolonged exposure through inhalation.

Possible risk of harm to the unborn child.

* - limited evidence

PRECAUTIONS FOR USE













engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.PE/EVAL/PE 2.PVA 3.TEFLON
Respirator:	Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion	Flammable.

PROPERTIES









Liquid.

Does not mix with water. Floats on water.Flammable.

EMERGENCY









FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.

Fire Fighting: Foam.

> Spills and Disposal:

Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means.

Absorb with dry agent. Stop leak if safe to do so.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS









Toxic х

Radioactive Oxidizing Х