

# Molybdate 3 Reagent for Silica

| INGREDIENTS             | CAS NO    | %       | 8HR OEL |
|-------------------------|-----------|---------|---------|
| SULFURIC ACID           | 7664-93-9 | 1-5     | 1 mg/m3 |
| molybdic(VI) acid       | 7782-91-4 | 5-10    | 5 mg/m3 |
| sodium hydrogen sulfate | 7681-38-1 | 1-5     | -       |
| Water                   | 7732-18-5 | NotSpec | -       |



UN No: 3264 Hazchem Code: 2X DG Class: 8 Subsidiary Risk: None

Packing Group: III Poisons Schedule: S6



## **NFPA Rating:**

- ▶ 0: Minimum
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

# **HEALTH HAZARD INFORMATION**















Harmful by inhalation.

Causes burns.

Risk of serious damage to eyes. Danger of cumulative effects.

**Chronic Health** 

Effects:

Harmful: danger of serious damage to health by prolonged exposure through inhalation and if swallowed.

May cause CANCER by inhalation.

\* - limited evidence

## PRECAUTIONS FOR USE











| Appropriate engineering controls: | Local Exhaust Ventilation recommended.   |
|-----------------------------------|--|
| Glasses:                          | Consider full face-shield.   |
| Gloves:                           | 1.NEOPRENE 2.NATURAL+NEOPRENE  |
| Respirator:                       | Type ABE-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)  |
| Storage and<br>Transportation:    | Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Dispose of this material and its container at hazardous or special waste collection point. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep away from food, drink and animal feeding stuffs. |
| Fire/Explosion<br>Hazard:         | Toxic smoke/fumes in a fire. Attacks metals to liberate hydrogen. Dispose of this material and its container at hazardous or special waste collection point.   |

## **PROPERTIES**















## **FIRST AID**

| Swallowed:           | Give water (if conscious). URGENT MEDICAL ATTENTION.  |
|----------------------|---|
| Eye:                 | Wash with running water (15 mins). Medical attention.   |
| Skin:                | Flood body with water. Remove contaminated clothing Wash with water   |
| Inhaled:             | Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention.  |
| Advice To<br>Doctor: | Airway problems - 100% O2. Treat burns as thermal.<br>Retract eyelids - irrigate 30 mins. Retract eyelids/<br>Irrigate 30 mins. |
| Fire Fighting:       | Water spray/ fog.   |

Spills and Disposal: Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Neutralize with soda ash/ lime. Stop leak if safe to do so. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by

# SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

this material, use water.





Explosive Radioactive Х

x — Must not be stored together