

## **CRC Contact cleaner**

INGREDIENTS	CAS NO	%	8HR OEL
isopropanol	67-63-0	50-75	983 mg/m3
carbon dioxide	124-38-9	1-5	9000 mg/m3
hydrocarbons, C6-C7, n-alkanes,isoalkanes,cyclics,< 5%	Not Available	<25	-



UN No: 1950 Hazchem Code: 2YE DG Class: 2.2

Subsidiary Risk: Not Applicable Packing Group: Not Applicable Poisons Schedule: Not Applicable

#### NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

## **HEALTH HAZARD INFORMATION**





**Acute Health** Effects: Irritating to eyes.

Vapours may cause drowsiness and dizziness.

## PRECAUTIONS FOR USE













Glasses:	Consider chemical goggles.
Gloves:	1.PE/EVAL/PE 2.NITRILE, PVC
Respirator:	Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area.
Fire/Explosion Hazard:	HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire.

Risk of explosion if heated under confinement.

## **PROPERTIES**













Gas.

Does not mix with water.

Floats on water. Highly flammable. May form explosive peroxides.

Does not burn.

## **EMERGENCY**



F	IRS	TA	IΓ

Skin:	Wash with soap & water. Apply cleansing cream.
Advice To Doctor:	Severe exposure indicated by respiratory distress/hypotension Managements is essentially supportive.
Fire Fighting:	Keep containers cool.  Keep surrounding area cool. Water spray/fog.
	Spilled liquid has low temperature and evaporates quickly. Eliminate ignition sources.
Spills and	Prevent from entering drains.
Disnosal:	Contain spillage by any means.

# SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Absorb with dry agent. Stop leak if safe to do so.









Control vapour with water spray/ fog.

Explosive Toxic Radioactive Oxidizing

x x x x - Must not be stored together