

CRC Battery Terminal Protector (Aerosol)

INGREDIENTS	CAS NO	%	8HR OEL
3-methylhexane	589-34-4	10-20	1640 mg/m3
Heptane	142-82-5	10-20	1640 mg/m3
n-HEXANE	110-54-3	<1	72 mg/m3
XYLENE	1330-20-7	1-3	350 mg/m3



UN No: 1950

Hazchem Code: Not Applicable

DG Class: 2.1

Subsidiary Risk: None Packing Group: None

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION







Acute Health Effects: Irritating to skin.

Vapours may cause drowsiness and dizziness.

Chronic **Health Effects:** Possible risk of impaired fertility.

* - limited evidence

PRECAUTIONS FOR USE











Glasses:

Safety Glasses. Consider chemical goggles.

Gloves:

1.SARANEX-232-PLY 2.PE/EVAL/PE

Respirator:

Type AX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container in a well ventilated place. Keep away from heat. Keep away from sources of ignition. No smoking. Handle and open container with care.

Fire/Explosion Hazard:

HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES













Liquid. Gas. Does not mix with water. Floats on water.R12R19

EMERGENCY





FIRST AID

Swallowed: Do NOT give milk or oil. Do NOT give alcohol.

Skin: Wash with soap & water. Apply cleansing cream.

Evaluate for respiratory distress. Consider lavage **Advice To** with cuffed tube. NO adrenalin. Evaluate for Doctor: respiratory distress. Consider lavage with cuffed

tube. NO adrenalin.

Fire Fighting: Keep containers cool. Foam.

> Spilled liquid has low boiling temperature and evaporates quickly. Eliminate ignition sources. Control vapour with water spray/ fog. Absorb with dry agent. Stop leak if safe to do so. Use only in well ventilated areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Explosive



Toxic

Spills and

Disposal:



and detergent.



Radioactive Oxidizing

- Must not be stored together

Х

Х