

## Click Bond CB200 Acrylic Adhesive.

INGREDIENTS	CAS NO	%	8HR OEL
methyl methacrylate	80-62-6	50-55	208 mg/m3
N,N-dimethylaniline	121-69-7	1-5	25 mg/m3
methacrylic acid	79-41-4	5-10	70 mg/m3
dibenzoyl peroxide	94-36-0	20-25	5 mg/m3



UN No: **3269**  
 Hazchem Code: **•2YE**  
 DG Class: **3**  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: **II**  
 Poisons Schedule: **Not Applicable**



## NFPA Rating:

- ▶ **0:** Minimum
- ▶ **1:** Low
- ▶ **2:** Moderate
- ▶ **3:** High
- ▶ **4:** Extreme

## HEALTH HAZARD INFORMATION



## Acute Health Effects:

Harmful if swallowed.  
 Causes severe burns.  
 Irritating to respiratory system.  
 Risk of serious damage to eyes.  
 May cause SENSITISATION by skin contact.  
 Vapours may cause drowsiness and dizziness.

## Chronic Health Effects:

Limited evidence of a carcinogenic effect.  
 Harmful: danger of serious damage to health by prolonged exposure through inhalation.

\* – limited evidence

## PRECAUTIONS FOR USE



## Appropriate engineering controls:

Local Exhaust Ventilation recommended.

## Glasses:

Consider full face-shield.

## Gloves:

1.PE/EVAL/PE 2.PVA 3.TEFLON

## Respirator:

Type ABK-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

## Storage and Transportation:

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition. No smoking. Handle and open container with care.

## Fire/Explosion Hazard:

**HIGHLY FLAMMABLE.** Toxic smoke/fumes in a fire. Attacks metals to liberate hydrogen. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

## Environment:

May cause long-term adverse effects in the environment. Use appropriate container to avoid environmental contamination. Avoid release to the environment. Refer to special instructions/Safety data sheets.

## PROPERTIES



Liquid. Does not mix with water. Sinks in water. Highly flammable. May form explosive peroxides.

## EMERGENCY



## FIRST AID

**Swallowed:** Give water (if conscious). URGENT MEDICAL ATTENTION.

**Eye:** Wash with running water (15 mins). Medical attention.

**Skin:** Flood body with water. Remove contaminated clothing. Wash with water

**Inhaled:** Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention.

**Advice To Doctor:** Treat symptomatically. Assist ventilation Hypotension - Trendelenburg Position. Methylene blue for severe poisoning.

**Fire Fighting:** Keep containers cool. Water spray/ fog.

**Spills and Disposal:** Eliminate ignition sources. Consider evacuation. Pollutant. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

## SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Explosive Toxic Radioactive Oxidizing

x

x

x

x

x — Must not be stored together