

### R407C

INGREDIENTS	CAS NO	%	8HR OEL
1,1,1,2-tetrafluoroethane	811-97-2	51-54	4240 mg/m3
pentafluoroethane	354-33-6	24-26	-
difluoromethane	75-10-5	22-24	-



UN No: 3340 Hazchem Code: 2TE DG Class: 2.2

Subsidiary Risk: Not Applicable Packing Group: Not Applicable Poisons Schedule: Not Applicable



#### NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

### **HEALTH HAZARD INFORMATION**

### PRECAUTIONS FOR USE







Glasses:	Consider full face-shield.
Gloves:	Leather Gloves.
Respirator:	Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and	Store in cool, dry, protected area. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of

children. Keep away from heat.

# Fire/Explosion

Hazard:

Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement. Dispose of this material and its container at hazardous or special waste collection point.

# **PROPERTIES**



Gas. Forms very sensitive explosive metallic compounds.

# **EMERGENCY**









# **FIRST AID**

Swallowed:	Contact Doctor or Poisons Centre. Do NOT give milk or oil. Do NOT give alcohol.
Skin:	Remove contaminated clothing. Wash with soap & water. For cold burns, immerse in cold water. Wash with soap & water, apply dressing. MEDICAL ATTENTION.
Advice To Doctor:	NO adrenalin.
Fire Fighting:	Keep containers cool. Water spray/ fog.
Spills and Disposal:	Consider evacuation. Dilute with water. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way.

# SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Must not be stored together