

Rochem Fyrewash SB

INGREDIENTS	CAS NO	%	8HR OEL
isoparaffins petroleum hydrotreated HFP	64742-47-8.	10-25	790 mg/m3
ethylene glycol monobutyl ether	111-76-2	2.5-10	96.9 mg/m3
solvent naphtha petroleum, heavy aromatic	64742-94-5	10-25	-
hexylene glycol	107-41-5	2.5-10	N/A

UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not Applicable Subsidiary Risk: Not Applicable Packing Group: Not Applicable

Poisons Schedule: \$5



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION













Acute Health Effects: Irritating to eyes and skin.

HARMFUL-May cause lung damage if swallowed. Vapours may cause drowsiness and dizziness.

Chronic **Health Effects:** Repeated exposure may cause skin dryness and cracking.

* - limited evidence

PRECAUTIONS FOR USE













Appropriate engineering

Local Exhaust Ventilation recommended.

controls: Glasses:

Consider chemical goggles.

Gloves:

1.NITRILE 2.NEOPRENE 3.PVA

Type A-P Filter of sufficient capacity. (AS/NZS

Respirator:

1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88

or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area.

Fire/Explosion

Hazard:

Toxic smoke/fumes in a fire. Harmful to aquatic organisms.

Environment:

May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination.

PROPERTIES





Liquid.

Mixes with water.Combustible.









FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice.
Eye:	Wash with running water.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
Fire Fighting:	Water spray/ fog. Foam - alcohol type.
Spills and Disposal:	Eliminate ignition sources. Absorb with dry agent. Stop leak if safe to do so

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







Explosive Radioactive Oxidizing

X X Must not be stored together