

## T-11 ZINC THINNER

INGREDIENTS	CAS NO	%	8HR OEL
propylene glycol monomethyl ether acetate, isomers	84540-57-8	30-35	274 mg/m3
high flash naphtha	Not Available	60-65	-



UN No: 1263  
 Hazchem Code: 3Y  
 DG Class: 3  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: III  
 Poisons Schedule: **Not Applicable**



## NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

## HEALTH HAZARD INFORMATION



**Acute Health Effects:** Irritating to eyes.  
 HARMFUL-May cause lung damage if swallowed.

**Chronic Health Effects:** May cause harm to the unborn child.  
 \* – limited evidence

## PRECAUTIONS FOR USE



**Appropriate engineering controls:** Local Exhaust Ventilation recommended.

**Glasses:** Consider chemical goggles.

**Gloves:** PVC chemical resistant type.

**Respirator:** Type A Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

**Storage and Transportation:** Store in cool, dry, protected area.  
 Restrictions on Storage apply. Refer to Full Report.

**Fire/Explosion Hazard:** Flammable.  
 Vapours/gas heavier than air.  
 Toxic smoke/fumes in a fire.

## PROPERTIES



Liquid.  
 Does not mix with water.  
 Floats on water.Flammable.  
 May form explosive peroxides.

## EMERGENCY



## FIRST AID

**Swallowed:** Give water (if conscious). Seek medical advice.

**Eye:** Wash with running water.

**Skin:** Remove contaminated clothing. Wash with soap & water.

**Inhaled:** Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.

**Fire Fighting:** Foam.

**Spills and Disposal:** Eliminate ignition sources.  
 Prevent from entering drains.  
 Contain spillage by any means.  
 Absorb with dry agent.  
 Stop leak if safe to do so.

## SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Explosive Toxic Radioactive Oxidizing

x x x x

x — Must not be stored together