

VHG Arsenic Standard In Nitric Acid at 1000 ppm

INGREDIENTS	CAS NO	%	8HR OEL
nitric acid	7697-37-2	5	5.2 mg/m3
arsenic	7440-38-2	~1	-
water	7732-18-5	>60	•



UN No: 3264 Hazchem Code: 2X DG Class: 8

Subsidiary Risk: Not Applicable

Packing Group: III

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION









Acute Health Effects: Toxic by inhalation and if swallowed.

Causes burns.

Risk of serious damage to eyes.

Chronic **Health Effects:** Limited evidence of a carcinogenic effect. * - limited evidence





PRECAUTIONS FOR USE









Appropriate engineering controls:

Local Exhaust Ventilation recommended.

Glasses: Consider full face-shield.

> Gloves: 1.HYPALON 2.NEOPRENE/NATURAL

Type AE-P Filter of sufficient capacity. (AS/NZS Respirator: 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88

or national equivalent)

Store in cool, dry, protected area.

Restrictions on Storage apply. Refer to Full Report. Dispose of this material and its container at

hazardous or special waste collection point.

Storage and Transportation:

Keep locked up. Keep out of reach of children.

Keep away from living quarters.

Keep away from food, drink and animal feeding

stuffs.

Fire/Explosion Hazard:

Attacks metals to liberate hydrogen. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT

BREATHE FUMES.

Environment:

Harmful to aquatic organisms.

May cause long-term adverse effects in the

aquatic environment.

PROPERTIES









Liquid.

Acid.Does not burn.

EMERGENCY











FIRST AID

Swallowed:	Give water (if conscious). URGENT MEDICAL ATTENTION.
	Wash with rupping water (15 mins) Medical

Wash with running water (15 mins). Medical Eve:

Flood body with water. Remove contaminated Skin: clothing. Wash with water

Fresh air. Rest, keep warm. If breath shallow, give Inhaled:

oxygen. Medical attention. Airway problems - 100% O2. Treat burns as thermal.

Advice To Retract eyelids - irrigate 30 mins. Retract eyelids/ Doctor: Irrigate 30 mins.

Keep surrounding area cool. Water spray/fog. Fire Fighting:

> Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Neutralize with soda ash/ lime.

Stop leak if safe to do so. Spills and

Dispose of this material and its container at Disposal: hazardous or special waste collection point.

This material and its container must be disposed of

in a safe way.

To clean the floor and all objects contaminated by

this material, use water.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS









Flammable Explosive Radioactive Oxidizing X

Х - Must not be stored together