

Baker Petrolite BPB 59490

INGREDIENTS	CAS NO	%	8HR OEL
cyclohexylamine	108-91-8	10-30	41 mg/m3
diethylaminoethanol	100-37-8	10-30	48 mg/m3
morpholine	110-91-8	10-30	71 mg/m3



UN No: 2920 Hazchem Code: •3W DG Class: 8

Subsidiary Risk: 3 Packing Group: II

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION















Acute Health Effects: Harmful by inhalation, in contact with skin and if swallowed.

Causes severe burns.

Irritating to respiratory system. Risk of serious damage to eyes.

Chronic **Health Effects:** Possible risk of impaired fertility.

* - limited evidence

PRECAUTIONS FOR USE

















Appropriate engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.

Consider full face-shield.

1.BUTYL 2.PVA Gloves:

Type AEK-P Filter of sufficient capacity. (AS/NZS Respirator: 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88

or national equivalent)

Restrictions on Storage apply. Refer to Full Report.

Keep locked up.

Keep out of reach of children.

Storage and Keep away from living quarters. Transportation: Keep container in a well ventilated place.

Keep away from food, drink and animal feeding

stuffs.

Keep away from sources of ignition. No smoking.

Fire/Explosion Hazard:

HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire.

In case of fire and/or explosion, DO NOT

BREATHE FUMES.

PROPERTIES









Liquid. Mixes with water. Corrosive.

Alkaline. Highly flammable.

EMERGENCY





Skin:







FIRST AID

Give water (if conscious). URGENT MEDICAL

ATTENTION. Swallowed:

Do NOT give milk or oil. Do NOT give alcohol.

Wash with running water (15 mins). Medical Eye:

attention.

Flood body with water. Remove contaminated

clothing. Wash with water

Fresh air. Rest, keep warm. If breath shallow, give Inhaled:

oxygen. Medical attention.

Supportive care. Irrigate eyes with saline.

Advice To Supportive care.

Doctor: Assist ventilation Hypotension - Trendelenburg

Position. Methylene blue for severe poisoning.

Keep containers cool. Fire Fighting:

Water spray/ fog.

Eliminate ignition sources. Prevent from entering drains. Contain spillage by any means.

Absorb with dry agent. Spills and

Stop leak if safe to do so. Disposal:

This material and its container must be disposed of

in a safe way.

To clean the floor and all objects contaminated by

this material, use water.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS



Explosive









Toxic Radioactive Oxidizing x x Х

- Must not be stored together