

OHR AC

| INGREDIENTS | CAS NO | % | 8HR OEL |
|---------------------------------|---------------|-------|-----------|
| propargyl alcohol | 107-19-7 | 5-10 | 2.3 mg/m3 |
| methanol | 67-56-1 | 30-60 | 262 mg/m3 |
| other non-hazardous ingredients | Not Available | 40-60 | - |



UN No: 1993 Hazchem Code: •3YE DG Class: 3

Subsidiary Risk: Not Applicable

Packing Group: II

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION















Toxic by inhalation, in contact with skin and if swallowed

Acute Health Effects: Causes burns.

Toxic: Danger of very serious irreversible effects through inhalation, in contact with skin and if

swallowed.

Risk of serious damage to eyes.

PRECAUTIONS FOR USE

















| Appropriate engineering controls: | Local Exhaust Ventilation recommended. |
|-----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Glasses: | Consider full face-shield. |
| Gloves: | 1.BUTYL 2.BUTYL/NEOPRENE 3.PVC |
| Respirator: | Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent) |
| Storage and Transportation: | Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep container in a well ventilated place. Keep away from food, drink and animal feeding stuffs. Keep away from sources of ignition. No smoking. |
| Fire/Explosion Hazard: | HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. In case of fire and/or explosion, DO NOT BREATHE FUMES. |
| Environment: | Harmful to aquatic organisms. May cause long-term adverse effects in the aquatic environment. |

PROPERTIES







Liquid. Highly flammable.

EMERGENCY











| FI | RS1 | ΓΑΙ | ID |
|----|-----|-----|----|
| | | | |

If more than 15 mins from Doctor, INDUCE VOMITING (if conscious). Swallowed: Do NOT give milk or oil. Do NOT give alcohol.

> Wash with running water (15 mins). Medical Eye:

attention.

Flood body with water. Remove contaminated Skin: clothing. Wash with water

Fresh air. Rest, keep warm. If breath shallow, give Inhaled: oxygen. Medical attention.

Advice To Decontaminate with ipecac or lavage. Ethanol Doctor: therapy.

Keep containers cool. Fire Fighting:

Foam.

Eliminate ignition sources. Consider evacuation. Prevent from entering drains. Contain spillage by any means.

Spills and Absorb with dry agent. Disposal: Stop leak if safe to do so.

This material and its container must be disposed of

in a safe way.

To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS













Flammable Explosive х

Toxic

x x x

Radioactive Oxidizing

- Must not be stored together