

KATALCO 71-5

INGREDIENTS	CAS NO	%	8HR OEL
C.I. Pigment Green 17	1308-38-9	5-10	0.5 mg/m3
chromium trioxide	1333-82-0	0.5-1	0.05 mg/m3
ferric oxide	1309-37-1	75-90	5 mg/m3
carbon, activated	7440-44-0	1-5	2 mg/m3

UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not Applicable Subsidiary Risk: Not Applicable Packing Group: Not Applicable

Poisons Schedule: S6



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION

















Harmful if swallowed. Toxic by inhalation.

Irritating to eyes.

Irritating to respiratory system.

Irritating to skin.

May cause SENSITISATION by inhalation. May cause SENSITISATION by skin contact.

May cause CANCER.

Chronic **Health Effects:**

Acute Health

Effects:

May cause heritable genetic damage.

Harmful: danger of serious damage to health by

prolonged exposure through inhalation.

* - limited evidence

PRECAUTIONS FOR USE











Appropriate engineering controls:

Local Exhaust Ventilation recommended.

Glasses:

Consider chemical goggles.

Gloves:

1.NATURALRUBBER 2.NITRILE, PVC

Respirator:

Particulate. (AS/NZS 1716 & 1715, EN 143:000 & 149:001, ANSI Z88 or national equivalent)

Storage and Transportation:

Store in cool, dry, protected area. Dispose of this material and its container at hazardous or special waste collection point. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep away from food, drink and animal feeding

stuffs.

Fire/Explosion Hazard:

Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

PROPERTIES



Solid.

EMERGENCY









FIRST AID

If more than 15 mins from Doctor, INDUCE Swallowed:

VOMITING (if conscious).

Wash with running water (15 mins). Medical Eye:

attention.

Remove contaminated clothing. Wash with soap & Skin:

Fresh air. Rest, keep warm. If breath shallow, give Inhaled:

oxygen. Medical attention.

Advice To Doctor:

Treat symptomatically. For severe poisoning, administer CaNa2EDTA. Treat symptoms NOT

history. Emesis. Deferoxamine may be antidotal. Avoid dust. Sweep shovel to safe place. Dispose of

Spills and Disposal:

this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS











Flammable Explosive Radioactive Oxidizing X x x

x — Must not be stored together