

INGREDIENTS	CAS NO	%	8HR OEL
Titanium Dioxide	13463-67-7	<0.5	10 mg/m3
bisphenol A diglycidyl ether polymer	25068-38-6	20-30	-
bisphenol F diglycidyl ether copolymer	28064-14-4	1-5	-
silica, dimethylsiloxane treated	67762-90-7	1-3	-



UN No: **3082**  
 Hazchem Code: **•3Z**  
 DG Class: **9**  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: **III**  
 Poisons Schedule: **Not Applicable**



- ▶ **0:** Minimum
- ▶ **1:** Low
- ▶ **2:** Moderate
- ▶ **3:** High
- ▶ **4:** Extreme

Irritating to eyes.  
Irritating to skin.  
May cause SENSITISATION by skin contact.

Harmful: danger of serious damage to health by prolonged exposure through inhalation.  
May cause CANCER by inhalation.  
May cause harm to the unborn child.

\* – limited evidence

Local Exhaust Ventilation recommended.

Consider chemical goggles.

Type A-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container tightly closed. Keep container dry. Keep container in a well ventilated place. Keep away from sources of ignition. No smoking. Handle and open container with care.

Toxic smoke/fumes in a fire. Reacts with water. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, **DO NOT BREATHE FUMES.**

Liquid. Does not mix with water. Sinks in water. Combustible. Contact with water liberates extremely flammable gases. May form explosive peroxides.

<b>Swallowed:</b>	Give water (if conscious). Seek medical advice.
<b>Eye:</b>	Wash with running water.
<b>Skin:</b>	Remove contaminated clothing. Wash with soap & water.
<b>Inhaled:</b>	Blow nose. Rinse mouth with water.
<b>Advice To Doctor:</b>	Treat symptomatically. Consider sodium sulfate as cathartic. monitor urine/serum for renal failure.
<b>Fire Fighting:</b>	Foam. Do NOT fight fire with water.
<b>Spills and Disposal:</b>	Eliminate ignition sources. Pollutant. Prevent from entering drains. Contain spillage by any means. Absorb with dry agent. Stop leak if safe to do so. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way.

Explosive Toxic Radioactive Oxidizing

X	X	X	X
---	---	---	---

**X** — *Must not be stored together*