

Tretolite DMO 22909

INGREDIENTS	CAS NO	%	8HR OEL
xylene	1330-20-7	30-60	350 mg/m3
methanol	67-56-1	<5	262 mg/m3
naphthalene	91-20-3	<5	52 mg/m3
diesel	68476-30-2	10-30	-



UN No: 1993 Hazchem Code: •3Y DG Class: 3

Subsidiary Risk: Not Applicable

Packing Group: III

Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION





Effects:













Harmful by inhalation, in contact with skin and if swallowed.

Irritating to skin. **Acute Health**

Risk of serious damage to eyes.

Vapours may cause drowsiness and dizziness. Harmful:possible risk of irreversible effects through inhalation, in contact with skin and if swallowed.

Chronic **Health Effects:** Limited evidence of a carcinogenic effect. Repeated exposure may cause skin dryness and cracking.

* - limited evidence

PRECAUTIONS FOR USE





Appropriate











	X
ommeno	led.

engineering controls:	Local Exhaust Ventilation recommended.
Glasses:	Consider chemical goggles.
Gloves:	1.TEFLON 2.NITRILE
Respirator:	Type BAX-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report.
Fire/Explosion Hazard:	Flammable. Toxic smoke/fumes in a fire.
Environment:	Toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment. Use appropriate container to avoid environmental contamination.

instructions/Safety data sheets.

Avoid release to the environment. Refer to special

PROPERTIES







Does not mix with water. Floats on water.Flammable.

EMERGENCY









FIRST AID

Swallowed:	Give water (if conscious). Seek medical advice. Do NOT give milk or oil. Do NOT give alcohol.
Eye:	Wash with running water (15 mins). Medical attention.
Skin:	Remove contaminated clothing. Wash with soap & water.
Inhaled:	Fresh air. Rest, keep warm. If breathing shallow, give oxygen. Medical attention.
	Treat symptomatically.

Evaluate for respiratory distress. Consider lavage **Advice To**

with cuffed tube. NO adrenalin. Doctor:

Decontaminate with ipecac or lavage. Ethanol therapy.

Fire Fighting: Foam.

> Eliminate ignition sources. Spills and Prevent from entering drains. Disposal: Contain spillage by any means.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS









Radioactive Oxidizing x х х

- Must not be stored together