

R-86 Platforming Catalyst

INGREDIENTS	CAS NO	%	8HR OEL
hydrogen sulfide	7783-06-4	<1	14 mg/m3
platinum	7440-06-4	<1	1 mg/m3
rhenium	7440-15-5	<1	2 mg/m3
hydrogen chloride	7647-01-0.	<2	N/A

UN No: Not Applicable Hazchem Code: Not Applicable DG Class: Not Applicable Subsidiary Risk: Not Applicable Packing Group: Not Applicable Poisons Schedule: Not Applicable



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

HEALTH HAZARD INFORMATION







Acute Health Effects:

Toxic by inhalation. Irritating to eyes and skin.

PRECAUTIONS FOR USE





Environment:









Appropriate engineering controls:	General Exhaust Ventilation adequate.
Glasses:	Safety Glasses. Consider chemical goggles.
Gloves:	PVC chemical resistant type.
Respirator:	Type B-P Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)
Storage and Transportation:	Store in cool, dry, protected area. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep away from food, drink and animal feeding stuffs.
Fire/Explosion Hazard:	Toxic smoke/fumes in a fire. In case of fire and/or explosion, DO NOT BREATHE FUMES.

Harmful to aquatic organisms.

PROPERTIES



Does not mix with water. Floats on water. Does not burn.



_		SI	_	A	•	
-1	ĸ	•		Δ		

Swallowed:	Give water (if conscious). Seek medical advice.	
Eye:	Wash with running water (15 mins). Medical attention.	
Skin:	Wash with soap	
Inhaled:	Fresh air. Rest, keep warm.	
Advice To Doctor:	Deferoxamine is preferred chelator. Supportive care. "metal fume fever". Remove from exposure. Treatment is supportive.	
Fire Fighting:	Keep surrounding area cool. Water spray/fog.	
Spills and Disposal: Sweep shovel to safe place. This material and its container must be dis in a safe way. To clean the floor and all objects contamin this material, use water and detergent.		

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS







Х



х x - Must not be stored together