

SILVER HEXAFLUOROANTIMONATE

INGREDIENTS	CAS NO	%	8HR OEL
silver hexafluoroantimonate	26042-64-8	>98	0.01 mg/m3



UN No: 3260 Hazchem Code: 2X DG Class: 8

Subsidiary Risk: Not Applicable

Packing Group: II Poisons Schedule: S6

HEALTH HAZARD INFORMATION









Acute Health Effects: Harmful by inhalation. Harmful if swallowed. Causes severe burns.

Risk of serious damage to eyes.

PRECAUTIONS FOR USE













Appropriate
engineering
controls:

Local Exhaust Ventilation recommended.

Glasses:

Safety Glasses. Consider full face-shield.

Storage and Transportation:

Store in cool, dry, protected area. Restrictions on Storage apply. Refer to Full Report. Use only in well ventilated areas. Dispose of this material and its container at hazardous or special waste collection point. Keep locked up. Keep out of reach of children. Keep away from living quarters. Keep away from food, drink and animal feeding stuffs.

Fire/Explosion Hazard: Toxic smoke/fumes in a fire. Attacks metals to liberate hydrogen. Use only in well ventilated areas. Dispose of this material and its container at hazardous or special waste collection point.



NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

PROPERTIES





Solid. Mixes with water. Corrosive. Acid.Does not burn.

EMERGENCY











FIRST AID

Wash with running water (15 mins). Medical attention. Remove contaminated clothing. Flood with water. Apply CALCIUM gel. Give CALCIUM tablets. Fresh air. If breath shallow give oxygen. Give 6 CALCIUM gluconate/carbonate tabs. Medical attention. Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention. Advice To Doctor: Advice To Doctor: Advice To Doctor: Advice To Chelation with BAL for serious exposure.	Swallowed:	Give water (if conscious). URGENT MEDICAL ATTENTION.
Inhaled: Apply CALCIUM gel. Give CALCIUM tablets. Fresh air. If breath shallow give oxygen. Give 6 CALCIUM gluconate/carbonate tabs. Medical attention. Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention. Airway problems - 100% O2. Treat burns as thermal. Retract eyelids - irrigate 30 mins. Retract eyelids/ Irrigate 30 mins. Gl absorption may be retarded with milk. Hypocalcemic patients - calcium gluconate. Chelation with BAL for serious exposure.	Eye:	
CALCIUM gluconate/carbonate tabs. Medical attention. Fresh air. Rest, keep warm. If breath shallow, give oxygen. Medical attention. Advice To Doctor: Chelation with BAL for serious exposure.	Skin:	<u> </u>
Advice To Doctor: Retract eyelids - irrigate 30 mins. Retract eyelids/ Irrigate 30 mins. GI absorption may be retarded with milk. Hypocalcemic patients - calcium gluconate. Chelation with BAL for serious exposure.	Inhaled:	CALCIUM gluconate/carbonate tabs. Medical attention. Fresh air. Rest, keep warm. If breath
Fig. 1.		Retract eyelids - irrigate 30 mins. Retract eyelids/ Irrigate 30 mins. GI absorption may be retarded with milk. Hypocalcemic patients - calcium gluconate.
Fire Fighting: Keep surrounding area cool. water spray/fog.	Fire Fighting:	Keep surrounding area cool. Water spray/fog.

SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

Avoid dust. Prevent from entering drains. Contain spillage by any means. Sweep shovel to safe place. Neutralize with soda ash/ lime. Use only in well

ventilated areas. Dispose of this material and its

container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water.





Explosive Radioactive

Spills and

Disposal:

X

- Must not be stored together