

## Diagraph Quick Spray Red

| INGREDIENTS   | CAS NO      | %      | 8HR OEL    |
|---|-------------|--------|------------|
| hydrocarbon propellant                                  | 68476-85-7. | >60    | 1800 mg/m3 |
| propylene glycol monomethyl ether acetate, alpha-isomer | 108-65-6    | 1-2.5  | 274 mg/m3  |
| mixed hexanes aliphatic hydrocarbon solvent             | 64742-89-8. | 2.5-10 | -          |
| naphtha petroleum, light aromatic solvent               | 64742-95-6. | 1-2.5  | -          |



UN No: 1950  
 Hazchem Code: **Not Applicable**  
 DG Class: 2.1  
 Subsidiary Risk: **Not Applicable**  
 Packing Group: **Not Applicable**  
 Poisons Schedule: **Not Applicable**



### NFPA Rating:

- ▶ 0: Minimum
- ▶ 1: Low
- ▶ 2: Moderate
- ▶ 3: High
- ▶ 4: Extreme

### HEALTH HAZARD INFORMATION



#### Acute Health Effects:

Vapours may cause drowsiness and dizziness.

#### Chronic Health Effects:

Harmful: danger of serious damage to health by prolonged exposure through inhalation.  
 Possible risk of impaired fertility.

\* – limited evidence

### PRECAUTIONS FOR USE



#### Glasses:

Consider chemical goggles.

#### Gloves:

When handling larger quantities:  
 General purpose rubber glove.

#### Respirator:

Type AX Filter of sufficient capacity. (AS/NZS 1716 & 1715, EN 143:2000 & 149:2001, ANSI Z88 or national equivalent)

#### Storage and Transportation:

Store in cool, dry, protected area. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. Keep out of reach of children. Keep container in a well ventilated place. Keep away from heat. Keep away from sources of ignition. No smoking.

#### Fire/Explosion Hazard:

HIGHLY FLAMMABLE. Vapours/gas heavier than air. Toxic smoke/fumes in a fire. Risk of explosion if heated under confinement. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. In case of fire and/or explosion, DO NOT BREATHE FUMES.

### PROPERTIES



Liquid. Gas. Extremely flammable.

### EMERGENCY



### FIRST AID

#### Swallowed:

Give water (if conscious). URGENT MEDICAL ATTENTION.

#### Skin:

Wash with soap & water. Apply cleansing cream.

#### Advice To Doctor:

Evaluate for respiratory distress. Consider lavage with cuffed tube. NO adrenalin.

#### Fire Fighting:

Keep containers cool. Foam.

#### Spills and Disposal:

Spilled liquid has low boiling temperature and evaporates quickly. Eliminate ignition sources. Control vapour with water spray/ fog. Absorb with dry agent. Stop leak if safe to do so. Use only in well ventilated areas. Not recommended for interior use on large surface areas. Take precautionary measures against static discharges. Dispose of this material and its container at hazardous or special waste collection point. This material and its container must be disposed of in a safe way. To clean the floor and all objects contaminated by this material, use water and detergent.

### SAFE STORAGE WITH OTHER CLASSIFIED CHEMICALS

|           |       |             |           |
|-----------|-------|-------------|-----------|
|           |       |             |           |
| Explosive | Toxic | Radioactive | Oxidizing |
| x         | x     | x           | x         |

x — Must not be stored together