TSTS

TS

•

•

•

TS

•

•

•

•

TS

,

TS

```
interface IResponseData<T>{
    code: number;
    message?: string;
    data: T;
}
```

data

```
interface User {
   id: number;
   name: string;
   email: string;
}

// User
const response: IResponseData<User> = {
   code: 200,
   message: "Success",
   data: {
     id: 1,
      name: "xiaoming",
      email: "xxx@qq.com"
   }
};
```

typeinterface

```
1.
```

2.

3.

```
JavaRust
@xxx
mobx@observableNestJS@Controller
```

```
// target
// propertyKey
// descriptor
function log(target: any, propertyKey: string, descriptor: PropertyDescriptor)
{
   const originalMethod = descriptor.value;

   descriptor.value = function (...args: any[]) {
     console.log(` ${propertyKey}: ${JSON.stringify(args)}`);
     const result = originalMethod.apply(this, args);
     console.log(` ${propertyKey}: ${JSON.stringify(result)}`);
     return result;
   };

   return descriptor;
}
```

```
class Test {
   @log
   add(a: number, b: number) {
    return a + b;
   }
}
const test = new Test();
console.log(test.add(2, 3)); // 2,35
```

TS

Vue3

any

```
anyanyTS
any
any
```

TS

Partial

```
// User
interface User {
  name: string;
  age: number;
}

// PartialUserPartial
type PartialUser = Partial<User>; // { name?: string; age?: number; }
```

- Partial<T> ⊺
- Required<T> \top
- Readonly<T> \top
- Record<K, T> K T
- **Pick<T, K>** T K
- Omit<T, K> \top K
- Exclude<T, U> T ∪
- Extract<T, U> \top U
- NonNullable<T> T null undefined
- ReturnType<T> \top

TS

TSDefinitelyTyped

- 1. d.tsd.ts lodash.d.ts
- 2. declare modulelodash

```
declare module 'lodash' {
   //
}
```

- 3. interfacetypeclass
- 4. export utils

```
declare module 'lodash' {
  function utils(...args: any[]): any;
  export { utils };
}
```

5. import

```
import { utils } from 'lodash';
```

ReactTSVueTS

React

ReactTS

React

- propsstate
- any
- .
- Hooks
- •

Vue

- Vue2 class-component vue-property-decorator TS
- Vue3TSvue-cliviteTS