## Probability Theory Exercise 1

Issued: 2020/9/24 Due: 2020/10/8

- 1. Suppose that X, Y, Z are three random variables such that X and Y are independent, X and Z are independent. Does this guarantee that X, Y, Z are mutually independent? If your answer is yes, prove it. If your answer is no, give a counterexample.
- 2. Suppose that we have a vector consisting of 8 random binary digits that are mutually independent. Each digit is either 0 or 1 with equal probability. Define the following four events:

 $A_1 :=$  "No two consecutive digits are the same".

 $A_2 :=$  "Some cyclic shift of the vector is equal to 01100110"

 $A_3 :=$  "The vector contains exactly four ones and four zeros"

 $A_4 :=$  "There are at least six consecutive ones in the vector"

Find the probabilities  $P(A_1)$ ,  $P(A_2)$ ,  $P(A_3)$ ,  $P(A_4)$ ,  $P(A_1|A_3)$  and  $P(A_2|A_3)$ .

- 3. Suppose each corner of a cube is colored red with probability  $p \in (0,1)$ , independently of other corners. Define A as the event that there is at least one face of the cube whose all four corners are colored red.
- (1) Find the conditional probability of A given that exactly 5 corners of the cube are colored red.
- (2) Find the conditional probability of A given that at least 5 corners of the cube are colored red.
- (3) Find the unconditional probability P(A).
- 4. (1) Let  $\Omega = \{H, T\}^2$  (two coin tosses). Let  $\mathcal{C} = \{\{HH, HT\}, \{HH, TH\}\}\$ . What is the size of  $\sigma(\mathcal{C})$ ? (2) Let  $\Omega = \{H, T\}^3$  (three coin tosses). Let

$$\mathcal{C} = \{\{HHH, HHT, TTH\}, \{HHH, TTH, THT\}, \{HHH, HHT, THT\}\}.$$

What is the size of  $\sigma(\mathcal{C})$ ?

- 5. Consider a probability space  $(\Omega, \mathcal{F}, \mathbb{P})$ . Let  $\{A_n\}_{n=1}^{\infty}$  be a sequence of independent events defined on  $(\Omega, \mathcal{F}, \mathbb{P})$  such that  $\mathbb{P}(A_n) < 1$  for all n and  $\mathbb{P}(\bigcup_{n=1}^{\infty} A_n) = 1$ . Find the value of  $\mathbb{P}(\bigcap_{i=1}^{\infty} \bigcup_{n=i}^{\infty} A_n)$  and prove your conclusion.
- 6. (1) Let  $X_1$  and  $X_2$  be two random variables defined on a measurable space  $(\Omega, \mathcal{F})$ . Prove that  $X_1 + X_2$  is a random variable.
- (2) Let  $\{X_n\}_{n=1}^{\infty}$  be a sequence of random variables defined on a measurable space  $(\Omega, \mathcal{F})$ . Suppose that  $\{X_n\}_{n=1}^{\infty}$  converges pointwise to X, i.e.,  $X(\omega) = \lim_{n \to \infty} X_n(\omega)$  for all  $\omega \in \Omega$ . Prove that X is also a random variable.