

Political Polarization, Public Trust, and Healthcare Disparities: Unraveling COVID-19's Impact and Future Preparedness*

Adrian Ly

Hannah Yu

Sakhil Goel

February 15, 2024

The COVID-19 pandemic has exposed deep disparities in health outcomes across various regions in the United States. Using research conducted by Nuzzo and Ledesma (2023), we analyze how variances in local health infrastructure and socio-political factors influenced COVID-19 outcomes. Our analysis reveals that political polarization notably impacted adherence to health guidelines, particularly in Republican-leaning states, correlating with higher death rates. Furthermore, disparities in healthcare access and housing significantly affected the life expectancy of different ethnic groups. These findings emphasize the need for tailored public health strategies to address infrastructure and socio-political deficiencies, while future research should continue to explore these factors for better pandemic preparedness and response.

Table of contents

| | | |
|----------|--|----------|
| 1 | Introduction | 2 |
| 2 | Data | 3 |
| 2.1 | Source | 3 |
| 2.2 | Methodology | 4 |
| 2.3 | Data cleaning | 5 |
| 2.4 | Data Measurement | 6 |
| 2.4.1 | Measurement Techniques | 7 |
| 2.4.2 | Adjustments and Considerations | 7 |

*Code and data are available at: <https://github.com/hannahyu07/US-Covid-Analysis.git> This reproduction was performed after a replication on the Social Science Reproduction platform: [link here](#)

| | |
|---|-----------|
| 3 Results | 7 |
| 4 Discussion | 11 |
| 4.1 Influence of political polarization on adherence to health guidelines | 12 |
| 4.2 Impact of government transparency and consistent communication on public trust. | 12 |
| 4.3 Role of social vulnerabilities and healthcare access disparities in pandemic impact | 13 |
| 4.4 Strategies for improving real-time data collection and sharing for public health decisions. | 14 |
| 4.5 Weaknesses and next steps | 15 |
| 5 Conclusion | 15 |
| References | 17 |

1 Introduction

The COVID-19 pandemic has exposed significant disparities in health outcomes across various regions of the United States, drawing attention to the intricate interplay of local factors in shaping disease trajectories. Understanding these dynamics is crucial for informing effective public health interventions and fostering resilience in the face of future pandemics. In this paper, building upon prior research from the American Economic Association, we delve into the multifaceted relationship between local health infrastructure, socio-political factors, and COVID-19 outcomes, aiming to provide insights into the mechanisms driving disparities and identify strategies for targeted intervention.

Our analysis is grounded in comprehensive data sourced from the paper, “Why Did the Best Prepared Country in the World Fare So Poorly during COVID?” (Nuzzo and Ledesma 2023), enabling a nuanced exploration of how community health systems and socio-political contexts intersect to influence disease outcomes. While leveraging the initial findings from the Nuzzo and Ledesma (2023), we expand the scope of inquiry to investigate broader implications and unearth deeper insights into the complexities of COVID-19 disparities. We particularly focus on the impact of political polarization on adherence to health guidelines and the role of social vulnerabilities such as healthcare access, housing conditions, and ethnic demographics in shaping disparities in COVID-19 outcomes. One key finding that emerges from our study is the influence of political polarization, with Republican-leaning states exhibiting slightly higher clustering around elevated death rates, highlighting the importance of socio-political factors in shaping public health responses.

Figure 1 gives us some context to motivate our research. This map allows us to visualize the Global Health Security (GHS) Index which is designed to assess a country’s capabilities to prevent, detect, and respond to significant infectious disease outbreaks. A higher Global Health Security (GHS) Index score indicates a stronger health system capacity for pandemic readiness.

The GHS Index assesses the readiness of countries for pandemics and other significant biological threat emergencies, using a comprehensive framework that includes measurements grouped into six broad categories: prevention, detection, response, health system capacity, compliance with international norms, and risk environment. Higher scores suggest that a country has a more robust health system capacity, with better capabilities to prevent, detect, respond to, and mitigate the spread of an epidemic.

Conversely, a lower GHS Index score implies weaker health system capacities, suggesting that the country may be less prepared to handle pandemics and other significant biological threats. Lower scores indicate deficiencies in one or more of the critical areas assessed by the Index, which could potentially hinder the country’s ability to effectively manage and control the spread of infectious diseases.

As we navigate the complexities of the COVID-19 pandemic, it is imperative to not only understand the factors contributing to disparities but also to identify actionable strategies for mitigating these inequities and strengthening community resilience. In the subsequent sections of this paper, we first delve deeper into our methodology, data cleaning, and data measurement in Section 2. Next, we present our findings in detail with graphs and tables in Section 3. Finally, we discuss how these results came about and the implications of our research for public health policy and practice Section 4 and Section 5. By elucidating these critical relationships and expanding upon prior research, our study contributes to the broader discourse on pandemic preparedness and underscores the importance of tailored interventions in addressing underlying structural determinants of health disparities.

2 Data

2.1 Source

The datasets utilized in the **original paper** (Nuzzo and Ledesma 2023) and this paper were mainly compiled from various sources such as the Arias et al. (2022), Arias and Xu (2022), Bell and Nuzzo (2021), Systems Science and Engineering (2023), Dong, Du, and Gardner (2020), *COVID-19 Excess Mortality Estimates 2020-2021* (2022), Ledesma et al. (2023), Health Statistics (2022), “Death Rate, Crude (Per 1,000 People) (SP.DYN.CDRT.IN)” (2022), Economic and Division (2022), and Wang et al. (2022). Additionally, to address the original paper’s lack of US COVID statistics and political party support data, we incorporated information from Jack and Oster (2023) and Elflein (2023). The political party support data we utilized from Jack and Oster (2023) was compiled from McGovern (2009--2020).

Jack and Oster (2023) discusses the long-term impacts of COVID-related school closures. From this source, we utilized the dataset on voting shares during the 2020 election by county. Elflein (2023) summarizes COVID-19 death rates in the United States as of March 2023, organized by state. Analyzing results from both datasets allows us to explore the relationship between




Figure 1: Global Health Security Index Scores by Country

political affiliation and COVID-19 outcomes. Our reproduction aims to fill these gaps and includes tables and graphs not presented in the original paper to support our findings.

2.2 Methodology

This paper aims to replicate the data originally presented by Nuzzo and Ledesma (2023), as mentioned previously. Subsequently, we will integrate this replication into our own data analysis, incorporating COVID statistics and political party support data. Our objective is to leverage both the initial replication and our subsequent analysis to contribute a fresh perspective to the original paper, enriching it with additional data. In contrast to the original paper, which extensively discussed the inadequacies of US preparedness compared to other countries, we specifically diverge our focus to examine the political and socioeconomic factors that influenced the US's COVID outcomes.

R (R Core Team 2022) was the language and environment used for the bulk of this analysis, alongside `tidyverse` (Wickham et al. 2019), `sf` (Pebesma 2018), `readxl` (Wickham and Bryan 2023), `knitr` (Xie 2014), `janitor` (Firke 2023), `lubridate` (Grolemund and Wickham 2011), `dplyr` (Wickham et al. 2023), `data.table` (Barrett et al. 2024), `RColorBrewer` (Neuwirth 2022), `ggpubr` (Kassambara 2023), `ggplot2` (Wickham 2016), `here` (Müller 2020), `kableExtra` (Zhu 2024), `webshot` (Chang 2023a), `webshot2` (Chang 2023b), `gt` (Iannone et al. 2024) and `scales` (Wickham, Pedersen, and Seidel 2023).

2.3 Data cleaning

From all the data provided from Nuzzo and Ledesma (2023), Jack and Oster (2023), and Elflein (2023), we mainly utilize Bell and Nuzzo (2021), Health Statistics (2022), McGovern (2009--2020), and Elflein (2023). The data from Nuzzo and Ledesma (2023) is well-organized and require minimal cleaning for analysis.

The data collected from McGovern (2009--2020) is at the county level as depicted on Table 1. However, since our analysis focuses on people’s political preferences at the state level, we create a new data frame called “vote_data_by_state” to aggregate voting data by state. We utilize the “group_by” function to generate new variables at the state level, calculating the total votes, total Republican party votes, total Democratic party votes, and the total vote difference between the two parties by county. Additionally, We also create variables for the average percentage of votes each party receives and the difference by each state.

To determine the total number of votes in the Top 10 states with the highest proportion of Republican votes, we create another new data frame called “sorted_states” from the “vote_data_by_state” data frame. We include a new variable “proportion_republican” that calculates the proportion of votes the Republican party receives from each state and orders the states by the highest proportion of Republican votes.

Table 1: Sample of Vote Share Data

| State Name | County FIPS | County Name | Votes GOP | Votes DEM | Total Votes | Difference | Percent-age GOP | Percent-age DEM | Percentage Point Difference |
|------------|-------------|----------------|-----------|-----------|-------------|------------|-----------------|-----------------|-----------------------------|
| Alabama | 1001 | Autauga County | 19838 | 7503 | 27770 | 12335 | 0.7143680 | 0.2701837 | 0.4441844 |
| Alabama | 1003 | Baldwin County | 83544 | 24578 | 109679 | 58966 | 0.7617137 | 0.2240903 | 0.5376234 |
| Alabama | 1005 | Barbour County | 5622 | 4816 | 10518 | 806 | 0.5345123 | 0.4578817 | 0.0766305 |
| Alabama | 1007 | Bibb County | 7525 | 1986 | 9595 | 5539 | 0.7842626 | 0.2069828 | 0.5772798 |
| Alabama | 1009 | Blount County | 24711 | 2640 | 27588 | 22071 | 0.8957155 | 0.0956938 | 0.8000217 |

The data from Arias and Xu (2022) lacks column names for each column. To retrieve data by column, we assign column names “State” and “Death_Rate” to the variables of interest. Subsequently, to find the top 10 states with the highest death rates, we rank the states based on death rate. Lastly, to create the final figure that incorporates the COVID death rate and people’s political preferences by state, we merge the two datasets from McGovern (2009--2020) and Elflein (2023) and proceed with our analysis.

2.4 Data Measurement

The transformation of real-world phenomena into quantifiable data points in our dataset is influenced by various factors, leading to inherent limitations in our measurements for COVID death rates, life expectancy rates (Ortiz-Ospina 2017), and political affiliation.

The determination of whether someone is deceased and whether they had COVID involves several steps and considerations. Medical professionals typically confirm a person’s death through various means, including clinical examination, vital signs assessment, and sometimes laboratory tests. For COVID-related deaths, individuals are often tested for the presence of the virus through diagnostic tests such as PCR or antigen tests. Additionally, medical history and symptoms consistent with COVID-19 may also contribute to the determination of COVID-related fatalities. However, it’s important to note that not all COVID-related deaths may be accurately identified or reported, leading to potential underestimation or misclassification in official statistics.

Incorporating this understanding into our analysis, our measurement for COVID death rates is drawn from a accumulated dataset last updated until March 2023. This temporal constraint means we would not be aware of the fluctuations of death rates over time, particularly during the peak of the pandemic in 2020. The data’s primarily reliance on the reported statistics from hospitals, clinics, testing centres, and laboratories may introduces bias as excludes uncounted deaths from COVID. Especially during the critical period of health facilities capacity constraints, many individuals died outside of medical facilities without being documented. Therefore, our measurements for COVID death rates are only accounted for the documented death from COVID.

In addition, it’s important to note that the death rate presented here reflects the entire population of a state. However, COVID-19 disproportionately affects older individuals compared to younger adults in the prime of their lives. As a result, this data does not capture the effect of COVID across different age groups. Instead, it only offers a general overview the state’s population. In summary, we are unable to provide detailed insights into age-specific or temporal variations based on this dataset.

Similarly, our measurement of life expectancy suffers from demographic limitations. Life expectancy, defined as the estimate of the average age that members of a particular population group will be when they die, is a crucial metric in understanding population health dynamics (Ortiz-Ospina 2017). Even though we categorize life expectancy by race, the absence of an age breakdown restricts our ability to discern impacts across different age groups. Moreover, delays in reporting deaths undermine the timeliness and accuracy of our data, potentially skewing our understanding of population health trends.

Our measurement for each state’s political preference is calculated from the 2020 election votes. There may be many scenarios that prevented eligible voters from voting. However, we are only able to assess the the state’s political preference based on the people who voted,

thereby potentially introducing selection bias. Additionally, issues such as ballot loss or voter disenfranchisement further compound the reliability of our measurements.

2.4.1 Measurement Techniques

Manual Data Extraction involved careful review of reports and tables to ensure accurate data capture, particularly for datasets like life expectancy where this meticulous approach was paramount; this was coupled with Standardization and Adjustment processes where excess death data and age-standardized excess death rates underwent significant processing, including the comparison of observed deaths during the pandemic to expected deaths based on historical trends, with adjustments made for the age distribution of the population; concurrently, Geospatial Data Handling was employed for mapping the GHS Index scores, utilizing Geographic Information Systems (GIS) to visually represent pandemic preparedness across various countries, and this was complemented by Real-Time Data Aggregation, which entailed aggregating COVID-19 death data in real-time from authoritative sources such as the Johns Hopkins University Dashboard, necessitating continuous data monitoring and updates to maintain accuracy and relevance.

2.4.2 Adjustments and Considerations

Accounting for underreporting through the measurement of excess deaths provides a more comprehensive view of the pandemic's impact by capturing deaths that may have been missed or misclassified as COVID-19, while the process of age standardization adjusts these excess death rates to a standard age distribution, enabling meaningful comparisons between countries with varying demographic profiles. However, the analysis had to navigate challenges associated with varying data quality and availability across different countries, especially given the diverse COVID-19 reporting standards and testing capacities. Moreover, the study also acknowledges the significant influence of political and social factors on the pandemic's outcomes, which, despite being more challenging to quantify, are essential for a holistic understanding of the pandemic's impact.

3 Results

Our results are summarized in the following figures. Figure 2 illustrates the trend of life expectancy at birth across different racial groups over time. Unfortunately, due to the unavailability of data over time for Asian, American Indian, and Alaska Native communities, they have been excluded from the time series graph. Table 3 provides a more detailed breakdown of the life expectancy before and during COVID for Asian, American Indian, Alaska Native and other racial communities.

An intriguing observation from Figure 2 is the consistently higher life expectancy among Hispanic individuals compared to other groups, even amidst the challenges posed by COVID-19. On the other hand, Black individuals have consistently exhibited lower life expectancy, which further declined notably in 2021, reaching just over 70.8 years old. The life expectancy trends of white people and all other races and origins remain close together throughout the 14 years, with minimum variance.

While all racial groups experienced declines in their average life expectancy, the declines vary greatly. The life expectancy for White individuals decreased from 78.8 to 76.4 years old from pre-pandemic levels in 2019 to 2021, while for Hispanic individuals, it dropped by 4.2 years, and for Black individuals, it declined by 4 years during the same period. Our data aligns with the findings of Andrasfay and Goldman (2022), which states that the Black and Hispanic populations experienced twice as much life expectancy decrease as the white population.”




Figure 2: Estimates of Life Expectancy at Birth, by Race 2006-2021

Table 2: Top 10 States with Highest Death Rates from COVID-19 (per 100,000 people)

| Rank | State | Deaths |
|------|---------------|--------|
| 1 | Arizona | 455 |
| 2 | Oklahoma | 454 |
| 3 | Mississippi | 449 |
| 4 | West Virginia | 444 |
| 5 | New Mexico | 432 |
| 6 | Arkansas | 431 |

| | | |
|----|-----------|-----|
| 7 | Alabama | 429 |
| 8 | Tennessee | 428 |
| 9 | Michigan | 423 |
| 10 | Kentucky | 406 |

Table 3: Life Expectancy by Race (2019-2021)

| Year | All races and origins | Hispanic | AIAN | Asian | Black | White |
|------|-----------------------|----------|------|-------|-------|-------|
| 2019 | 78.8 | 81.9 | 71.8 | 85.6 | 74.8 | 78.8 |
| 2020 | 77.0 | 77.9 | 67.1 | 83.6 | 71.5 | 77.4 |
| 2021 | 76.1 | 77.7 | 65.2 | 83.5 | 70.8 | 76.4 |

Figure 3 serves as a valuable addition to our previous analysis with the inclusion of Asians, American Indians, and Alaska Natives during the critical period from 2019 to 2021. With these additional ethnic categories, we can discern that American Indians and Alaska Natives experienced significant impacts from the pandemic, with a decrease of 4.7 years in the first year and 1.9 years in the second year, totaling 6.6 years.

With a chart that depicts the change in life expectancy each year by ethnicity, we can better gain a more comprehensive understanding of the impact of COVID by ethnicity. While the declines in life expectancy are smaller in magnitude from 2020 to 2021, they are notably minimal for Asians and Hispanics, with reductions of -0.1 and -0.2 years respectively.

Various studies have confirmed the existence of correlation between a state’s political affiliation and its handling of COVID issues (Datz (2022)). To testify to the claim, we collected the voting data for each of the 50 states for the 2020 presidential election. We then selected the ten states with the highest proportions of Republican votes. These voting patterns are visualized in Figure 4, where red symbols represent Republican votes and blue symbols represent Democratic votes. Among the top ten states, Tennessee recorded the highest total number of votes, while Wyoming boasted the highest proportion of Republican votes.

Given the variation in population sizes among states, direct comparisons of COVID-19 case numbers are inherently flawed. As an alternative, we employed death rates per 100,000 people as a metric for evaluating each state’s COVID preparedness and situation. We then produced Table 2 that rank the top ten states with the highest death rates from COVID-19 per 100,000 people to examine the potential correlation between party preferences and COVID-related deaths. Notably, We found that six of the ten top Republican states made a reappearance in the top death rates table; these states are Oklahoma, West Virginia, Arkansas, Alabama, Tennessee, and Kentucky. The higher mortality rates observed in Republican-leaning states may be attributed to their preference for less stringent measures compared to Democratic-leaning states, which tend to favor stricter measures (VanDusky-Allen and Shvetsova (2021)).




Figure 3: Change in Life Expectancy at Birth from the Previous Year




Figure 4: Total Number of Votes in Top 10 States with Highest Proportion of Republican Votes

Following our previous analysis regarding individuals’ political affiliations, we have developed Figure 5, which encompasses all 50 states of the US along with their political leanings based on which party garnered the majority votes. This information is juxtaposed against their respective COVID-19 death rates.

While we cannot make any definitive assertions about stark differences, we do observe that the Republican-leaning states are slightly more clustered around higher death rates ranging from 350 to 450 deaths, while the Democratic-leaning states appear to be more evenly distributed, and notably one Democratic-leaning state has the lowest death rate. An intriguing observation is that although many Republican-leaning states demonstrate higher COVID death rates, it is noteworthy that Arizona, typically considered a Democratic-leaning state, records the highest death rate among all states.




Figure 5: COVID-19 Death Rates vs. Republican Votes

4 Discussion

This begs the question as to why we are seeing these results. There isn’t exactly a single answer to this question, however, we can certainly point out some considerable factors to this result. These factors can be broken down into the influence of political polarization, the impact of government transparency which ties into the effect it also had on public trust, and the role of social vulnerabilities and healthcare access disparities. We should also look at how to address

these potential factors by implementing strategies in the future in regards to data collection and sharing. It is important to also note we were able to identify some weaknesses in our research that should be evaluated in the future.

4.1 Influence of political polarization on adherence to health guidelines

Political polarization has significantly impacted the adherence to health guidelines during the COVID-19 pandemic. The divergence in political ideologies has translated into differing attitudes towards health directives, including mask mandates, social distancing, and vaccination uptake.

Various studies and our results have shown that areas with higher support for one political party exhibited distinct behaviors and compliance levels with health recommendations, which directly correlated with COVID-19 case rates and mortality. A news article from ABC News (Diab and Kumar 2023) shows that the top states with the highest COVID-19 deaths are Arizona, and Washington with 581 deaths and 526 deaths respectively per 100,000 people. According to 2020 presidential voting data published by CNN, we have both states having the electoral vote of Democrat with Washington winning by 58% (*2020 Election Results by State, Washington* 2020) and Arizona winning by 49.4% (*2020 Election Results by State, Arizona* 2020). Another news article by ContagionLive (Parkinson 2023) also claims both Arizona and Washington have the highest COVID-19 mortality. This polarization has not only influenced individual behavior but also shaped state and local health policies, further entrenching the disparities in health outcomes.

The adherence to health guidelines is evident in the varied health outcomes observed across the United States. Regions with lower compliance to health directives, often influenced by political leanings, have experienced higher rates of COVID-19 transmission, hospitalizations, and deaths. The disparities in vaccine uptake, driven by political affiliations, have further exacerbated these outcomes, leaving certain communities more vulnerable to the virus and its variants. To mitigate the influence of political polarization on public health, it is imperative to depoliticize health guidelines and focus on evidence-based approaches to disease prevention and control. Building trust in health institutions and promoting bipartisan support for public health measures are essential steps toward achieving higher compliance and better health outcomes. Engaging trusted community leaders and utilizing targeted communication strategies can also help bridge the divide and encourage adherence to health guidelines.

4.2 Impact of government transparency and consistent communication on public trust.

The politicization of health guidelines and mixed messages from political and health leaders during the COVID-19 pandemic have significantly undermined the effectiveness of public

health messaging, leading to confusion, skepticism, and eroded trust among the public. Initially, inconsistencies in recommendations, such as on mask usage, challenged the principle of clear, consistent, and science-based communication essential for an effective public health response. Moreover, the transparency of government actions and decision-making processes is crucial in building and maintaining public trust, especially during health crises. The level of public trust was greatly affected by the openness and accuracy with which governments, at all levels, communicated about the evolving situation, the reasoning behind guidelines, and the measures taken to combat the virus, emphasizing the importance of transparent reporting of data related to case counts, hospitalizations, vaccine distribution, and side effects. Furthermore, consistent communication from public health officials and government leaders is key to ensuring adherence to health guidelines, where inconsistencies, such as changes in mask-wearing guidelines without clear explanations, have led to public confusion. The direct correlation between government transparency, consistent communication, and public behavior is self-evident, with populations receiving clear and transparent information being more likely to adhere to guidelines, participate in testing and tracing efforts, and accept vaccination. Drawing lessons from the pandemic, strategies for improving government transparency and communication in future health emergencies should include establishing centralized information hubs, ensuring regular and predictable communication from health authorities, engaging community leaders in information dissemination, and harnessing digital platforms and social media to amplify public health messages, thus reinforcing public trust and compliance.

4.3 Role of social vulnerabilities and healthcare access disparities in pandemic impact

The COVID-19 pandemic starkly highlighted how social vulnerabilities and disparities in healthcare access exacerbated the impact of global health crises, contributing to significant variations in disease outcomes and underscoring the need for targeted public health strategies that address these disparities' root causes. Social vulnerabilities, such as socioeconomic status, race, ethnicity, and housing conditions, critically determined COVID-19 outcomes' severity, with populations in crowded housing, limited access to sanitation, and lower socioeconomic brackets experiencing higher transmission rates due to social distancing and hygiene maintenance challenges. An independent study done by the **Government of Canada** states that it "identified that the risk of COVID-19 related deaths in Black, Asian and minority ethnic groups was nearly 1.5 times higher than White individuals" (Emily Thompson 2021). Another news article done by the **MSN** (Dr. Sushama R. Chaphalkar 2024) states that 'racial minority participants reported more negative impacts on health status, activity, and absence from work as compared to the White population.' The pandemic's economic toll further limited these groups' healthcare access, amplifying vulnerabilities. Disparities in healthcare access played a significant role in influencing COVID-19 morbidity and mortality, with communities facing healthcare facility shortages, provider scarcities, and barriers due to insurance or financial constraints at heightened risk. These disparities were evident in the uneven vaccine distribution and access, highlighting the advantages of regions with strong healthcare infrastructure.

Marginalized populations, including racial and ethnic minorities, faced compounded risks from social vulnerabilities and healthcare disparities, evidenced by higher infection, hospitalization, and death rates due to factors like essential service employment and prevalent pre-existing conditions. A news article from CNN (Powell 2020) talks about how many essential workers, who cannot work from home, are from black and Latinx communities. These include healthcare professionals, grocery cashiers, delivery workers, and public transport employees. Despite their crucial roles, they often lack adequate pay, protection, and respect. Addressing these disparities in future pandemics requires public health strategies that prioritize equity and inclusivity, including community-based healthcare investments, enhanced vulnerable community outreach, and equitable healthcare resource access policies. By incorporating social determinants of health into public health preparedness plans, responses can effectively protect at-risk populations, making future public health responses more resilient, inclusive, and effective in safeguarding all population segments.

4.4 Strategies for improving real-time data collection and sharing for public health decisions.

To address the fragmentation in data collection and sharing witnessed during the pandemic, it's crucial to establish integrated data platforms that enable seamless health data exchange among various health agencies and stakeholders, utilizing cloud computing and APIs for real-time accessibility and usability. Equally important is enhancing data standardization and interoperability through universal standards like FHIR (Fast Healthcare Interoperability Resources) to facilitate efficient data sharing (*What Is FHIR?* 2023). Another notable example is the Digital Health Platform (DHP) (*Digital Health Europe* 2024) developed by the European Centre for Disease Prevention and Control (ECDC) (*European Centre for Disease Prevention and Control* 2024), which facilitates the real-time exchange and analysis of health data across EU member states. This platform has been instrumental in coordinating responses to health threats, including the COVID-19 pandemic, by providing timely and accurate data to inform public health decisions. Another digital platform worth mentioning is the HealthMap system (*HealthMap* 2024), which utilizes online data sources and machine learning algorithms to detect and track global disease outbreaks. HealthMap's ability to aggregate and visualize data from various sources, including news reports and social media, has proven invaluable in early outbreak detection and response, showcasing the power of digital surveillance in public health. Investing in digital surveillance systems, which employ AI and machine learning to sift through diverse data sources for early outbreak detection, is essential for rapid response to health threats. A news article by *nature* (Lenharo 2024) talks about how Google has made an AI which claims to be "better bedside manner than human doctors — and makes better diagnoses". Furthermore, fostering public-private partnerships can harness the agility of the private sector and the public health expertise of governmental agencies to enhance data analytics capabilities. Ensuring the privacy and security of health data through robust governance frameworks and advanced encryption is paramount to maintaining public trust. Engaging communities in these initiatives ensures their relevance and fosters trust while building

global data-sharing networks encourages international collaboration, crucial for a concerted response to pandemics. Collectively, these strategies are fundamental to bolstering public health decision-making and preparedness, making our health systems more resilient against the challenges posed by emerging infectious diseases.

4.5 Weaknesses and next steps

In our research, we identified several weaknesses in our data that is worth mentioning. The pandemic highlighted significant disparities in global surveillance, with countries possessing advanced healthcare systems paradoxically reporting higher COVID-19 mortality rates due to more accurate detection capabilities, underscoring the need for universal surveillance standards to accurately monitor diseases worldwide. The United States, in particular, faced challenges with delayed data reporting, impeding swift public health responses and decision-making. The effects of this is self-evident as it makes us question if the data we are given is even correct. Furthermore, the often incomplete demographic data obscured the unequal effects of the pandemic on diverse communities, preventing targeted interventions for those most at risk, such as racial and ethnic minorities, thereby deepening existing health inequities. Additionally, the pandemic revealed a critical lack of infrastructure capable of integrating various data types, from clinical to public health surveillance, limiting a comprehensive understanding of the pandemic's scope and the impact of measures taken. Addressing these data weaknesses necessitates establishing global data collection, reporting, and sharing standards, including case definitions, demographic information, and data formats to ensure consistency across borders. Investments in digital health technologies are essential for enabling real-time surveillance while maintaining privacy and security. Policies should be enacted to ensure the collection of detailed demographic data to identify and address health disparities, ensuring equitable intervention distribution. Developing frameworks that allow for the seamless integration of diverse data sources will offer a more detailed pandemic perspective, necessitating cross-sector collaboration. Enhancing data literacy among health professionals, policymakers, and the public will foster informed decision-making and trust in health interventions. Lastly, international collaboration in data sharing and analysis is crucial for the rapid dissemination of insights and best practices, bolstering global preparedness and response for future health crises.

5 Conclusion

Despite the United States' top ranking in the Global Health Security Index as the most prepared nation for pandemics, its actual response to the COVID-19 pandemic fell short of expectations, leading to disproportionately high death rates. This discrepancy is attributed to several critical factors highlighted in the paper. The U.S. did not fully capitalize on its pandemic preparedness resources, with early testing blunders and a lack of a unified national testing approach hindering its response. Additionally, inherent vulnerabilities such as the significant portion of the population in congregated settings like nursing homes and prisons

increased susceptibility to virus spread and severe health outcomes. The politicization of the pandemic response further compounded these issues, resulting in varied adherence to public health guidelines across states and political lines, thereby undermining the response's effectiveness. Moreover, inconsistent public health communications and the challenge of accessing standardized, quality data impeded the implementation of localized, effective interventions. The pandemic also highlighted and intensified existing socio-economic disparities, disproportionately impacting marginalized communities who faced higher risks and adverse outcomes, a situation that the response efforts failed to sufficiently mitigate.

References

- 2020 Election Results by State, Arizona*. 2020. CNN. <https://www.cnn.com/election/2020/results/state/arizona>.
- 2020 Election Results by State, Washington*. 2020. CNN. <https://www.cnn.com/election/2020/results/state/washington>.
- Andrasfay, Theresa, and Noreen Goldman. 2022. "Reductions in US Life Expectancy from COVID-19 by Race and Ethnicity: Is 2021 a Repetition of 2020?" *medRxiv: The Preprint Server for Health Sciences*, January, 2021.10.17.21265117. <https://doi.org/https://doi.org/10.1101/2021.10.17.21265117>.
- Arias, Elizabeth, Betzaida Tejada-Vera, Kenneth Kochanek, and Farida Ahmad. 2022. "Provisional Life Expectancy Estimates for 2021." *Atlanta, Georgia*, August.
- Arias, Elizabeth, and Jiaquan Xu. 2022. "United States Life Tables, 2020." *Atlanta, Georgia*, August.
- Barrett, Tyson, Matt Dowle, Arun Srinivasan, Jan Gorecki, Michael Chirico, and Toby Hocking. 2024. *Data.table: Extension of 'Data.frame'*. <https://CRAN.R-project.org/package=data.table>.
- Bell, Julie A, and Jennifer B Nuzzo. 2021. "Global Health Security Index: Advancing Collective Action and Accountability Amid Global Crisis." Washington D.C.: <https://www.ghsindex.org/report-model/>.
- Chang, Winston. 2023a. *Webshot: Take Screenshots of Web Pages*. <https://CRAN.R-project.org/package=webshot>.
- . 2023b. *Webshot2: Take Screenshots of Web Pages*. <https://CRAN.R-project.org/package=webshot2>.
- COVID-19 Excess Mortality Estimates 2020-2021*. 2022. Seattle, United States of America: Institute for Health Metrics; Evaluation (IHME).
- Datz, Todd. 2022. "Political Ideology of u.s. Elected Officials Linked with COVID-19 Health Outcomes." *News*. <https://www.hsph.harvard.edu/news/press-releases/political-ideology-of-u-s-elected-officials-linked-with-covid-19-health-outcomes/>.
- "Death Rate, Crude (Per 1,000 People) (SP.DYN.CDRT.IN)." 2022. The World Bank; <https://databank.worldbank.org/reports.aspx?source=2&series=SP.DYN.CDRT.IN&country=#>. 2022.
- Diab, Dr. Alaa, and Dr. Keerthana Kumar. 2023. *COVID-19 Death Rates Varied Dramatically Across US, Major Analysis Finds*. ABC News. <https://abcnews.go.com/Health/covid-19-death-rates-varied-dramatically-us-major/story?id=98055024>.
- Digital Health Europe*. 2024. Digital Health Europe. <https://digitalhealtheurope.eu/#:~:text=DigitalHealthEurope&text=A%20catalogue%20of%20mature%20telehealth,during%20the%20COVID%2D19%20pandemic>.
- Dong, Ensheng, Hongru Du, and Lauren Gardner. 2020. "An Interactive Web-Based Dashboard to Track COVID-19 in Real Time." *The Lancet Infectious Diseases* 20 (5): 533–34. [https://doi.org/10.1016/S1473-3099\(20\)30120-1](https://doi.org/10.1016/S1473-3099(20)30120-1).
- Dr. Sushama R. Chaphalkar, PhD. 2024. *COVID-19 Recovery Disparities Uncovered Among*

- Racial and Ethnic Groups*. MSN. <https://www.msn.com/en-gb/health/other/covid-19-recovery-disparities-uncovered-among-racial-and-ethnic-groups/ar-BB1hLTLw>.
- Economic, United Nations Department of, and Social Affairs Population Division. 2022. “World Population Prospects 2022 Demographic Indicators by Region, Subregion and Country, Annually for 1950-2100.” <https://population.un.org/wpp/Download/Standard/MostUsed/>.
- Elflein, John. 2023. “U.s. COVID-19 Death Rate by State.” *Statista*. <https://www.statista.com/statistics/1109011/coronavirus-covid19-death-rates-us-by-state/>.
- Emily Thompson, Nicole Atchessi, Rojiemiahd Edjoc. 2021. *COVID-19 Race Data Collection in Canada*. The Public Health Agency of Canada. <https://www.canada.ca/en/public-health/services/reports-publications/canada-communicable-disease-report-ccdr/monthly-issue/2021-47/issue-7-8-july-august-2021/covid-19-race-data-collection-canada.html>.
- European Centre for Disease Prevention and Control. 2024. ECDC. <https://www.ecdc.europa.eu/en>.
- Firke, Sam. 2023. *Janitor: Simple Tools for Examining and Cleaning Dirty Data*. <https://CRAN.R-project.org/package=janitor>.
- Grolemund, Garrett, and Hadley Wickham. 2011. “Dates and Times Made Easy with lubridate.” *Journal of Statistical Software* 40 (3): 1–25. <https://www.jstatsoft.org/v40/i03/>.
- Health Statistics, National Center for. 2022. “Life Expectancy.” US Centers for Disease Control; Prevention; <https://www.cdc.gov/nchs/nvss/life-expectancy.htm>.
- HealthMap. 2024. HealthMap. <https://www.healthmap.org/en/>.
- Iannone, Richard, Joe Cheng, Barret Schloerke, Ellis Hughes, Alexandra Lauer, and JooYoung Seo. 2024. *Gt: Easily Create Presentation-Ready Display Tables*. <https://CRAN.R-project.org/package=gt>.
- Jack, Rebecca, and Emily Oster. 2023. “COVID-19, School Closures, and Outcomes.” *Journal of Economic Perspectives* 37 (4): 51–70. <https://doi.org/https://doi.org/10.1257/jep.37.4.51>.
- Kassambara, Alboukadel. 2023. *Ggpubr: 'Ggplot2' Based Publication Ready Plots*. <https://CRAN.R-project.org/package=ggpubr>.
- Ledesma, J R, C R Isaac, S F Dowell, D L Blazes, G V Essix, K Budeski, Julie Bell, and Jennifer B Nuzzo. 2023. “Evaluation of the Global Health Security Index as a Predictor of COVID-19 Excess Mortality Standardised for Under-Reporting and Age Structure.” *BMJ Global Health* 8 (7): e012203. <https://doi.org/10.1136/bmjgh-2023-012203>.
- Lenharo, Mariana. 2024. *Google AI Has Better Bedside Manner Than Human Doctors — and Makes Better Diagnoses*. *nature*. <https://www.nature.com/articles/d41586-024-00099-4>.
- McGovern, Tony. 2009--2020. “United States General Election Presidential Results by County from 2009 to 2020.” Github Repository. https://github.com/tonmccg/US_County_Level_Election_Results_08-20.
- Müller, Kirill. 2020. *Here: A Simpler Way to Find Your Files*. <https://CRAN.R-project.org/package=here>.
- Neuwirth, Erich. 2022. *RColorBrewer: ColorBrewer Palettes*. <https://CRAN.R-project.org/package=RColorBrewer>.
- Nuzzo, Jennifer B., and Jorge R. Ledesma. 2023. *Why Did the Best Prepared Country in the*

- World Fare so Poorly During COVID?* <https://www.aeaweb.org/articles?id=10.1257/jep.37.4.3>.
- Ortiz-Ospina, Esteban. 2017. "Life Expectancy" – What Does This Actually Mean? Our World in Data. <https://ourworldindata.org/life-expectancy-how-is-it-calculated-and-how-should-it-be-interpreted#:~:text=The%20term%20%22life%20expectancy%22%20refers,will%20be%20when%20they%20die>.
- Parkinson, John. 2023. *Which States Saw Greatest COVID-19 Mortality?* ContagionLive. <https://www.contagionlive.com/view/which-states-saw-greatest-covid-19-mortality->.
- Pebesma, Edzer. 2018. "Simple Features for R: Standardized Support for Spatial Vector Data." *The R Journal* 10 (1): 439–46. <https://doi.org/10.32614/RJ-2018-009>.
- Powell, Catherine. 2020. *Color of Covid: The Racial Justice Paradox of Our New Stay-at-Home Economy*. CNN. <https://www.cnn.com/2020/04/10/opinions/covid-19-people-of-color-labor-market-disparities-powell/index.html>.
- R Core Team. 2022. *R: A Language and Environment for Statistical Computing*. Vienna, Austria: R Foundation for Statistical Computing. <https://www.R-project.org/>.
- Systems Science, Center for, and Engineering. 2023. "COVID-19 Dashboard." John Hopkins University.
- VanDusky-Allen, Julie, and Olga Shvetsova. 2021. "How America's Partisan Divide over Pandemic Responses Played Out in the States." *The Conversation*. <https://theconversation.com/how-americas-partisan-divide-over-pandemic-responses-played-out-in-the-states-157565>.
- Wang, Haidong, Kara R Paulson, Samuel A Pease, Samuel Watson, Haley Comfort, Pu Zheng, A Y Aravkin, et al. 2022. "Estimating Excess Mortality Due to the COVID-19 Pandemic: A Systematic Analysis of COVID-19-Related Mortality, 2020–21." *The Lancet* 399 (10334): 1513–36. [https://doi.org/10.1016/S0140-6736\(21\)02796-3](https://doi.org/10.1016/S0140-6736(21)02796-3).
- What Is FHIR?* 2023. The Office of National Coordinator for Health Information Technology. <https://www.healthit.gov/sites/default/files/2019-08/ONCFHIRFSWhatIsFHIR.pdf>.
- Wickham, Hadley. 2016. *Ggplot2: Elegant Graphics for Data Analysis*. Springer-Verlag New York. <https://ggplot2.tidyverse.org>.
- Wickham, Hadley, Mara Averick, Jennifer Bryan, Winston Chang, Lucy D'Agostino McGowan, Romain François, Garrett Golemund, et al. 2019. "Welcome to the tidyverse." *Journal of Open Source Software* 4 (43): 1686. <https://doi.org/10.21105/joss.01686>.
- Wickham, Hadley, and Jennifer Bryan. 2023. *Readxl: Read Excel Files*. <https://CRAN.R-project.org/package=readxl>.
- Wickham, Hadley, Romain François, Lionel Henry, Kirill Müller, and Davis Vaughan. 2023. *Dplyr: A Grammar of Data Manipulation*. <https://CRAN.R-project.org/package=dplyr>.
- Wickham, Hadley, Thomas Lin Pedersen, and Dana Seidel. 2023. *Scales: Scale Functions for Visualization*. <https://CRAN.R-project.org/package=scales>.
- Xie, Yihui. 2014. "Knitr: A Comprehensive Tool for Reproducible Research in R." In *Implementing Reproducible Computational Research*, edited by Victoria Stodden, Friedrich Leisch, and Roger D. Peng. Chapman; Hall/CRC.
- Zhu, Hao. 2024. *kableExtra: Construct Complex Table with 'Kable' and Pipe Syntax*. <https://CRAN.R-project.org/package=kableExtra>.