Advanced Macro

Assignment 1

Hans Martinez

Sep 23, 2020

Competitive equilibrium for this economy

Definition: A sequential markets equilibrium is a sequence of prices $\{w_t, r_t\}_{t=0}^{\infty}$, allocations for the representative agent $\{c_t, k_{t+1}^s\}_{t=0}^{\infty}$ and allocations for the representative firm $\{l_t^d, k_t^d\}_{t=0}^{\infty}$ such that:

1. Given k_0 and $\{w_t, r_t\}_{t=0}^{\infty}$, allocations for the representative agent $\{c_t, k_{t+1}^s\}_{t=0}^{\infty}$ solves the agent's maximization problem:

$$\max_{\{c_t, k_{t+1}\}_{t=0}^{\infty}} \sum_{t=0}^{\infty} \beta^t U(c_t)$$

$$s.t. \ c_t + k_{t+1}^s = r_t k_t^s + w_t$$

$$c_t, k_{t+1}^s \ge 0 \ \forall t = 0, 1, \dots$$

$$k_0 \text{ given}$$

2. For each $t \geq 0$, given (w_t, r_t) the firm allocation (l_t^d, k_t^d) solves the firms' maximization problem:

$$\max_{k_{t}, l_{t} \geq 0} F(k_{t}^{d}, l_{t}^{d}) - r_{t}k_{t}^{d} - w_{t}l_{t}^{d}$$

3. Markets clear, for all $t \geq 0$

$$l_t^d = 1$$

$$k_t^s = k_t^d$$

$$c_t + k_{t+1}^s = F(k_t^d, l_t^d)$$

Social Planner's Problem

$$w^{T}(\bar{k_{0}}) = \max_{\{k_{t+1}\}_{t=0}^{\infty}} \sum_{t=0}^{\infty} \beta^{t} U(f(k_{t}) - k_{t+1})$$
s.a.
$$0 \le k_{t+1} \le f(k_{t})$$

$$k_{0} = \bar{k_{0}} > 0 \text{ given}$$

Where $f(k_t) = F(k_t, 1)$.

Show that the equilibrium allocation of consumption, capital, and labor coincides with those of the planner's.

• CE FOC

$$-u'(c_t) + \beta u'(c_{t+1})r_t = 0$$

$$-u'(c_t) + \beta u'(c_{t+1})f'(k_{t+1}) = 0 \text{ from firm's static optimization problem}$$

$$-u'(f(k_t) - k_{t+1}) + \beta u'(f(k_{t+1}) - k_{t+2})f'(k_{t+1}) = 0 \text{ from market clearing}$$

• SPP FOC

$$-u'(f(k_t) - k_{t+1}) + \beta u'(f(k_{t+1}) - k_{t+2})f'(k_{t+1}) = 0$$

Therefore, as long as the transversality condition holds, both solutions are equivalent.

$$\lim_{t \to \infty} \beta^t u'(f(k_t) - k_{t+1}) f'(k_t) k_t = 0$$

Planner's dynamic problem and the Bellman equation

$$v(k') = \max_{0 > k' > f(k)} \{ U(f(k) - k') + \beta v(k') \}$$

Solve planner's problem.

Assume u(c) = log(c), $f(k, l) = zk^{\alpha}l^{1-\alpha}$.

Using the guess and verify method, let v(k) = A + Bln(k).

FOC:
$$k' = \frac{B\beta z k^{\alpha}}{1+B\beta}$$

Plugging into orginial problem and solving for coefficients, we get:

$$A = \frac{1}{1 - \beta} \left[\frac{\alpha \beta}{1 - \alpha \beta} ln(\alpha \beta) + ln(1 - \alpha \beta) \right]$$
$$B = \frac{\alpha}{1 - \alpha \beta}$$

Then, our value function and our policy function would be:

$$v^* = A + Bln(k)$$
 with A and B as defined above $q^*(k) = \alpha \beta z k^{\alpha}$

Obtain $\{c,k,r,w,y\}$ at the steady state

$$k^* = (\alpha \beta z)^{\frac{1}{1-\alpha}}$$

$$r^* = \beta^{-1}$$

$$w^* = z(1-\alpha)(\alpha \beta z)^{\frac{\alpha}{1-\alpha}}$$

$$y^* = z(\alpha \beta z)^{\frac{\alpha}{1-\alpha}}$$

$$c^* = z(\alpha \beta z)^{\frac{\alpha}{1-\alpha}} - (\alpha \beta z)^{\frac{1}{1-\alpha}}$$

Obtain the path of {c,k,r,w,y} in the following cases

Let $\alpha = \frac{1}{3}, z = 1$. Use planner's solution, starting from steady state:

A. Capital decreases to 80% of its steady state.

```
a = 1/3
b = 0.6
k_{star} = (a*b)^{(1/(1-a))}
#Defining vars
a = 1/3
b = 0.6
k_star = (a*b)^(1/(1-a))
r = 1/b
# Initializing array for loop
m, n = 100, 2
K = fill(0.0, (m, n))
#defining policy fn
g = x \rightarrow a*b*(x^a)
# loop for capital
k = 0.8*k_star
for i in 1:m
    K[i, 1] = k
    K[i, 2] = g(K[i,1])
    global k = K[i, 2]
end
# defining fn's for the rest of the variables
w = x \rightarrow (1-a)x^a
y = x \rightarrow x^a
c = (p,q) \rightarrow y(p)-q
r = x -> a*(x^(a-1))
int = r.(K[1:100,2])
wage = w.(K[1:100,1])
output = y.(K[1:100,1])
cons = c.(K[1:100,1],K[1:100,2])
# importing packages for plotting
import Pkg; Pkg.add("Plots")
using Plots
gr()
# plotting capital
plot(1:10,fill(k_star,10), label="capital SS")
plot!(1:10,K[1:10,1], label="capital path", linestyle = :dot, legend = :bottomright)
xlabel!("t")
title!("Capital")
savefig("/Users/Hans/Desktop/capital.pdf")
```

```
# plotting output
plot(1:10,fill(y(k_star),10), label="output SS")
plot!(1:10,output[1:10], label="output path", linestyle = :dot, legend = :bottomright)
xlabel!("t")
title!("Output")
savefig("/Users/Hans/Desktop/output.pdf")
# plotting consumption
plot(1:10,fill(c(k_star,k_star),10), label="consumption SS")
plot!(1:10,cons[1:10], label="consumption path", linestyle = :dot, legend = :bottomright)
xlabel!("t")
title!("Consumption")
savefig("/Users/Hans/Desktop/consumption.pdf")
# plotting wage
plot(1:10,fill(w(k_star),10), label="wage SS")
plot!(1:10,wage[1:10], label="wage path", linestyle = :dot, legend = :bottomright)
xlabel!("t")
title!("Wage")
savefig("/Users/Hans/Desktop/wage.pdf")
# plotting capital rental rate
plot(1:10,fill(r(k_star),10), label="capital rental rate SS")
plot!(1:10,int[1:10], label="rate path", linestyle = :dot, legend = :topright)
xlabel!("t")
title!("Capital rental rate")
savefig("/Users/Hans/Desktop/capitalr.pdf")
```




Figure 1: Wage and capital




Figure 2: Capital rate and output




Figure 3: Consumption