

Math 1300-005 - Spring 2017

Product & Quotient Rule - 2/20/17

Guidelines: Please work in groups of two or three. This will not be handed in, but is a study resource for the next midterm.

1. Recall the product rule:

$$\frac{d}{dx}(u(x)v(x)) = u'(x)v(x) + u(x)v'(x).$$

Use it to differentiate the following. **You do not need to simplify your answers.**

(a) $f(x) = (x^3 + 2x)e^x$

(b) $g(x) = \sqrt{x}e^x$

(c) $R(t) = (t + e^t)(3 - \sqrt{t})$

(d) $F(y) = \left(\frac{1}{y^2} - \frac{3}{y^4}\right)(y + 5y^3)$

2. Find $f'(x)$ and $f''(x)$ for $f(x) = x^4e^x$.

3. Recall the quotient rule:

$$\frac{d}{dx} \left(\frac{u(x)}{v(x)} \right) = \frac{u'(x)v(x) - u(x)v'(x)}{[v(x)]^2}.$$

Use it to differentiate the following. **You do not need to simplify your answers.**

(a) $f(x) = \frac{e^x}{x^2}$

(b) $g(t) = \frac{2t}{4 + t^2}$

(c) $y = \frac{v^3 - 2v\sqrt{v}}{v + 1}$

(d) $h(x) = \frac{1 - xe^x}{x + e^x}$

4. Find an equation of the tangent line to $y = \frac{\sqrt{x}}{x + 1}$ at $x = 4$.

5. A table of values for f , g , f' , and g' is given.

| x | $f(x)$ | $g(x)$ | $f'(x)$ | $g'(x)$ |
|-----|--------|--------|---------|---------|
| 1 | 4 | -6 | 5 | 7 |
| 2 | -1 | 2 | -3 | -4 |
| 3 | 0 | 1 | 6 | 3 |



(a) If $H(x) = f(x)g(x)$, find $H'(1)$.

(b) If $L(x) = \frac{f(x)}{g(x)}$, find $L'(2)$.

(c) If $B(x) = [x + f(x)]g(x)$, find $B'(1)$.

(d) If $F(x) = \frac{g(x)}{f(x)}$, find $F'(3)$.

6. Consider the piecewise functions f and g whose graphs are shown below.



(a) If $P(x) = f(x)g(x)$, find $P'(-4)$.

(b) If $Q(x) = \frac{f(x)}{g(x)}$, find $Q'(3)$.

(c) If $C(x) = \frac{g(x)}{f(x)}$, find $C'(-1)$.

(d) If $N(x) = x^2 f(x)$, find $N'(2)$.