Rajalakshmi Engineering College

Name: Harish S

Email: 240701173@rajalakshmi.edu.in

Roll no: 240701173 Phone: 9345569745

Branch: REC

Department: I CSE AG

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt : 1 Total Mark : 20 Marks Obtained : 17

Section 1: MCQ

1. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

2. What is the output of the following code?

try:
 x = "hello" + 5
except TypeError:
 print("Type Error occurred")
finally:

```
print("This will always execute")
 Answer
   Type Error occurred This will always execute
   Status: Correct
                                                                         Marks: 1/1
   3. What is the correct way to raise an exception in Python?
   Answer
   raise Exception()
   Status: Correct
                                                                         Marks : 1/1
   4. What will be the output of the following Python code?
   # Predefined lines to simulate the file content
   lines = [
      "This is 1st line",
      "This is 2nd line".
      "This is 3rd line".
      "This is 4th line".
      "This is 5th line"
   print("Name of the file: foo.txt")
   # Print the first 5 lines from the predefined list
   for index in range(5):
      line = lines[index]
      print("Line No %d - %s" % (index + 1, line.strip()))
   Answer
   Displays Output
   Status: Correct
                                                                         Marks: 1/1
5. How do you rename a file?
```

Answer

os.rename(existing_name, new_name)

Status: Correct Marks: 1/1

6. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

7. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

- 8. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
- c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
- d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

9. How do you create a user-defined exception in Python?

Answer

By creating a new class that inherits from the Exception class

Status: Correct Marks: 1/1

10. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

```
f = open("exp.txt", "w+")
_____(1)
print _____(2)
```

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct

 ∇V_{O} , ∇V_{O} ,

Marks : 1/1

11. Fill in the blanks in the following code of writing data in binary files.

```
import ______(1)
rec=[]
while True:
    rn=int(input("Enter"))
    nm=input("Enter")
    temp=[rn, nm]
    rec.append(temp)
    ch=input("Enter choice (y/N)")
    if ch.upper=="N":
```

245	break f.open("stud.dat","")(2) dump(rec,f)(3) close()(4)	240701173	240701173
	Answer		
	(pickle,wb,pickle,f)		
	Status: Correct		Marks : 1/1
	12. What happens if no arguments are	passed to the seek fu	ınction?
	Answer	13	13
C	error	2011	2101,
2,00	Status: Wrong	200	Marks : 0/1
	13. Which of the following is true about	İ.	
	fp.seek(10,1)		
	Answer		
	Move file pointer ten characters ahead from	n the current position	
	Status: Correct	13	Marks : 1/1
	1011	2011	2011
24	14. What is the output of the following	code?	240,
	try:		
	x = 1/0		
	except ZeroDivisionError: print("Caught division by zero error")		
	finally: print("Executed")		
	Answer	1/3	1/3
	Caught division by zero errorExecuted	2,40701173	10111
245	Status: Correct	240,	Marks: 1/1

15. What will be the output of the following Python code? f = None for i in range (5): with open("data.txt", "w") as f: if i > 2: break print(f.closed) Answer True Status: Correct Marks : 1/1 16. What is the default value of reference_point in the following code? file_object.seek(offset [,reference_point]) Answer 0 Status: Correct Marks: 1/1 17. What is the purpose of the except clause in Python? Answer To display the final output of the program Status: Wrong Marks: 0/1 18. What is the output of the following code? class MyError(Exception): pass raise MyError("Something went wrong")

40	except MyError as e: print(e) Answer Something went wrong	24070117		
	Status: Correct	Marks : 1/1		
	19. Which clause is used to clean up resources, such as c Python?	closing files in		
40	Answer finally Status: Correct	Marks : 1/1		
	20. Fill in the code in order to get the following output:			
	Output:			
	Name of the file: ex.txt			
D.O.	fo = open((1), "wb") print("Name of the file: ",)(2) Answer 1) "ex.txt"2) fo.name()	04010111		
	Status: Wrong	Marks : 0/1		

2,40701113