

Rajalakshmi Engineering College

Name: Harish S

Email: 240701174@rajalakshmi.edu.in

Roll no: 240701174

Phone: 7200868674

Branch: REC

Department: CSE - Section 9

Batch: 2028

Degree: B.E - CSE

Scan to verify results



2024_28_III_OOPS Using Java Lab

2028_REC_OOPS using Java_Week 4_Q3

Attempt : 1

Total Mark : 10

Marks Obtained : 10

Section 1 : Coding

1. Problem Statement

Bechan Chacha is seeking help to filter out valid mobile numbers from a list provided by his crush. He can only pick his crush's number if the list contains valid mobile numbers.

A mobile number is considered valid if:

It has exactly 10 digits. It consists only of numeric values (0–9). It does not begin with zero.

Your task is to determine whether each mobile number in the list is valid or not.

Input Format

The first line contains an integer T, representing the number of mobile numbers

to check.

The next T lines each contain a string S, representing a mobile number.

Output Format

For each mobile number S, the output print "YES" if it is valid.

Otherwise, print "NO".

Refer to the sample output for formatting specifications.

Sample Test Case

Input: 1

9876543210

Output: YES

Answer

```
import java.util.Scanner;
class main{
    public static void main(String args[]){
        Scanner scan=new Scanner(System.in);
        int n=scan.nextInt();
        scan.nextLine();
        for(int i=0; i<n; i++){
            String a=scan.nextLine();
            int c=0;
            for(int j=0; j<a.length(); j++){
                if(a.charAt(j)=='0' || a.charAt(j)=='1' || a.charAt(j)=='2' ||
                a.charAt(j)=='3' || a.charAt(j)=='4' || a.charAt(j)=='5' || a.charAt(j)=='6' ||
                a.charAt(j)=='7' || a.charAt(j)=='8' || a.charAt(j)=='9')
                    c++;
            }
            if(a.charAt(0)!='0' && a.length()==10 && c==10)
                System.out.print("YES");
            else
                System.out.print("NO");
        }
    }
}
```

Status : Correct

Marks : 10/10