Assignment 1: A Rock-Paper-Scissors Game

Deadline: 23:59pm, March 30, 2022

In this assignment, you are required to write a simple Rock-Paper-Scissors game in Java. This involves classes/objects, strings, functions, array of objects, and flow control. Your tasks are divided into two parts, and you are required to complete both.

1 Basic Level: Initializing a Random Sequence of Shapes (50%)

Your first task is to write a program that can initialize a sequence of shapes, which is used for playing the Rock-Paper-Scissors game, as introduced in the advanced level task. The program takes two integers from the user, where the first one is the total number of rounds, and the second one is the seed for random number generation. Finally, it prints the entire sequence of shapes. We provide a skeleton of code in the appendix, i.e., Shape sample.java, and you need to complete the program.

Now to begin, a shape has two attributes: *name*, and *value*. There are 3 shapes, and their names are: "Rock", "Paper", and "Scissors". The value of a shape simply depends on its name: a "Rock" has a value of 1, "Paper" 2, and "Scissors" 3. All the shape names are already defined in the main() function as an array of String.

A class called Shape is provided in the skeleton code. You should add the above attributes defined as *private* members. name is a string type and *private* members. value is an integer type. You also need to implement these access functions and the default constructor in order to complete the class definition of Shape.

To initialize a random sequence of shapes, you need to implement one function. A sequence is simply an array of Shape objects as you can see in public static void main(String[] args). initSequence(shapeSeq, shapeName, num, seed) is the function to initialize the sequence of shapes, where the integer value num indicates the number of shapes in this sequence, and the integer value seed is used for random number generation. When you create each shape, you should randomly select its value from 1 to 3, and set its name according to the value as mentioned before.

You also need to complete a help function called printSequence which simply takes the sequence and the current number of shapes, and prints each Shape object sequentially. This is called in the main() function to check the output of your code.

A sample run of the program with 20 as the number of shapes and 6 as the seed is shown below in Figure 1.

```
■ X ¾ 🗎 🖟 🗗 🔛 📂 ゼ 🗎 🕶 🕶 🗆
□属性 № Data Source Explorer Snippets □控制台 🛛 電进度 🚜 Servers 🗎 Coverage
<已終止> Shape1 [Java 应用程序] C:\Program Files\Java\jdk-17.0.1\bin\javaw.exe (2022年3月5日 上午9:56:39)
Enter the num of shapes in the sequence (1 to 20):
Enter the seed for random number generation:
Paper (2)
Rock (1)
Scissors (3)
Rock (1)
Paper (2)
Scissors (3)
Scissors (3)
Paper (2)
Paper (2)
Scissors (3)
Paper (2)
Scissors (3)
Rock (1)
Rock (1)
Paper (2)
Rock (1)
Scissors (3)
Rock (1)
Paper (2)
Scissors (3)
```

Figure 1: A run of the basic level program with 20 as the num and 6 as the seed.

What you need to do: Based on Shape_sample.java, complete the class definition of Shape. Do not add/remove attributes or member functions. Finish the implementation of the default constructor and access functions. Finish the implementation of the initSequence function and the printSequence function. Complete the main() function based on the sample output shown in Figure 1.

What you need to submit: Submit the completed source file.

2 Advanced Level: Playing the Rock-Paper-Scissors Game (50%)

Your next task is to extend your program in the basic level, so it can play the Rock-Paper-Scissors game with you as the only player.

The game is as follows. At first, the program asks the user the seed for random number generation. It initializes a random sequence of shapes, just like the basic level. Note that you are not required to input the number of shapes, and the number is fixed at 10 now. Then the game starts. Initially, you have 10 dollars. In each round, the program asks you to enter an integer that indicates a shape you will choose, where 1 stands for "Rock", 2 for "Paper", and 3 for "Scissors". Here we would just assume that the input integer is 1 or 2 or 3, for simplicity. Then the program will deal one hand to you by drawing a shape in order from the sequence of shapes initialized by the seed, and showing it to you. The game continues until one of these conditions is met: (1) Your balance becomes 0. Then the game ends automatically since you are broke. (2) You choose to leave the game with a positive balance. You can do this by

entering "-1" as your input, and the game will end, and your balance will be shown. Note that you must play at least three hands before you can leave the game. (3) The entire sequence of 10 shapes is drawn. The game automatically ends, and your balance is shown as well.

The rules of comparison between shapes are simple: rock beats scissors, paper beats rock, and scissors beats paper. If you win, your balance will increase by 10 dollars. If you lose, it will decrease by 10 dollars. If the program and you perform the same shape, your balance will not be changed.

Some sample runs of the game are shown below. Note your program output should be EXACTLY the same as the sample output below, using the same seed, if you are using jdk.17.0.1.

Run 1: Figure 2 shows a run with 2 as the seed. We lose the game after 2 hand. The result of your game is shown right after a hand is dealt to you.

Figure 2: A run of the advanced level Rock-Paper-Scissors program with 2 as the seed.

Run 2: Figure 3 shows a run with 2 as the seed. We wanted to quit at the third hand, but the system does not allow that. We can quit after playing at least 3 hands.

```
□属性 NData Source Explorer Snippets □控制台 N 电进度 M Servers Coverage
<已終止> Shape2 [Java 应用程序] C:\Program Files\Java\jdk-17.0.1\bin\javaw.exe (2022年3月5日 上午9:42:45)
Enter the seed for random number generation:
### Rock-Paper-Scissors Game Begins! ###
### Note: 1 = Your shape? 3
            = Rock, 2 = Paper, 3 = Scissors ###
Hand 1: Scissors (Yours) vs Paper. WIN!
Your balance is 20 dollars.
Hand 2: Paper (Yours) vs Rock. WIN!
Your balance is 30 dollars.
Your shape?
You can't quit now!
Your shape? 1
Hand 3: Rock (Yours) vs Scissors. WIN!
Your balance is 40 dollars.
Your shape?
Game ends, you have 40 dollars. Congratulations!
```

Figure 3: A run of the advanced level Rock-Paper-Scissors program with 2 as the seed.

Run 3: Figure 4 shows a run with 2 as the seed. We played five hands and chose to quit with 30 dollars.

```
□属性 Nata Source Explorer Snippets P控制台 3 号进度 Servers Coverage
<已終止> Shape2 [Java 应用程序] C:\Program Files\Java\jdk-17.0.1\bin\javaw.exe (2022年3月5日 上午9:53:52)
Enter the seed for random number generation:
### Rock-Paper-Scissors Game Begins! ###
### Note: 1 = Rock, 2 = Paper, 3 = Scissors ###
Hand 1: Paper (Yours) vs Paper. DRAW!
Your balance is 10 dollars.
Your shape? 1
Hand 2: Rock (Yours) vs Rock. DRAW!
Your balance is 10 dollars.
Your shape? 3
Hand 3: Scissors (Yours) vs Scissors. DRAW!
Your balance is 10 dollars.
Your shape? 3
Hand 4: Scissors (Yours) vs Paper. WIN!
Your balance is 20 dollars.
Your shape? 2
Hand 5: Paper (Yours) vs Rock. WIN!
Your balance is 30 dollars.
Game ends, you have 30 dollars. Congratulations!
```

Figure 4: A run of the advanced level Rock-Paper-Scissors program with 2 as the seed.

What you need to do: Based on your solution of the basic level task, implement the Rock-Paper-Scissors game as specified above. Do not remove attributes or member functions of Shape, or initSeuqence or other access functions. You may add new member functions to Shape and new non-member functions to the program. Again, your output must be EXACTLY the same as the above figures if you are using jdk17.0.1. You are encouraged to try different seeds and play different bets to test your own solution (it's a game anyway:)).

What you need to submit: Submit the completed source file.

Submission guideline: You should submit two java files (or a ZIP file if your email server does not support attaching code files) via email to **Miss Jieyi Zhang** (<u>iyzhang@mail.nwpu.edu.cn</u>) before the deadline. Make sure that your code is runnable with Java 17.

Appendix

```
// Shape_sample.java
import java.util.Random;
import java.util.Scanner;
public class Shape {
   public static final int MAX_NUM_OF_SHAPES = 20;
   // TODO: Complete the class definition of Shape
   // TODO: Complete the code that initializes a random sequence of shapes
   // You need to set its name and value for each shape:
   // Rock = 1, Paper = 2, Scissors = 3
   public static void initSequence(Shape[] shapeSeq, String[] shapeName, int
num, int seed) {
       Random random = new Random(seed);
   }
   // TODO: Complete the code that prints the sequence of shapes sequentially
   public static void printSequence(Shape[] shapeSeq, int num) {
   }
   public static void main(String[] args) {
       Scanner sc = new Scanner(System.in);
       Shape[] shapeSeq = new Shape[MAX_NUM_OF_SHAPES];
       String[] shapeName = { "Rock", "Paper", "Scissors" };
       int num = 0;
       // read the num from the console
       System.out.println("Enter the num of shapes in the sequence (1 to 20):
");
       num = sc.nextInt();
       // TODO: Check the range of num
       int seed = 0;
       System.out.println("Enter the seed for random number generation: ");
       seed = sc.nextInt();
       initSequence(shapeSeq, shapeName, num, seed);
       printSequence(shapeSeq, num);
   }
}
```