Software

Maintenance

What is Software Maintenance?

Software Maintenance is a very broad activity that includes error corrections, enhancements of capabilities, deletion of obsolete capabilities, and optimization.

Categories of Maintenance

Corrective maintenance

This refer to modifications initiated by defects in the software.

Adaptive maintenance

It includes modifying the software to match changes in the ever changing environment.

Perfective maintenance

It means improving processing efficiency or performance, or restructuring the software to improve changeability. This may include enhancement of existing system functionality, improvement in computational efficiency etc.

Other types of maintenance

There are long term effects of corrective, adaptive and perfective changes. This leads to increase in the complexity of the software, which reflect deteriorating structure. The work is required to be done to maintain it or to reduce it, if possible. This work may be named as preventive maintenance.




Fig. 1: Distribution of maintenance effort

Problems During Maintenance

- Often the program is written by another person or group of persons.
- Often the program is changed by person who did not understand it clearly.
- Program listings are not structured.
- High staff turnover.
- Information gap.
- Systems are not designed for change.

Maintenance is Manageable

A common misconception about maintenance is that it is not manageable.

Report of survey conducted by Lientz & Swanson gives some interesting observations:

1	Emergency debugging 12.4%	
2	Routine debugging	9.3%
3	Data environment adaptation 17.3%	
4	Changes in hardware and OS	6.2%
5	Enhancements for users	41.8%
6	Documentation Improvement	5.5%
7	Code efficiency improvement	4.0%
8	Others	3.5%

Table 1: Distribution of maintenance effort

Kinds of maintenance requests

1	New reports	40.8%
2	Add data in existing reports	27.1%
3	Reformed reports	10%
4	Condense reports	5.6%
5	Consolidate reports 6.49	
6	Others	10.1%

Table 2: Kinds of maintenance requests

Potential Solutions to Maintenance Problems

- Budget and effort reallocation
- Complete replacement of the system
- Maintenance of existing system

The Maintenance Process




Fig. 2: The software maintenance process

Program Understanding

The first phase consists of analyzing the program in order to understand.

Generating Particular Maintenance Proposal

The second phase consists of generating a particular maintenance proposal to accomplish the implementation of the maintenance objective.

Ripple Effect

The third phase consists of accounting for all of the ripple effect as a consequence of program modifications.

Modified Program Testing

The fourth phase consists of testing the modified program to ensure that the modified program has at least the same reliability level as before.

Maintainability

Each of these four phases and their associated software quality attributes are critical to the maintenance process. All of these factors must be combined to form maintainability.

Maintenance Models

Quick-fix Model

This is basically an adhoc approach to maintaining software. It is a fire fighting approach, waiting for the problem to occur and then trying to fix it as quickly as possible.




Fig. 3: The quick-fix model

- Iterative Enhancement Model
 - Analysis
 - Characterization of proposed modifications
 - Redesign and implementation




Fig. 4: The three stage cycle of iterative enhancement

Reuse Oriented Model

The reuse model has four main steps:

- Identification of the parts of the old system that are candidates for reuse.
- Understanding these system parts.
- Modification of the old system parts appropriate to the new requirements.
- 4. Integration of the modified parts into the new system.




Fig. 5: The reuse model

Boehm's Model

Boehm proposed a model for the maintenance process based upon the economic models and principles.

Boehm represent the maintenance process as a closed loop cycle.




Fig. 6: Boehm's model

Taute Maintenance Model

It is a typical maintenance model and has eight phases in cycle fashion. The phases are shown in Fig. 7




Fig. 7: Taute maintenance model

Phases:

- 1. Change request phase
- 2. Estimate phase
- 3. Schedule phase
- 4. Programming phase
- 5. Test phase
- 6. Documentation phase
- 7. Release phase
- 8. Operation phase

Estimation of maintenance costs

Phase	Ratio
Analysis	1
Design	10
Implementation	100

Table 3: Defect repair ratio

Reverse Engineering

Reverse engineering is the process followed in order to find difficult, unknown and hidden information about a software system.

Scope and Tasks

The areas there reverse engineering is applicable include (but not limited to):

- 1. Program comprehension
- 2. Redocumentation and/ or document generation
- 3. Recovery of design approach and design details at any level of abstraction
- 4. Identifying reusable components
- 5. Identifying components that need restructuring
- 6. Recovering business rules, and
- 7. Understanding high level system description

Reverse Engineering encompasses a wide array of tasks related to understanding and modifying software system. This array of tasks can be broken into a number of classes.

Mapping between application and program domains




Fig. 10: Mapping between application and domains program

- Mapping between concrete and abstract levels
- Rediscovering high level structures
- Finding missing links between program syntax and semantics
- To extract reusable component

Levels of Reverse Engineering

Reverse Engineers detect low level implementation constructs and replace them with their high level counterparts.

The process eventually results in an incremental formation of an overall architecture of the program.




Fig. 11: Levels of abstraction

Redocumentation

Redocumentation is the recreation of a semantically equivalent representation within the same relative abstraction level.

Design recovery

Design recovery entails identifying and extracting meaningful higher level abstractions beyond those obtained directly from examination of the source code. This may be achieved from a combination of code, existing design documentation, personal experience, and knowledge of the problem and application domains.

Software RE-Engineering

Software re-engineering is concerned with taking existing legacy systems and re-implementing them to make them more maintainable.

The critical distinction between re-engineering and new software development is the starting point for the development as shown in Fig.12.




Fig. 12: Comparison of new software development with re-engineering

The following suggestions may be useful for the modification of the legacy code:

- ✓ Study code well before attempting changes
- Concentrate on overall control flow and not coding
- ✓ Heavily comment internal code
- ✓ Create Cross References
- ✓ Build Symbol tables
- ✓ Use own variables, constants and declarations to localize the effect
- ✓ Keep detailed maintenance document
- ✓ Use modern design techniques

Source Code Translation

- 1. Hardware platform update: The organization may wish to change its standard hardware platform. Compilers for the original language may not be available on the new platform.
- 2. Staff Skill Shortages: There may be lack of trained maintenance staff for the original language. This is a particular problem where programs were written in some non standard language that has now gone out of general use.
- 3. Organizational policy changes: An organization may decide to standardize on a particular language to minimize its support software costs. Maintaining many versions of old compilers can be very expensive.

Program Restructuring

- 1. Control flow driven restructuring: This involves the imposition of a clear control structure within the source code and can be either inter modular or intra modular in nature.
- 2. Efficiency driven restructuring: This involves restructuring a function or algorithm to make it more efficient. A simple example is the replacement of an IF-THEN-ELSE-IF-ELSE construct with a CASE construct.

```
IF Score > = 75 THEN Grade: = 'A'

ELSE IF Score > = 60 THEN Grade: = 'B'

ELSE IF Score > = 50 THEN Grade: = 'C'

ELSE IF Score > = 40 THEN Grade: = 'D'

ELSE IF Grade = 'F'

END

(a)

CASE Score of

75, 100: Grade: = 'A'

60, 74: Grade: = 'B';

50, 59: Grade: = 'C';

40, 49: Grade: = 'D';

ELSE Grade: = 'F'

END

(b)
```

Fig. 13: Restructuring a program

Configuration Management

The process of software development and maintenance is controlled is called configuration management. The configuration management is different in development and maintenance phases of life cycle due to different environments.

Configuration Management Activities

The activities are divided into four broad categories.

- 1. The identification of the components and changes
- 2. The control of the way by which the changes are made
- 3. Auditing the changes
- 4. Status accounting recording and documenting all the activities that have take place

The following documents are required for these activities

- ✓ Project plan
- ✓ Software requirements specification document
- ✓ Software design description document
- ✓ Source code listing
- ✓ Test plans / procedures / test cases
- ✓ User manuals

Software Versions

Two types of versions namely revisions (replace) and variations (variety).

Version Control:

A version control tool is the first stage towards being able to manage multiple versions. Once it is in place, a detailed record of every version of the software must be kept. This comprises the

- ✓ Name of each source code component, including the variations and revisions
- ✓ The versions of the various compilers and linkers used
- The name of the software staff who constructed the component
- ✓ The date and the time at which it was constructed.

Change Control Process

Change control process comes into effect when the software and associated documentation are delivered to configuration management change request form (as shown in fig. 14), which should record the recommendations regarding the change.

CHANGE REQUEST FORM

Project ID:

Change Requester with date:

Requested change with date:

Change analyzer:

Components affected:

Associated components:

Estimated change costs:

Change priority:

Change assessment:

Change implementation:

Date submitted to CCA:

Date of CCA decision:

CCA decision:

Change implementer:

Date submitted to QA:

Date of implementation:

Date submitted to CM:

QA decision:

Fig. 14: Change request form

Documentation

Software documentation is the written record of the facts about a software system recorded with the intent to convey purpose, content and clarity.

User Documentation

S.No.	Document	Function
1.	System Overview	Provides general description of system's functions.
2.	Installation Guide	Describes how to set up the system, customize it to local hardware needs and configure it to particular hardware and other software systems.
3.	Beginner's Guide	Provides simple explanations of how to start using the system.
4.	Reference Guide	Provides in depth description of each system facility and how it can be used.
5.	Enhancement	Booklet Contains a summary of new features.
6.	Quick reference card	Serves as a factual lookup.
7.	System administration	Provides information on services such as networking, security and upgrading.

Table 5: User Documentation

System Documentation

It refers to those documentation containing all facets of system, including analysis, specification, design, implementation, testing, security, error diagnosis and recovery.

System Documentation

S.No.	Document	Function
1.	System Rationale	Describes the objectives of the entire system.
2.	SRS	Provides information on exact requirements of system as agreed between user and developers.
3.	Specification/ Design	Provides description of: (i) How system requirements are implemented. (ii) How the system is decomposed into a set of interacting program units. (iii) The function of each program unit.
4.	Implementation	Provides description of: (i) How the detailed system design is expressed in some formal programming language. (ii) Program actions in the form of intra program comments.

S.No.	Document	Function
5.	System Test Plan	Provides description of how program units are tested individually and how the whole system is tested after integration.
6.	Acceptance Test Plan	Describes the tests that the system must pass before users accept it.
7.	Data Dictionaries	Contains description of all terms that relate to the software system in question.

Table 6: System Documentation