Rajalakshmi Engineering College

Name: Harsha Vardhini S

Email: 240701180@rajalakshmi.edu.in

Roll no: 240701180 Phone: 9787756112

Branch: REC

Department: I CSE AH

Batch: 2028

Degree: B.E - CSE



NeoColab_REC_CS23221_Python Programming

REC_Python_Week 6_MCQ

Attempt: 1 Total Mark: 20 Marks Obtained: 20

Section 1: MCQ

1. Fill in the blanks in the following code of writing data in binary files.

```
import ______ (1)

rec=[]

while True:

rn=int(input("Enter"))

nm=input("Enter")

temp=[rn, nm]

rec.append(temp)

ch=input("Enter choice (y/N)")

if ch.upper=="N":

break

f.open("stud.dat","______")(2)

_____.dump(rec,f)(3)

_____.close()(4)
```

Answer

(pickle,wb,pickle,f)

Status: Correct Marks: 1/1

2. What is the purpose of the except clause in Python?

Answer

To handle exceptions during code execution

Status: Correct Marks: 1/1

3. What is the default value of reference_point in the following code?

file_object.seek(offset [,reference_point])

Answer

0

Status: Correct Marks: 1/1

4. Fill the code to in order to read file from the current position.

Assuming exp.txt file has following 3 lines, consider current file position is beginning of 2nd line

Meri,25

John,21

Raj,20

Ouptput:

['John,21\n','Raj,20\n']

Answer

1) f.seek(0, 1)2) f.readlines()

Status: Correct Marks: 1/1

5. What is the correct way to raise an exception in Python?

Answer

raise Exception()

Status: Correct Marks: 1/1

6. Which of the following is true about the finally block in Python?

Answer

The finally block is always executed, regardless of whether an exception occurs or not

Status: Correct Marks: 1/1

- 7. Match the following:
- a) f.seek(5,1) i) Move file pointer five characters behind from the current position
- b) f.seek(-5,1) ii) Move file pointer to the end of a file
 - c) f.seek(0,2) iii) Move file pointer five characters ahead from the current position
 - d) f.seek(0) iv) Move file pointer to the beginning of a file

Answer

a-iii, b-i, c-ii, d-iv

Status: Correct Marks: 1/1

8. What happens if an exception is not caught in the except clause?

Answer

The program will display a traceback error and stop execution

Status: Correct Marks: 1/1

9. What is the output of the following code?

```
try:
    x = 1 / 0
except ZeroDivisionError:
    print("Caught division by zero error")
finally:
    print("Executed")
```

Answer

Caught division by zero errorExecuted

Status: Correct Marks: 1/1

10. Which clause is used to clean up resources, such as closing files in Python?

Answer

finally

Status: Correct Marks: 1/1

11. What is the difference between r+ and w+ modes?

Answer

in r+ the pointer is initially placed at the beginning of the file and the pointer is at the end for w+

Status: Correct Marks: 1/1

12. Fill in the code in order to get the following output:

Output: Name of the file: ex.txt fo = open(____(1), "wb") print("Name of the file: ",____)(2) Answer 1) "ex.txt"2) fo.name Status: Correct Marks: 1/1 13. What is the output of the following code? x = "hello" + 5except TypeError: print("Type Error occurred") finally: print("This will always execute") Answer Type Error occurredThis will always execute Marks : 1/1 Status: Correct 14. How do you rename a file? Answer os.rename(existing_name, new_name) Status: Correct Marks: 1/1 15. What will be the output of the following Python code? # Predefined lines to simulate the file content lines = ["This is 1st line",

```
"This is 2nd line",
       "This is 3rd line",
       "This is 4th line",
       "This is 5th line"
    print("Name of the file: foo.txt")
    # Print the first 5 lines from the predefined list
    for index in range(5):
       line = lines[index]
       print("Line No %d - %s" % (index + 1, line.strip()))
    Answer
    Displays Output
    Status: Correct
    16. Which of the following is true about
    fp.seek(10,1)
    Answer
    Move file pointer ten characters ahead from the current position
                                                                          Marks : 1/1
    Status: Correct
    17. What will be the output of the following Python code?
    f = None
    for i in range (5):
       with open("data.txt", "w") as f:
         if i > 2:
           break
    print(f.closed)
    Answer
7401True
```

Marks: 1/1 180 Status: Correct 18. How do you create a user-defined exception in Python? Answer By creating a new class that inherits from the Exception class Status: Correct Marks: 1/1 19. What happens if no arguments are passed to the seek function? **Answer** file position remains unchanged Status: Correct 20. What is the output of the following code? class MyError(Exception): pass try: raise MyError("Something went wrong") except MyError as e: print(e) Answer

240701180

Something went wrong

Status: Correct

240701180

240/01/180

240701180

Marks: 1/1