

Gender: Male | Birth year: 1950 | WHO: 0

Tumor: Lung - Adenocarcinoma | Lesions: Liver | Stage: IV

Summary

Clinical summary

Relevant systemic treatment history	1/2023-9/2024	Osimertinib
Relevant other oncological history	None	
Previous primary tumor	None	
Relevant non-oncological history	2022	Rheumatoid arthritis

Recent molecular results

Hartwig WGS (20-Aug-2024)

Biopsy location	Liver (purity 50%)
Molecular tissue of origin prediction	Lung: Non-small cell (98%)
Tumor mutational load / burden	TML Low (40) / TMB Low (2)
Microsatellite (in)stability	Stable
HR status	Proficient (0)
High driver mutations	EGFR L858R, EGFR C797S, KRAS G12D
Amplified genes	None
Deleted genes	TP53
Homozygously disrupted genes	None
Gene fusions	None
Virus detection	None
Potentially actionable events with medium/low driver:	None

IHC results	PD-L1: Score 1%
-------------	-----------------

Approved treatments considered eligible

Treatment
Not yet determined

Example trials that are open and potentially eligible (2 cohorts from 2 trials)

Trial	Cohort	Molecular	Warnings
METC 04 TEDR1	Lung cancer C797S cohort	EGFR C797S	None
METC 02 KAYRAS	Dose expansion - monotherapy - NSCLC	KRAS G12D	Variant(s) KRAS G12D in KRAS but subclonal likelihood of > 50%

Example trials that are open and potentially eligible but currently have no slots available (1 cohort from 1 trial)

Trial	Cohort	Molecular	Warnings
METC 01 IEMOEN	Dose escalation - monotherapy		Hemoglobin 5.6 mmol/L below min of 6.0 mmol/L, History of rheumatoid arthritis, SOC not exhausted: at least platinum doublet remaining

External trials potentially eligible based on molecular results which are potentially recruiting locally in Netherlands (1)

Trial title	Events	Source Events	Cancer Types	Hospitals
<a href="#">EGFR-NEW</a>	EGFR L858R	EGFR L858R	Lung non-small cell carcinoma	Tilburg

ACTIN Report (research use only)

PATIENT  
EXAMPLE-LUNG-01  
  
REPORT DATE  
07-Nov-2024

Molecular Details

IHC results PD-L1: Score 1%

Hartwig WGS (EXAMPLE-LUNG-01-T, 20-Aug-2024)

General

Purity	TML Status	TMB Status	MS Stability	HR Status	DPYD	UGT1A1
50%	Low (40)	Low (2)	Stable	Proficient (0)	*1_HOM (Normal function)	*1_HOM (Normal function)

Predicted tumor origin

1. Lung: Non-small cell	
Combined prediction score	98%
This score is calculated by combining information on:	
(1) SNV types	60%
(2) SNV genomic localisation distribution	70%
(3) Driver genes and passenger characteristics	80%

Other cohorts have a combined prediction of 2% or lower

Drivers

Type	Driver	Driver likelihood	Trials in Example	Trials in Hartwig	Best evidence in External	Resistance in External
Mutation (Hotspot)	EGFR C797S (1/4 copies)	High	TEDR1			
Mutation (Hotspot)	EGFR L858R (2/4 copies)	High				
Mutation (Hotspot)	KRAS G12D (0.3/2 copies)*	High	KAYRAS			
Loss	TP53 del, 0 copies	High				

\* Variant has > 50% likelihood of being sub-clonal

Clinical Details

Clinical summary

Relevant systemic treatment history	1/2023-9/2024	Osimertinib
Relevant other oncological history	None	
Previous primary tumor	None	
Relevant non-oncological history	2022	Rheumatoid arthritis

Patient current details (01-Oct-2024)

Unresolved toxicities grade => 2	None
Cancer-related complications	None
Known allergies	None

Tumor details (01-Oct-2024)

Measurable disease	Unknown
CNS lesion status	No known CNS lesions
Brain lesion status	No known brain lesions

Active medication details

Medication	Administration route	Start date	Stop date	Dosage	Frequency
None					

Trial Matching Summary

Example trials and cohorts that are potentially eligible, but are closed (1)

Trial	Cohort	Molecular	Warnings
METC 01 IEMOEN	Dose expansion - monotherapy		Hemoglobin 5.6 mmol/L below min of 6.0 mmol/L, History of rheumatoid arthritis, SOC not exhausted: at least platinum doublet remaining

Example trials and cohorts that are open but considered ineligible (2)

Trial	Cohort	Molecular	Ineligibility reasons
METC 02 KAYRAS	Dose expansion - monotherapy - Colorectum	KRAS G12D	No colorectal cancer
METC 03 NO-SEE797ES	Dose escalation - monotherapy		C797S detected in EGFR

Open cohorts with no slots available are shown in grey.

Example trials and cohorts that are closed and considered ineligible (0)

None

Example trials and cohorts that are not evaluable or ignored (0)

None