PATIENT
EXAMPLE-LUNG-03
REPORT DATE
01-Nov-2024

Gender: Female | Birth year: 1980 | WHO: 2

Tumor: Lung - Small cell carcinoma | Lesions: Bone, Lung | Stage: IV

Summary

Clinical summary

Relevant systemic treatment history 3/2024-9/2024 Cisplatin+Etoposide

Relevant other oncological history

Previous primary tumor

None

Relevant non-oncological history 1/2019 Cerebrovascular accident

Recent molecular results

Small NGS Lung Panel (15-Sep-2024)

Biopsy location Lung

Molecular tissue of origin prediction Unknown

Tumor mutational load / burden Unknown / TMB low (8)

Microsatellite (in)stability

Stable

HR status

Proficient

High driver mutations TP53 R273H, SMARCA4 T910M

Amplified genes

Deleted genes

None

Homozygously disrupted genes

Gene fusions

None

Virus detection

Potentially actionable events with medium/low driver:

None

IHC results PD-L1: Score < 1%

Example trials that are open and potentially eligible (0)

None

Example trials that are open and potentially eligible but currently have no slots available (1 cohort from 1 trial)

Trial	Cohort	Molecular	Warnings
METC 01	Dose escalation - monotherapy		None
IEMOEN			

Example trials that are open but for which additional genes need to be tested to evaluate eligibility (1 cohort from 1 trial)

Trial	Cohort	Molecular	Warnings
METC 05 PICKME3CA	Dose expansion - monotherapy - Other cancer types		Gene(s) PIK3CA not tested

Open cohorts with no slots available are shown in grey.

PATIENT
EXAMPLE-LUNG-03
REPORT DATE
01-Nov-2024

Trial Matching Summary

Example trials and cohorts that are potentially eligible, but are closed (1)

Trial	Cohort	Molecular	Warnings	
METC 01 IEMOEN	Book expansion monotricrapy		None	
Example tri	ials and cohorts that are consid	ered ineligible (5)	
Trial	Cohort	Molecular	Ineligibility reasons	
METC 02	Applies to all cohorts below	None	G12D not detected in KRAS	
KAYRAS	Dose expansion - monotherapy - Colorectum		No colorectal cancer	
	Dose expansion - monotherapy - NSCLC		No lung non-small cell carcinoma	
METC 03	Dose escalation - monotherapy		No variants in codon(s) C797 in EGFR	

C797S not detected in EGFR

No lung non-small cell carcinoma

Open cohorts with no slots available are shown in grey.

NSCLC

Lung cancer C797S cohort

Dose expansion - monotherapy -

Example trials and cohorts that are not evaluable or ignored (0)

None

NO-SEE797ES
METC 04

PICKME3CA

TEDR1

METC 05

PATIENT
EXAMPLE-LUNG-03
REPORT DATE
01-Nov-2024

Trial Matching Details

Potentially eligible open trials & cohorts

METC 01

Potentially eligible Yes

Acronym IEMOEN

Title Phase I first-in-human study to evaluate safety of IEMOEN, a new PD-L1 inhibitor in advanced solid tumors

Rule	Reference	Evaluation
E-02	Has hemoglobin below 6 mmol/l	WARN
		Hemoglobin 8.2 mmol/L exceeds minimum of 6.0 mmol/L, but measurement occurred before 03-Aug- 2024
E-03	Has absolute neutrophil count below 1.5 x 10^9/l	UNDETERMINED
		No measurement found for absolute neutrophil count
I-01	Patients must be ≥18 years old.	PASS
		Patient is at least 18 years old
I-02	IEMOEN monotherapy is indicated for the treatment of adults with advanced/metastatic solid tumors.	PASS
		Patient has solid primary tumor
		Tumor stage IV is considered metastatic
I-03	Patient should have exhausted applicable available standard-of-care treatments.	PASS
		Assumed exhaustion of SOC since patient has had prior cancer treatment
E-01	Has an active autoimmune disease that requires systemic treatment and poses a risk according	PASS
	to the investigator.	Patient has no other condition belonging to category autoimmune disease

METC 01 - Dose escalation - monotherapy

Cohort ID A
Potentially eligible? Yes
Open for inclusion? Yes
Has slots available? No

METC 01 - Dose expansion - monotherapy

Cohort ID B
Potentially eligible? Yes
Open for inclusion? No
Has slots available? No

PATIENT
EXAMPLE-LUNG-03

REPORT DATE 01-Nov-2024

METC 05

Potentially eligible Yes

Acronym PICKME3CA

Title A phase 1/2 trial of ABC123 +/- platinum doublet in PIK3CA-mutated solid cancer

Rule	Reference	Evaluation
I-03	ALAT and ASAT should be at most 3*ULN, or at most 5*ULN in case of liver metastases.	UNDETERMINED
		ASAT and ALAT are not present or cannot be evaluated
I-04	Patient has confirmed activating PIK3CA mutation	UNDETERMINED
		Gene(s) PIK3CA not tested in molecular data
I-01	Patient is ≥18 years old.	PASS
		Patient is at least 18 years old
I-02	Has locally advanced or metastatic cancer.	PASS
		Tumor stage IV is considered metastatic
I-05	Patient can not have a severe cardiac condition.	PASS
		Patient has no other condition belonging to category coronary artery disease
		Patient has no other condition belonging to category heart disease

METC 05 - Dose expansion - monotherapy - NSCLC

Cohort ID A

Potentially eligible? No

Open for inclusion? Yes

Has slots available? Yes

Rule	Reference	Evaluation
I-03	Has non small cell lung cancer.	FAIL
		Patient has no lung non-small cell
		carcinoma

METC 05 - Dose expansion - monotherapy - Other cancer types

Cohort ID

Potentially eligible?

Open for inclusion?

Has slots available?

Yes

Has slots available? Yes		
Rule	Reference	Evaluation
I-03	Has solid cancer, other than non small cell lung cancer.	PASS
		Patient has no lung non-small cell carcinoma
		Patient has solid primary tumor

PATIENT

EXAMPLE-LUNG-03

REPORT DATE 01-Nov-2024

Other trials & cohorts

METC 02

Potentially eligible No

Acronym KAYRAS

Title A phase 1/2 trial for first in-human usage of KAYRAS, a new specific KRAS G12D inhibitor in NSCLC and

colorectal cancer

Rule	Reference	Evaluation
I-04	Patient has confirmed KRAS G12D mutation	FAIL
		None of G12D detected in gene KRAS

METC 02 - Dose expansion - monotherapy - NSCLC

Cohort ID A

Potentially eligible? No

Open for inclusion? Yes

Has slots available? Yes

Reference

I-02	KAYRAS monotherapy is indicated for the treatment of NSCLC or colorectal patients with	FAIL
	metastatic cancer.	

Patient has no lung non-small cell carcinoma

Evaluation

METC 02 - Dose expansion - monotherapy - Colorectum

Cohort ID B
Potentially eligible? No
Open for inclusion? Yes
Has slots available? Yes

Rule	Reference	Evaluation
I-02	KAYRAS monotherapy is indicated for the treatment of NSCLC or colorectal patients with	FAIL
	metastatic cancer.	Patient has no colorectal cancer

METC 03

Rule

Potentially eligible No

Acronym NO-SEE797ES

Title Phase I trial for development of NO-SEE797ES, a specific inhibitor for EGFR with C797 mutations but not C797S

in solid tumors

Rule	Reference	Evaluation
I-03	Tumors should contain EGFR C797 but not EGFR C797S mutation.	FAIL
		No variants in codon(s) C797 detected in gene EGFR

PATIENT
EXAMPLE-LUNG-03

REPORT DATE 01-Nov-2024

METC 03 - Dose escalation - monotherapy

Cohort ID A

Potentially eligible? No

Open for inclusion? Yes

Has slots available? Yes

METC 04

Potentially eligible No
Acronym TEDR1

Title TEDR1 Trial: A phase II trial to evaluate efficacy of specific EGFR inhibitors in lung cancer

 Rule
 Reference
 Evaluation

 I-3
 Patient has a confirmed EGFR C797S mutation
 FAIL

None of C797S detected in gene EGFR

METC 04 - Lung cancer C797S cohort

Cohort ID A

Potentially eligible? No

Open for inclusion? Yes

Has slots available? Yes