

# **Week 01**

## **Introduction**

## **Data Wrangling**

*API209: Summer Math Camp*

Rony Rodrigo Maximiliano Rodriguez-Ramirez

[rrodriguezramirez@g.harvard.edu](mailto:rrodriguezramirez@g.harvard.edu)

*Harvard University*

August 15, 2024

# Welcome

# Plan for today

1. Getting to know each other
2. The layout of this summer camp (just the R part)
3. Why R, RStudio, Positron?
4. Data manipulation in R

# Who am I?

# **My role**

**What should you expect from me?**

**At the end of this summer camp?**

# Course assistants for Math Camp

Shan



Ayush



Sara



# The layout

# The layout

## What are we going during math camp (R Part)?

8 sessions over the next weeks:

### 1. 4 Lessons (2 hours)

- I will discuss about coding, strategies, and implementation

### 2. 4 Labs (1.5 hours)

- It will be a hands-on session. I will provide you with exercises and we will solve them together.

### 3. Optional: Office hours

# The layout

There is a website for this summer camp:

WEBSITE

It is not up-to-date; but every week, you will have the materials for that respective week, i.e., you should have already your lab for tomorrow.


# Coding

Coding is a *Skill*

**It is most fun to practice a skill with people you know.**

# Discussion Activity: Archetypes

## Student Archetypes:



Credit: @Dom | Former TF.

- **Intros:** Name, where you're from, favorite midday snack or superhero.
- **Experience:** With statistics, programming, and/or R? (Yes/No)
- **Which quadrant describes you?**

# **Classroom Norms**

## **Class is a collective enterprise!**

- Allow everyone the chance to speak.
- Be mindful of thoughts and actions.
- Understand differing levels of knowledge and experience.
- Help others in your group!
- Don't be afraid to ask questions!
- Respect others' opinions and suggestions.
- Try questions on your own first, then come together.
- Take breaks and have fun!

# Using AI for Code Troubleshooting

- AI assistants like ChatGPT and Claude can help debug code
- Steps to use AI for troubleshooting:
  1. Paste your code snippet and error message
  2. Ask for help identifying and fixing the issue
  3. Review AI's suggestions critically
  4. Test proposed solutions in your environment
- Benefits:
  - Quick identification of common errors
  - Explanations of underlying issues
  - Suggestions for best practices

# Why R, RStudio, Positron?

# Why R, RStudio, and Positron?

## Why R?

- Open-source and free.
- Extensive ecosystem for statistical analysis.
- Wide range of packages for data manipulation and visualization.
- Active and supportive community.

# RStudio and Positron: The IDEs for R

## Why RStudio?

- Integrated development environment (IDE) that simplifies coding in R.
- Built-in tools for code development, debugging, and collaboration.
- Seamless integration with RMarkdown for dynamic report generation.
- Powerful tools for data visualization and manipulation.

## Why Positron?


- New, modern IDE designed to enhance the R programming experience.
- Sleeker interface with enhanced performance and features.
- Supports the latest R packages and workflows.
- Focuses on integrating modern development tools and practices.

# Which IDE Should You Use?

## RStudio vs. Positron

- **RStudio** is well-established with a large user base and extensive support.
- **Positron** offers cutting-edge features for those looking to adopt the latest tools.
- Consider trying both to see which fits your workflow best.
- During the pre-summer assignment, we used **Posit Cloud**.
  - For those who haven't installed, either RStudio nor Positron in your computer, there is a Posit Cloud Project [here](#)


# The tidyverse



# Original Plot

## American exceptionalism

Summer Olympics, medal points\*




\*Gold=3 points, Silver=2, Bronze=1   <sup>†</sup>Includes Unified Team in 1992 and Russian Olympic Committee in 2020

Sources: International Olympic Committee; Olympedia

# Using ggplot

## American exceptionalism

Summer Olympics, medal points\*



\*Gold=3 points, Silver=2, Bronze=1 †Includes Unified Team in 1992 and Russian Olympic Committee in 2020  
Sources: International Olympic Committee; Olympedia

# Data wrangling

# Data Manipulation vs Data Wrangling

## *Data Manipulation*

- Focused on changing data structure
- Often uses specific functions or methods
- Usually works with structured data
- Examples: sorting, filtering, aggregating
- Typically a part of data wrangling
- More straightforward, less time-consuming

## *Data Wrangling*

- Broader process including cleaning and transformation
- May involve multiple tools and techniques
- Handles both structured and unstructured data
- Examples: merging datasets, handling missing values, format conversion
- Encompasses the entire data preparation process
- Can be complex and time-intensive

# Advanced Data Wrangling

## Mastering Data Manipulation in R

- **Advanced Filtering and Selection:**
  - Use of conditional filtering and dynamic column selection.
- **Complex Mutate Operations:**
  - Creating conditional columns, using lag and lead.
- **Data Reshaping:**
  - Pivoting data, advanced grouping.
- **Efficient Data Handling:**
  - Joining datasets, parallel processing.

# Recap: The Tidyverse

**The tidyverse is a collection of R packages designed for data science.**  
They share an underlying design philosophy, grammar, and data structures.

## Core Packages:

- `ggplot2` - Data visualization
- `dplyr` - Data manipulation
- `tidyverse` - Data tidying
- `readr` - Data import
- `purrr` - Functional programming
- `tibble` - Modern data frames
- `stringr` - String manipulation
- `forcats` - Categorical data

# dplyr: Key Functions

## Commonly Used Functions:

- `filter()` - Subset rows based on conditions
- `select()` - Choose columns by names
- `mutate()` - Create new columns or modify existing ones
- `arrange()` - Reorder rows
- `summarize()` - Aggregate data
- `group_by()` - Group data for summary operations

# dplyr: Example

```
1 library(dplyr)
2
3 # Filter and select
4 filtered_data <- starwars %>
5   filter(height > 180) %>
6   select(name, height, hair_color)
7
8 filtered_data
```

```
# A tibble: 39 × 3
  name      height hair_color
  <chr>     <int> <chr>
1 Darth Vader    202  none
2 Biggs Darklighter 183  black
3 Obi-Wan Kenobi 182  auburn, white
4 Anakin Skywalker 188  blond
5 Chewbacca       228  brown
6 Boba Fett        183  black
7 IG-88            200  none
8 Bossk             190  none
9 Qui-Gon Jinn     193  brown
10 Nute Gunray      191  none
# i 29 more rows
```


# dplyr: Example

```
1 # Mutate
2 starwars %>
3   mutate(
4     tatooine = ifelse( #<<
5       homeworld == "Tatooine", #<<
6       "Tatooine", #<<
7       "Others" #<<
8     ) #<<
9   ) %>
10  group_by(tatooine) %>
11  summarize(
12    mean = mean(height)
13  )
```

```
# A tibble: 3 × 2
  tatooine   mean
  <chr>     <dbl>
1 Others     177.
2 Tatooine   170.
3 <NA>        NA
```

# Are we good here?

As of now, you should have the tools to understand the last code. More resources are available in our website. Now, it's time to make some mistakes!



Artwork by @allison\_horst

# Takeaways

# Sucking

*Originally from: Dr. Andrew Heiss*

“There is no way of knowing nothing about a subject to knowing something about a subject without going through a period of much frustration and suckiness.”

**“Push through. You’ll suck less.”**


Hadley Wickham, author of {ggplot2}

# Sucking



Dude, sucking at something is the first step towards being sort of good at something

# Sucking



Artwork by @allison\_horst