



# Weekly Meeting with Dr. Hannah

Hasan Shaikh

Quantitative Imaging Research and  
Artificial Intelligence Lab (QIRAIL)

# 1. Pedro's Paper - Overview



**Paper:** Mateus et al. (2023) - *“Image based prognosis in head and neck cancer using convolutional neural networks: a case study in reproducibility and optimization”*

## **Key Points:**

- Uses CT imaging to predict 3 clinical outcomes:
  - Distant Metastasis (DM)
  - Locoregional Recurrence (LRR)
  - Overall Survival (OS)
- Model: Convolutional Neural Network
- Training: Canadian dataset (298 patients)
- Testing: Maastricht dataset (137 patients)


**Goal:** Validate if this model generalizes to our CMC dataset

## 2. Training (CANADIAN) & Testing (MAASTRO) Tumor Location Distribution




**Table 1.** Comparative AUC performance for three clinical outcomes in head and neck cancer across the original published study (“**Paper Results**”), our reproduced models on the same dataset (“**Our Results**”), and our proposed CNN trained on our in-house dataset (“**Our Results with Our Dataset**”)

Events	Cohort	Paper Results (CNN)	Our Results (CNN)	Our Dataset Results (CNN)
		Cohort split (CI 95%) / 5-fold CV	Cohort split (CI 95%) / 5-fold CV	Cohort split (CI 95%) / 5-fold CV
Distant Metastasis (2y)	Train	0.91 [0.84, 0.96] / 0.87 (0.84–0.92)	0.85 [0.75, 0.93] / 0.xx	-
	Val	0.89 [0.81, 0.96] / 0.86 (0.77–0.96)	0.87 [0.73, 0.98] / 0.xx	-
	Test	0.89 [0.79, 0.98] / 0.83 (0.76–0.90)	0.87 [0.67, 0.99] / 0.xx	-
Locoregional failure (2y)	Train	0.76 [0.64, 0.88] / 0.77 (0.72–0.86)	0.71 [0.57, 0.84] / 0.xx	-
	Val	0.77 [0.58, 0.92] / 0.76 (0.72–0.84)	0.72 [0.53, 0.88] / 0.xx	-
	Test	0.45 [0.32, 0.57] / 0.53 (0.48–0.59)	0.49 [0.36, 0.62] / 0.xx	-
Overall survival (4y)	Train	0.84 [0.75, 0.92] / 0.82 (0.68–0.94)	0.75 [0.61, 0.86] / 0.xx	-
	Val	0.80 [0.66, 0.91] / 0.77 (0.62–0.96)	0.77 [0.62, 0.90] / 0.xx	-
	Test	0.67 [0.57, 0.77] / 0.63 (0.57–0.72)	0.67 [0.56, 0.76] / 0.xx	-




**Table 2.** Comparative performance (AUCs) including clinical data for predicting multiple clinical outcomes in head and neck cancer across the original study results (“*Paper Results*”), our reproduced CNN and ANN models (“*Our Results*”), and our proposed CNN trained on our in-house dataset (“*Our Results with Our Dataset*”)

Events	Cohort	Paper Results (CNN)	Our Results (CNN)	Paper Results (ANN)	Our Results (ANN)	Our Dataset Results (CNN)
		Cohort split (CI 95%) / 5-fold CV	Cohort split (CI 95%) / 5-fold CV	Cohort split (CI 95%) / 5-fold CV	Cohort split (CI 95%) / 5-fold CV	Cohort split (CI 95%) / 5-fold CV
Distant Metastasis (2y)	Train	0.91 [0.86, 0.95] / 0.88 (0.81–0.93)	0.90 [0.84, 0.95] / 0.86	0.87 [0.78, 0.93] / 0.87 (0.81–0.92)	0.91 □ / 0.76	- / -
	Val	0.89 [0.79, 0.98] / 0.88 (0.81–0.93)	0.86 [0.68, 0.98] / 0.89	0.79 [0.65, 0.93] / 0.83 (0.79–0.88)	0.76 □ / 0.80	- / -
	Test	0.93 [0.86, 0.99] / 0.88 (0.86–0.90)	0.92 [0.86, 0.98] / 0.88	0.87 [0.78, 0.95] / 0.86 (0.81–0.89)	0.87 □ / 0.82	- / -
Locoregional failure (2y)	Train	0.84 [0.76, 0.93] / 0.77 (0.62–0.87)	0.75 [0.63, 0.86] / 0.92	0.71 [0.61, 0.80] / 0.74 (0.70–0.84)	0.78 □ / 0.78	- / -
	Val	0.70 [0.54, 0.84] / 0.72 (0.60–0.84)	0.70 [0.52, 0.85] / 0.87	0.66 [0.48, 0.82] / 0.71 (0.60, 0.81)	0.54 □ / 0.69	- / -
	Test	0.59 [0.47, 0.70] / 0.57 (0.53–0.60)	0.57 [0.44, 0.68] / 0.54	0.41 [0.29, 0.54] / 0.53 (0.50, 0.54)	0.33 □ / 0.40	- / -
Overall survival (4y)	Train	0.74 [0.64, 0.84] / 0.83 (0.74–0.94)	0.74 [0.64, 0.84] / 0.88	0.83 [0.74, 0.90] / 0.83 (0.77–0.85)	0.78 □ / 0.84	- / -
	Val	0.74 [0.58, 0.86] / 0.81 (0.73–0.93)	0.72 [0.58, 0.86] / 0.92	0.75 [0.62, 0.87] / 0.76 (0.71–0.78)	0.74 □ / 0.79	- / -
	Test	0.69 [0.59, 0.79] / 0.68 (0.63–0.71)	0.69 [0.59, 0.79] / 0.68	0.63 [0.52, 0.73] / 0.63 (0.61, 0.64)	0.65 □ / 0.56	- / -



### 3. CMC Dataset - Overview



## 4. Preprocessing Pipeline - Overview

### Step-by-step Processing:

1. **DICOM → NIFTI Conversion** (dcmrtstruct2nii)
2. **FSL Reorientation** (fslreorient2std)
3. **Slice Selection** (largest tumor area in HU window)
4. **Tumor-Centered Cropping** (180×180 pixels)
5. **HU Windowing & Normalization** (-50 to 300 HU)
6. **PNG Export** (Final 180×180 images)

## 5. Next Steps - Code Modifications for Training

### Clinical Sheet Requirements:

- Match author's naming convention:
  - Column names
  - locoregional\_recurrence\_in\_days