

# Functions: Composition and Inverse

Video companion

## 1 Introduction

- Composing two functions
  - Basic identity
  - A warning
- Inverse functions
  - Basic identity
  - A neat picture
  - A warning

## 2 Composing functions

Definition: Given functions  $f$  and  $g$ ,  $(g \circ f)(x) = g(f(x))$ , and  $(f \circ g)(x) = f(g(x))$

Example:

$$f(x) = x^2$$

$$g(x) = x + 5$$

$$(g \circ f)(x) = g(f(x))$$

$$= g(x^2) = x^2 + 5$$

$$g(f(2)) = g(2^2) = 2^2 + 5 = 9$$

$$(f \circ g)(x) = f(g(x))$$

$$= f(x + 5) = (x + 5)^2 \neq x^2 + 5$$

### 3 Inverse functions

Example:

$$f(x) = 2x$$

$$g(x) = \frac{1}{2}x$$

$$(g \circ f)(x) = g(f(x)) = g(2x) = \frac{1}{2}(2x) = x$$

Notice: true for all  $x$


$$(g \circ f)(3) = g(f(3)) = g(2 * 3) = \frac{1}{2}(2 * 3) = 3$$

$$(g \circ f)(\pi) = g(f(\pi)) = g(2 * \pi) = \frac{1}{2}(2 * \pi) = \pi$$


$f$  and  $g$  are *inverses* of each other, i.e.  $f$  undoes what  $g$  does.

$$g = f^{-1}$$

### 4 Graphical depiction



Warning: not every function  $f : \mathbb{R} \rightarrow \mathbb{R}$  has an inverse.



Warning: if the graph of  $f$  fails the horizontal line test, then  $f$  has no inverse. The only invertible functions are those that are either strictly increasing or strictly decreasing.