



**UTM**  
UNIVERSITI TEKNOLOGI MALAYSIA

---

**DATABASE  
SECD2523 ( SECTION 1)  
SEMESTER 1- 2023/2024**

---

**LAB SQL4- DML3  
Part 1 & Part 2**

---

**LECTURER : DR. HASLINA HASHIM**

<b>NAME</b>	<b>MATRIC NO.</b>
AMALIA YASMIN BINTI ABDUL AZIZ	A22EC0138

## SQL4- DML3 PART 1 (DFo\_6\_9\_1\_Project)

### Section 6 Lesson 9 Exercise 1 : Joining Tables Using JOIN


#### Write SELECT Statements Using Data From Multiple Tables Using Equijoins and Non-Equijoins (S6L9 Objective 1)

In this exercise you will write SELECT statements to access data from more than one table.

#### Part 1 : Creating Natural Joins

1. Display all the information about sales representatives and their addresses using a natural join.

```
SELECT *  
FROM sales_representatives NATURAL JOIN sales_rep_addresses;
```



The screenshot shows the APEX SQL Workshop interface. The SQL Commands panel contains the query: `SELECT *  
FROM sales_representatives NATURAL JOIN sales_rep_addresses;`. The Results panel displays the following data:

ID	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	COMMISSION_RATE	SUPERVISOR_ID	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	ZIP_CODE
sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01	12 Cherry Lane	Denton	Detroit	DT48211
sr02	vwright@obl.com	Victoria	Wright	0134598762	5	sr01	87 Blossom Hill	Uptown	Detroit	DT52314
sr03	bspeed@obl.com	Barry	Speed	0134598763	5	sr01	12 Junction Row	Skinflats	Detroit	DT52564

3 rows returned in 0.04 seconds

2. Adapt the query from the previous question to only show the id, first name, last name, address line 1, address line 2, city, email and phone\_number for the sales representatives.

```
SELECT id, first_name, last_name, address_line_1, address_line_2, city, email,  
phone_number  
FROM sales_representatives NATURAL JOIN sales_rep_addresses;
```

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema WKSP\_AMALIAVASMIN123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT id, first_name, last_name, address_line_1, address_line_2, city, email, phone_number
2 FROM sales_representatives NATURAL JOIN sales_rep_addresses;

```

Results Explain Describe Saved SQL History

ID	FIRST_NAME	LAST_NAME	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	EMAIL	PHONE_NUMBER
sr01	Charles	Raymond	12 Cherry Lane	Denton	Detroit	chray@obl.com	0134598761
sr02	Victoria	Wright	87 Blossom Hill	Uptown	Detroit	vwright@obl.com	0134598762
sr03	Barry	Speed	12 Junction Row	Skinflats	Detroit	bspeed@obl.com	0134598763

3 rows returned in 0.01 seconds Download

## Part 2 : Creating Joins with the USING Clause

- Adapt the previous query answer to use the USING clause instead of a natural join.

```

SELECT id, first_name, last_name, address_line_1, address_line_2, city, email,
phone_number
FROM sales_representatives JOIN sales_rep_addresses
USING (id);

```

APEX App Builder SQL Workshop Team Development Gallery

SQL Commands Schema WKSP\_AMALIAVASMIN123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT id, first_name, last_name, address_line_1, address_line_2, city, email, phone_number
2 FROM sales_representatives JOIN sales_rep_addresses
3 USING (id);

```

Results Explain Describe Saved SQL History

ID	FIRST_NAME	LAST_NAME	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	EMAIL	PHONE_NUMBER
sr01	Charles	Raymond	12 Cherry Lane	Denton	Detroit	chray@obl.com	0134598761
sr02	Victoria	Wright	87 Blossom Hill	Uptown	Detroit	vwright@obl.com	0134598762
sr03	Barry	Speed	12 Junction Row	Skinflats	Detroit	bspeed@obl.com	0134598763

3 rows returned in 0.01 seconds Download

- Display all the information about items and their price history by joining the items and price\_history tables.

```

SELECT *
FROM items JOIN price_history
USING (itm_number);

```

APEX App Builder SQL Workshop Team Development Gallery

Schema WKSP\_AMALIAYASMIN123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT *
2 FROM items JOIN price_history
3 USING (itm_number);

```

Results Explain Describe Saved SQL History

ITM_NUMBER	NAME	DESCRIPTION	CATEGORY	COLOR	Size	ILT_ID	START_DATE	START_TIME	PRICE	END_DATE	END_TIME
im01101044	gloves	catcher mitt	clothing	brown	m	il010230124	06/17/2017	06/17/2016	4.99	-	-
im01101045	under shirt	top worn under the game top	clothing	white	s	il010230125	11/25/2016	11/25/2016	14.99	01/25/2017	01/25/2017
im01101045	under shirt	top worn under the game top	clothing	white	s	il010230125	01/25/2017	01/25/2017	8.99	01/25/2017	01/25/2017
im01101045	under shirt	top worn under the game top	clothing	white	s	il010230125	01/26/2017	01/26/2017	15.99	11/09/2023	11/09/2023
im01101046	socks	team socks with emblem	clothing	range	l	il010230126	02/12/2017	02/12/2017	7.99	-	-
im01101047	game top	team shirt with emblem	clothing	range	m	il010230127	04/25/2017	04/25/2017	24.99	-	-
im01101048	premium bat	high quality baseball bat	equipment	-	-	il010230128	05/31/2017	05/31/2017	149	-	-
im01101048	premium bat	high quality baseball bat	equipment	-	-	il010230128	11/09/2023	11/09/2023	99.99	-	-

8 rows returned in 0.03 seconds Download

## Part 3 : Creating Joins with the ON Clause

1. Use an ON clause to join the customer and sales representative table so that you display the customer number, customer first name, customer last name, customer phone number, customer email, sales representative email. You will need to use a table alias in your answer as both tables have columns with the same name.

```

SELECT c.ctr_number, c.first_name, c.last_name, c.phone_number, c.email, s.id,
s.first_name, s.last_name, s.email
FROM CUSTOMERS C JOIN SALES_REPRESENTATIVES S
ON C.SRE_ID = S.ID;

```

APEX App Builder SQL Workshop Team Development Gallery

Schema WKSP\_AMALIAYASMIN123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT C.CTR_NUMBER, C.FIRST_NAME, C.LAST_NAME, C.PHONE_NUMBER, C.EMAIL, S.ID, S.FIRST_NAME, S.LAST_NAME, S.EMAIL
2 FROM CUSTOMERS C JOIN SALES_REPRESENTATIVES S
3 ON C.SRE_ID = S.ID;
4

```

Results Explain Describe Saved SQL History

CTR_NUMBER	FIRST_NAME	LAST_NAME	PHONE_NUMBER	EMAIL	ID	FIRST_NAME	LAST_NAME	EMAIL
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com
c00101	John	Doe	03216547808	unknown@here.com	sr01	Charles	Raymond	chray@obl.com
c01986	Maria	Galant	01442736589	margal87@delphiview.com	sr03	Barry	Speed	bspeed@obl.com

5 rows returned in 0.04 seconds Download

## Part 4- Creating Three-Way Joins with the ON Clause

1. Using the answer to Task 3 add a join that will allow the team name that the customer represents to be included in the results.

```
SELECT ctr_number, c.first_name, c.last_name, c.phone_number, c.email, s.id,  
s.first_name, s.last_name, s.email, t.name "Team Name"  
FROM customers c JOIN sales_representatives s  
ON ( s.id = c.sre_id) JOIN teams t  
ON (t.id = c.tem_id);
```

The screenshot shows the APEX SQL Workshop interface. The SQL Commands tab is active, displaying the following query:

```
1 SELECT ctr_number, c.first_name, c.last_name, c.phone_number, c.email, s.id,  
2 s.first_name, s.last_name, s.email, t.name "Team Name"  
3 FROM customers c  
4 JOIN sales_representatives s  
5 ON ( s.id = c.sre_id)  
6 JOIN teams t  
7 ON (t.id = c.tem_id);
```

The Results tab is also active, showing the output of the query. The results are displayed in a table with 10 columns: CTR\_NUMBER, FIRST\_NAME, LAST\_NAME, PHONE\_NUMBER, EMAIL, ID, FIRST\_NAME, LAST\_NAME, EMAIL, and Team Name. The table contains 3 rows of data.

CTR_NUMBER	FIRST_NAME	LAST_NAME	PHONE_NUMBER	EMAIL	ID	FIRST_NAME	LAST_NAME	EMAIL	Team Name
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com	Rockets
c00101	John	Doe	03216547808	unknown@here.com	sr01	Charles	Raymond	chray@obl.com	Celtics
c01986	Maria	Galant	01442736589	margal87@delphiview.com	sr03	Barry	Speed	bspeed@obl.com	Rovers

3 rows returned in 0.02 seconds

## Part 5 : Applying Additional Conditions to a Join

1. Using the answer to Task 4 add an additional condition to only show the results for the customer that has the number -c00001.

```
SELECT ctr_number, c.first_name, c.last_name, c.phone_number, c.email, s.id,  
s.first_name,  
s.last_name, s.email, t.name "Team Name"  
FROM customers c JOIN sales_representatives s  
ON ( s.id = c.sre_id) JOIN teams t  
ON (t.id = c.tem_id) WHERE c.ctr_number ='c00001';
```

APEX App Builder SQL Workshop Team Development Gallery

Search

Amalia Yasmin amalia@yasmin123

SQL Commands

Schema WKSP\_AMALIAVASMIN123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT ctr_number, c.first_name, c.last_name, c.phone_number, c.email, s.id, s.first_name,
2 s.last_name, s.email, t.name "Team Name"
3 FROM customers c
4 JOIN sales_representatives s
5 ON ( s.id = c.sre_id)
6 JOIN teams t
7 ON (t.id = c.tem_id)
8 WHERE c.ctr_number = 'c00001';

```

Results Explain Describe Saved SQL History

CTR_NUMBER	FIRST_NAME	LAST_NAME	PHONE_NUMBER	EMAIL	ID	FIRST_NAME	LAST_NAME	EMAIL	Team Name
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com	Rockets

1 rows returned in 0.00 seconds Download

## Part 6 : Retrieving Records with Nonequijoins

- Write a query that will display name and cost of the item with the number im01101045 on the 12th of December 2016. The output of the query should look like this :

**The cost of the under shirt on this day was 14.994**

```

SELECT 'The cost of the ' || I.NAME || 'on this day was ' || P.PRICE AS "ITEM DETAILS"
FROM ITEMS I
JOIN PRICE_HISTORY P ON (TO_DATE('12-Dec-2016', 'DD-MM-YYYY') BETWEEN P.START_DATE AND P.END_DATE)
WHERE I.ITM_NUMBER = 'im01101045'

```

APEX App Builder SQL Workshop Team Development Gallery

Search

Amalia Yasmin amalia@yasmin123

SQL Commands

Schema WKSP\_AMALIAVASMIN123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT 'The cost of the ' || I.NAME || 'on this day was ' || P.PRICE AS "ITEM DETAILS"
2 FROM ITEMS I
3 JOIN PRICE_HISTORY P ON (TO_DATE('12-Dec-2016', 'DD-MM-YYYY') BETWEEN P.START_DATE AND P.END_DATE)
4 WHERE I.ITM_NUMBER = 'im01101045'

```

Results Explain Describe Saved SQL History

**ITEM DETAILS**

The cost of the under shirton this day was 14.99

1 rows returned in 0.00 seconds Download

## SQL4- DML3 Part 2 (DFo\_6\_9\_2\_Project)

### Section 6 Lesson 9 Exercise 2 : Joining Tables Using JOIN

#### Write SELECT Statements Using Data From Multiple Tables using Equijoins and Non-Equijoins (S6L9 Objective 1)

##### Part 1 : Use a Self-Join to Join a Table to Itself (S6L9 Objective 2)

1. Write a query that will display who the supervisor is for each of the sales representatives. The information should be displayed in two columns, the first column will be the first name and last name of the sales representative and the second will be the first name and last name of the supervisor. The column aliases should be Rep and Supervisor.

```
SELECT r.first_name|| ' ' || r.last_name AS "Rep", s.first_name|| ' ' || s.last_name AS  
"Supervisor"  
FROM sales_representatives r JOIN sales_representatives s  
ON (r.supervisor_id = s.id);
```

The screenshot shows the APEX SQL Workshop interface. The SQL command window contains the following query:

```
1 SELECT r.first_name|| ' ' || r.last_name AS "Rep", s.first_name|| ' ' || s.last_name AS "Supervisor"  
2 FROM sales_representatives r JOIN sales_representatives s  
3 ON (r.supervisor_id = s.id);
```

The Results tab shows the following data:

Rep	Supervisor
Charles Raymond	Charles Raymond
Victoria Wright	Charles Raymond
Barry Speed	Charles Raymond

3 rows returned in 0.00 seconds. Download

##### Part 2 : Use OUTER joins (S6L9 Objective 3)

1. Write a query that will display all of the team and customer information even if there is no match with the table on the left (team)

```
SELECT *  
FROM teams t RIGHT OUTER JOIN customers c  
ON (t.id = c.tem_id);
```

APEX App Builder SQL Workshop Team Development Gallery

Search

Amalia Yasmin amalia@yasmin123

SQL Commands Schema WKSP\_AMALIAYASMIN123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT *
2 FROM teams t RIGHT OUTER JOIN customers c
3 ON (t.id = c.tem_id);

```

Results Explain Describe Saved SQL History

ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT	CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD
-	-	-	-	c02001	brianrog@hoootech.com	Brian	Rogers	01654564898	50	-	-	lc4587
t001	Rockets	25	10	c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-
-	-	-	-	c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015
t002	Celtics	42	20	c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-
-	-	-	-	c00103	MurciaA@globaltech.com	Andrew	Murcia	07715246890	85	-	-	lc2341
t003	Rovers	8	-	c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-

6 rows returned in 0.01 seconds Download

## Part 3 : Generating a Cartesian Product (S6L9 Objective 4)

1. Create a Cartesian product between the customer and sales representatives tables.

```

SELECT *
FROM customers CROSS JOIN sales_representatives;

```

APEX App Builder SQL Workshop Team Development Gallery

Search

Amalia Yasmin amalia@yasmin123

SQL Commands Schema WKSP\_AMALIAYASMIN123

Language SQL Rows 10 Clear Command Find Tables Save Run

```

1 SELECT *
2 FROM customers CROSS JOIN sales_representatives;

```

Results Explain Describe Saved SQL History

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER	ID	EMAIL	FIRST_NAME	LAST_NAME
c02001	brianrog@hoootech.com	Brian	Rogers	01654564898	50	-	-	lc4587	sr01	chray@obl.com	Charles	Ra
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-	sr01	chray@obl.com	Charles	Ra
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015	sr01	chray@obl.com	Charles	Ra
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-	sr01	chray@obl.com	Charles	Ra
c00103	MurciaA@globaltech.com	Andrew	Murcia	07715246890	85	-	-	lc2341	sr01	chray@obl.com	Charles	Ra
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-	sr01	chray@obl.com	Charles	Ra
c02001	brianrog@hoootech.com	Brian	Rogers	01654564898	50	-	-	lc4587	sr02	vwright@obl.com	Victoria	W
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-	sr02	vwright@obl.com	Victoria	W
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015	sr02	vwright@obl.com	Victoria	W
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-	sr02	vwright@obl.com	Victoria	W

More than 10 rows available. Increase rows selector to view more rows.

10 rows returned in 0.02 seconds Download



APEX

App Builder
SQL Workshop
Team Development
Gallery

Search

AY Amalia Yasmin
amaliayasmin123

SQL Commands
Schema: WKSP\_AMALIAYASMIN123

Language: SQL
Rows: 10
Clear Command
Find Tables
Save
Run

```

1 SELECT *
2 FROM customers CROSS JOIN sales_representatives;

```

Results

Explain
Describe
Saved SQL
History

NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER	ID	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	COMMISSION_RATE	SUPERVISOR_ID
erry	01654564898	50	-	-	lc4587	sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01
	01234567898	150	sr01	t001	-	sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01
	01505214598	0	-	-	lc1015	sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01
	03216547808	987.5	sr01	t002	-	sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01
	07715246890	85	-	-	lc2341	sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01
erry	01442736589	125.65	sr05	t003	-	sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01
	01654564898	50	-	-	lc4587	sr02	vwright@obl.com	Victoria	Wright	0134598762	5	sr01
	01234567898	150	sr01	t001	-	sr02	vwright@obl.com	Victoria	Wright	0134598762	5	sr01
	01505214598	0	-	-	lc1015	sr02	vwright@obl.com	Victoria	Wright	0134598762	5	sr01
	03216547808	987.5	sr01	t002	-	sr02	vwright@obl.com	Victoria	Wright	0134598762	5	sr01