OMB Approved No. 2900-0809 Respondent Burden: 30 minutes Expiration Date: 04-30-2017

∞	Department of Vetera	ins Affa
----------	----------------------	----------

HAND AND FINGER CONDITIONS DISABILITY BENEFITS QUESTIONNAIRE

IMPORTANT - THE DEPARTMENT OF VETERANS AFFAIRS (VA) WILL NOT PAY OF PROCESS OF COMPLETING AND/OR SUBMITTING THIS FORM. PLEASE READ THE REVERSE BEFORE COMPLETING FORM.									
NAME OF PATIENT/VETERAN	PATIENT/VETERAN'S SOCIAL SECURITY NUMBER								
NOTE TO PHYSICIAN - Your patient is applying to the U.S. Department of Veterans Affair provide on this questionnaire as part of their evaluation in processing the veteran's claim. VA private health care providers.									
MEDICAL RECORD RE	VIEW								
WAS THE VETERAN'S VA CLAIMS FILE REVIEWED?									
YES NO									
IF YES, LIST ANY RECORDS THAT WERE REVIEWED BUT WERE NOT INCLUDED IN THE V	ETERAN'S VA CLAIMS FILE:								
IF NO, CHECK ALL RECORDS REVIEWED:									
Military service treatment records Department of Defense Form 214 Separation	on Documents								
Military service personnel records Veterans Health Administration medical rec	cords (VA treatment records)								
Military enlistment examination Civilian medical records									
Military separation examination Interviews with collateral witnesses (family	and others who have known the veteran before and after military service)								
Military post-deployment questionnaire U Other:									
No records were reviewed									
SECTION I - DIAGNO	OSIS								
NOTE: These are condition(s) for which an evaluation has been requested on an exam request evidence be provided for submission to VA.	t form (Internal VA) or for which the Veteran has requested medical								
1A. LIST THE CLAIMED CONDITION(S) THAT PERTAIN TO THIS DBQ:									
NOTE: These are the diagnoses determined during this current evaluation of the claimed cond									
from a previous diagnosis for this condition, or if there is a diagnosis of a complication due to section.	the claimed condition, explain your findings and reasons in comments								
Date of diagnosis can be the date of the evaluation if the clinician is making the initial diagnos	sis, or an approximate date determined through record review or reported								
history.									
1B. SELECT DIAGNOSES ASSOCIATED WITH THE CLAIMED CONDITION(S) (Check all that	apply):								
The Veteran does not have a current diagnosis associated with any claimed condition listed	above. (Explain your findings and reasons in comments section.)								
Dupuytren's contracture Side affected: Right Left Both ICD Code:	Date of diagnosis								
	: Date of diagnosis: Date of diagnosis:								
	: Date of diagnosis:								
	: Date of diagnosis:								
	: Date of diagnosis:								
	: Date of diagnosis:								
	: Date of diagnosis:								
ligament sprain, chronic)									
	Date of diagnosis:								
(MCP/PIP/DIP)	: Date of diagnosis:								
MCP/PIP joint prosthetic Side affected: Right Left Both ICD Code: replacement	: Date of diagnosis:								
Ankylosis of digit joint(s), Side affected: Right Left Both ICD Code: specify joint(s):	: Date of diagnosis:								
Other (specify) Other diagnosis #1:									
Side affected: Right Left Both ICD Code:	Date of diagnosis:								
Other diagnosis #2:									
Side affected: Right Left Both ICD Code:	Date of diagnosis:								
Other diagnosis #3:									
Side affected: Pight I Left Roth ICD Code:	Date of diagnosis:								

SECTION II - MEDICAL HISTORY									
2A. DESCRIBE THE HISTORY (incl	uding or	et and course) OF THE VETERAN'S HAND, FINGE	ER OR THUMB CONDITION (brief summary):						
	_								
2B. DOMINANT HAND:									
	//BIDEXT	COUS							
2C. DOES THE VETERAN REPORT	THAT F	ARE-UPS IMPACT THE FUNCTION OF THE HANI	D, FINGER OR THUMB?						
YES NO									
IF YES, DOCUMENT THE VETERAL	N'S DES	RIPTION OF THE IMPACT OF FLARE-UPS IN HIS	OR HER OWN HANDS:						
			URNENT OF THE 1911 OF EVERENTY PENNS FLAT HATER ON THE						
DBQ (regardless of repetitive u.		ANY FUNCTIONAL LOSS OR FUNCTIONAL IMPA	AIRMENT OF THE JOINT OR EXTREMITY BEING EVALUATED ON THIS						
☐ YES ☐ NO	,								
	N'S DES	RIPTION OF FUNCTIONAL LOSS OR FUNCTION	AL IMPAIRMENT IN HIS OR HER OWN WORDS:						
		ECTION III - INITIAL RANGE OF MOTION ((ROM) MEASUREMENTS						
			ure the gap between thumb pad and fingers or between fingers and palm manifested by visible behavior such as facial expression, wincing, on						
pressure or manipulation, etc. Docun	-		Than incolor by violate behavior each as radial expression, whiching, on						
			e-use testing must be included in all joint exams. The VA has determined						
Report post-test measurements in qu	,	erve as a representative test of the effect of repetitive	we use. After the initial measurement, reassess ROM after 3 repetitions.						
		al joint has a range of zero to 90 degrees of flexion,	the proximal interphalangeal joint has a range of zero to 100 degrees of						
flexion, and the distal (terminal) inter	phalange	I joint has a range of zero to 70 or 80 degrees of fle	xion. For the index, long, ring, and little fingers (digits II, III, IV, and V), zero						
3A. WERE ALL ROM MEASUREME		xtended, making a straight line with the rest of the h	ianu.						
		NS 3B THROUGH 3F							
3B. FINGER FLEXION: DOCUMENT	THE RO	M IN DEGREES							
		described hand/digit were not tested. In the case of sting in the section provided below the tables.	each named individual joint, "Not Tested" simply means that joint was not						
	1 101 1101	sting in the section provided below the tables.							
		Left Hand Not Tested							
Thumb		Index finger Long finger	Ring finger Little finger						
Not Tested		Not Tested Not Tested	Not Tested Not Tested						
CMC ROM:	MP	ROM: ROM: _	ROM: ROM:						
Not tested		Not tested Not tested	Not tested Not tested						
IP ROM: Not tested	PIP	ROM: ROM: _	ROM: ROM: Not tested Not tested						
I Not lested	$\vdash \vdash \vdash$	ROM: ROM:	ROM: ROM:						
	DIP	Not tested Not tested	Not tested Not tested						
Thumb	<u> </u>	Right Hand Not Tested Index finger Long finger	Ring finger Little finger						
Not Tested		Not Tested Not Tested	Not Tested Not Tested						
ROM:		ROM: ROM:	ROM: ROM:						
CMC Not tested	MP	Not tested Not tested	Not tested Not tested						
∏ ROM:		ROM: ROM: [ROM: ROM:						
IP Not tested	PIP	Not tested Not tested	Not tested Not tested						
	DIP	ROM: ROM: [ROM: ROM:						
	יויט	Not tested Not tested	Not tested Not tested						
IF ANY OF THE ABOVE JOINTS WE	ERE NO	TESTED. PLEASE EXPLAIN WHY (e.g. not indica	ated or Veteran was physically not able to perform):						
3	•0	,							

			ON III - INITIAL RAI	NGE (OF MOTION (Re	<i>OM)</i> N	MEASUREMENT	S (Ca	ntinued)		
3C. FINGE	R EXTENSION: DOCUM	IENT THE	ROM IN DEGREES								
	t Tested" only if all joints veither case, provide reaso					e of ea	ch named individu	al joint,	"Not Tested" simp	oly means that joint v	vas not
Left Hand Not Tested											
	Thumb		Index finger	<u> </u>	Long finger		Ring finger		Little finger	-	
ll Ir	Not Tested		Not Tested	Ιп	Not Tested	I_{\Box}	Not Tested	$ \Box$	Not Tested		
	ROM:	1	ROM:	İΠ	ROM:	TH	ROM:	悑	ROM:		
CMC	Not tested	MP	Not tested		Not tested	ΙĦ	Not tested	一	Not tested		
IP [ROM:	PIP	ROM:		ROM:		ROM:	ΤĒ	ROM:		
	Not tested	PIP	Not tested		Not tested		Not tested		Not tested		
		DIP	ROM:		ROM:		ROM:		ROM:		
		J	Not tested		Not tested		Not tested		Not tested		
			Right Hand	N	lot Tested					7	
	Thumb		Index finger		Long finger		Ring finger		Little finger	1	
	Not Tested		Not Tested		Not Tested		Not Tested		Not Tested		
CMC	ROM:	MP	ROM:		ROM:		ROM:		ROM:		
	Not tested	IVII	Not tested		Not tested		Not tested		Not tested		
IP [ROM:	PIP	ROM:		ROM:		ROM:		ROM:		
	Not tested		Not tested		Not tested		Not tested	$\perp \square$	Not tested		
		DIP	ROM:		ROM:		ROM:		ROM:		
			Not tested		Not tested		Not tested	ΙШ	Not tested	_	
	THE ABOVE JOINTS W			=	(0.8.7, 1.07.1.			project	any nor uoto to per	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
00 10 7115	TOE A GAD DETIMEEN A	NN/ OF TI	IE DEL OWL IOTED EIN	1050	TIDO AND THE DE	0)//11/1	N. TDANOVEDOE	0054		VALUE OF STATES	
	ERE A GAP BETWEEN A IE EXTENT POSSIBLE?	INY OF IF	HE BELOW LISTED FIR	NGER	TIPS AND THE PR	OXIMA	AL IRANSVERSE	CREA	SE OF THE PALM,	, WITH THE FINGE	K FLEXED
	Left Hand		Right Hand								
	Leit Hallu		Right Hand								
Index	No gap		No gap								
finger	L c	m. gap	□	cm. g	jap						
	No gap		No gap								
Long finger											
J.		m. gap		cm. g	jap						
05 10 5115							-145-110-70-055				
3E. IS THE	ERE A GAP BETWEEN T	HE THUM	B PAD AND THE FING	ERS,	WITH THE THUM	BATTI	EMPTING TO OPE	OSET	HE FINGERS?		
	Left Hand		Right Hand								
Index	No gap		No gap								
finger		m gan		cm o	ıan.						
		m. gap		cm. g	Jap						
Long	No gap		No gap								
finger		m. gap		cm. g	ıap						
		3-1-		- 3							
Ring	No gap		No gap								
finger		m. gap	l □	cm. g	jap						
											
Little	No gap		No gap								
finger	□ c	m. gap		cm. g	jap						
	1		1								
3F. DO AN	IY ABNORMAL ROMs NO	OTED ABO	OVE CONTRIBUTE TO	FUNC	CTIONAL LOSS?						
YES	NO, EXPLAIN W	/HY THE /	ABNORMAL ROMs DO	NOT	CONTRIBUTE:						

SECTION III - INITIAL RANGE OF MOTION (ROM) MEASUREMENTS (Continued	<u>′</u>
3G. IF ROM DOES NOT CONFORM TO THE NORMAL RANGE OF MOTION IDENTIFIED ABOVE BUT IS NORMAL FOR THIS VETE condition, such as age, body habitus, neurologic disease), EXPLAIN:	ERAN (for reasons other than a hand
condition, such as age, body habitus, hear ologic assease), EAL EARA.	
OF OTHER DAY IN COMMENCE AND DESCRIPTION OF THE THEORY IN COMMENCE AND DESCRIPTION OF THE PROPERTY	
SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING AA IS THE VETERAN ARI E TO DEDECOR DEDETITIVE HERE TESTING WITH 2 DEDETITIONS FOR ANY OF THE JOINTS OF THE	DICITE OF HANDS
4A. IS THE VETERAN ABLE TO PERFORM REPETITIVE-USE TESTING WITH 3 REPETITIONS FOR ANY OF THE JOINTS OF THE YES, THE VETERAN IS ABLE TO PERFORM REPETITIVE-USE TESTING FOR AT LEAST ONE OF THE JOINTS OF THE DIG	
NO, THE VETERAN IS <u>NOT</u> ABLE TO PERFORM <u>ANY</u> REPETITIVE-USE TESTING FOR <u>ANY</u> OF THE JOINTS OF THE DIGIT	
IF YES, CONTINUE TO QUESTION B.	
IF NO, PROVIDE REASON, THEN SKIP TO QUESTION 5:	
4B. IS THERE ANY ADDITIONAL LIMITATION IN ROM IN ANY OF THE JOINTS OF THE DIGITS OR HANDS AFTER REPETITIVE-U	JSE TESTING?
YES, THERE IS A CHANGE IN ROM IN AT LEAST ONE OF THE JOINTS OF THE DIGITS OR HANDS AFTER REPETITIVE-US	
NO, THERE IS NO CHANGE IN ROM IN ANY OF THE JOINTS OF THE DIGITS OR HANDS AFTER REPETITIVE-USE TESTIN	IG
IF YES, COMPLETE QUESTIONS C THROUGH G (report ROM after a minimum of 3 repetitions).	
IF NO, DOCUMENTATION OF ROM AFTER REPETITIVE-USE TESTING IS NOT REQUIRED. PLEASE SKIP TO QUESTION 5.	
4C. POST-TEST FINGER FLEXION: DOCUMENT THE POST-TEST ROM IN DEGREES:	
Check "No change in ROM" (or "No change") only if all joints within that described hand/digit were tested and there was no additional lir	nitation in ROM in any of the joints
within that described hand/digit.	•
Check "Not Tested" only if all joints within that described hand/digit were not tested. In the case of each named individual joint, "Not Tested. In either case, provide reason for not testing in the section provided below the tables.	ited" simply means that joint was not
Left Hand No change in ROM Not Tested	
Thumb Index finger Long finger Ring finger Little fin No change in No	<u> </u>
ROM ROM ROM ROM ROM ROM	nge in
Not Tested Not Tested Not Tested Not Tested Not Tested Not Tested	sted
CMC ROM:	
Not tested Not tested Not tested Not tested Not tested Not tested	ted
	
Not tested Not tested Not tested Not tested Not tested Not tested	ted
DIP ROM: ROM: ROM: ROM: ROM: ROM: Not tested ROM: Not tested Not tested Not tested ROM: ROM: ROM: ROM: ROM: ROM: ROM: ROM:	tod.
Not tested Not tested Not tested Not tested	teu
Right Hand No change in ROM Not Tested	
Thumb Index finger Long finger Ring finger Little fin	·
No change in No ch	nge in
Not Tested	sted
CMC ROM:	
Not tested Not tested Not tested Not tested Not tested Not tested	ted
ROM:	
Not tested No	ted
DIP	
Not tested Not tested Not tested Not tested Not tested	ted
IF ANY OF THE ABOVE JOINTS WERE NOT TESTED, PLEASE EXPLAIN WHY (e.g., not indicated or Veteran was physically not of	able to perform):

SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING (Continued)											
4D. POS	T-TEST FINGER EXTENS	SION: DOC	UMENT THE POST-TE	ST ROM IN	DEGREES						
within tha Check "N	Check "No change in ROM" (or "No change") only if all joints within that described hand/digit were tested and there was no additional limitation in ROM in any of the joints within that described hand/digit. Check "Not Tested" only if all joints within that described hand/digit were not tested. In the case of each named individual joint, "Not Tested" simply means that joint was not tested. In either case, provide reason for not testing in the section provided below the tables.										
	Left Hand No change in ROM Not Tested										
	Thumb Index finger Long finger Ring finger Little finger										
	No change in		No change in		change in	No change in		No change in			
	ROM Not Tested		ROM Not Tested	ROI	Tested	ROM Not Tested	$ \Box$	ROM Not Tested			
	ROM:	\vdash	ROM:	RO		ROM:	H	ROM:			
CMC	Not tested	MP	Not tested		tested	Not tested	lΗ	Not tested			
1.5	ROM:		ROM:	RO	M:	ROM:	Ħ	ROM:			
IP	Not tested	PIP	Not tested	Not	tested	Not tested		Not tested			
		DIP	ROM:	RO	М:	ROM:		ROM:			
			Not tested	Not	tested	Not tested		Not tested			
		Righ	t Hand No chang	ge in ROM	Not Tested						
	Thumb		Index finger	Long	finger	Ring finger		Little finger			
	No change in ROM		No change in ROM	No RO	change in	No change in ROM		No change in ROM			
	Not Tested		Not Tested		Tested	Not Tested	Ιп	Not Tested			
CMC	ROM:	I MD	ROM:	RO	м:	ROM:		ROM:			
CMC	Not tested	MP	Not tested	Not	tested	Not tested		Not tested			
IP	ROM:	PIP	ROM:	RO	M:	ROM:		ROM:			
<u> </u>	Not tested		Not tested	Not	tested	Not tested		Not tested			
		DIP	ROM:	RO		ROM:		ROM:			
			Not tested	☐ NOT	tested	Not tested	Ш	Not tested			
	R REPETITIVE-USE TES I, WITH THE FINGER FLI				THE BELOW LIST	ED FINGERTIPS A	ND TI	HE PROXIMAL TRA	NSVERSE CREASE OF THE		
	Left Hand		Right Hand								
			□ No.								
Index finger	No gap		No gap								
90.	L	cm. gap	LU	cm. gap							
Long	No gap		No gap								
finger		cm. gap		cm. gap							
	R REPETITIVE-USE TES	STING, IS	THERE A GAP BETWE	EN THE TH	JMB PAD AND TH	E FINGERS, WITH	THE 1	THUMB ATTEMPTII	NG TO OPPOSE THE		
FING	FINGERS?										
	Left Hand		Right Hand								
Index	No gap		No gap								
finger		cm. gap		cm. gap							
	No gap		No gap								
Long finger		om gon	No gap	om gon							
		cm. gap		cm. gap							
Ring	☐ No gap		☐ No gap								
finger		cm. gap		cm. gap							
Little finger	No gap		│								
901		cm. gap	<u> </u>	cm. gap							

SECTION IV - ROM MEASUREMENTS AFTER REPETITIVE USE TESTING (Continued)										
4G. DO ANY POST-TEST ADDITIONAL LIMITATIONS OF ROMS NOTED ABOVE CONTRIBUTE TO FUNCTIONAL LOSS? YES (you will be asked to further describe these limitations in questions 6 below) NO, EXPLAIN WHY THE POST-TEST ADDITIONAL LIMITATIONS OF ROMS DO NOT CONTRIBUTE:										
SECTION V - PAIN										
5A. PAINFUL ROM MOVEMENTS ON ACTIVE, PASSIVE AND/OR REPETITIVE USE TESTING										
		Left Hand								
	Are any ROM movements painful on active, passive and/or repetitive use testing? (If yes, identify whether active, passive, and/or repetitive use in question 5D) If yes, does the pain contribute to functional loss or additional limitation of ROM?									
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
		Right Hand								
	Are any ROM movements painful on active, passive and/or repetitive use testing? (If yes, identify whether active, passive, and/or repetitive use in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?								
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)								

SECTION V - PAIN (Continued)								
5B. PAIN WHEN	JOINT IS USED IN WEIGHT-BEARING OR IN	NON WEIGHT-BEARING						
		Left Hand						
	Is there pain when joint is used in weight- bearing or in non weight-bearing? (If yes, identify whether weight-bearing or non weight-bearing in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?						
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
		Right Hand						
	Is there pain when joint is used in weight- bearing or in non weight-bearing? (If yes, identify whether weight-bearing or non weight-bearing in question 5D)	If yes, does the pain contribute to functional loss or additional limitation of ROM?						
Thumb	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
Index finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
Long finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
Ring finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
Little finger	Yes No	Yes (you will be asked to further No, explain why the pain does not contribute: describe these limitations in question 6 below)						
5C. LOCALIZED	TENDERNESS OR PAIN TO PALPATION							
	Door the Veteran have leadined tender	Left Hand If yes, describe the tenderness or pain (including location, severity and relationship to condition(s)						
	Does the Veteran have localized tenderness or pain to palpation for joints or soft tissue?	listed in the Diagnosis section):						
Thumb	Yes No							
Index finger	Yes No							
Long finger	Yes No							
Ring finger	Yes No							
Little finger	Yes No							
L	1							

		SECTION V - PAIN (Continued)		
		Right Hand		
	Does the Veteran have localized tenderness or pain to palpation for joints or soft tissue?	If yes, describe the tenderness or pain (including lo listed in the Diagnosis section):	cation, severity and rela	tionship to condition(s)
Thumb	Yes No			
Index finger	Yes No			
Long finger	Yes No			
Ring finger	Yes No			
Little finger	Yes No			
5D. COMMENTS	: IF ANY			
ob. oommertie	, ,			
		CTIONAL LOSS AND ADDITIONAL LIMITATION		
endurance. Using information	on from the history and physical exam, select	form normal working movements of the body with normal working movements of the body with normal loss of the factors below that contribute to functional loss of epetitive use for the joint or extremity being evaluated.	r impairment (regardless	•
	ING FACTORS OF DISABILITY (check all tha	t apply and indicate digit affected):		
=	al loss for left hand, thumb or fingers al loss for right hand, thumb or fingers			
_			Left Hand	Right Hand
Contributing fac	Stol			
			None All	None All
☐ Less mov	vement than normal		Thumb	Thumb
	nkylosis, limitation or blocking, adhesions, te	ndon-tie-ups, contracted scars, etc.)	Index finger	Index finger
			Long finger Ring finger	Long finger Ring finger
			Little finger	Little finger
			None	None
			All Thumb	All Thumb
	vement than normal il joints, resections, nonunion of fractures, re	laxation of ligaments, etc.)	Index finger	Index finger
		, , ,	Long finger	Long finger
			Ring finger	Ring finger Little finger
			Little finger	
			None All	None All
☐ Weakene	d movement		Thumb	Thumb
	nuscle injury, disease or injury of peripheral i	nerves, divided or lengthened tendons, etc.)	Index finger	Index finger
			Long finger Ring finger	Long finger Ring finger
			Little finger	Little finger
			None	None
			All Thumb	All Thumb
Excess fa	atigability		Index finger	Index finger
			Long finger	Long finger
			Ring finger Little finger	Ring finger Little finger
1				ı —

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)						
6A. CONTRIBUTING FACTORS OF DISABILITY (check all that apply and indicate digit affected):	T	I				
Contributing factor Incoordination, impaired ability to execute skilled movements smoothly	Left Hand None All Thumb Index finger Long finger Ring finger Little finger	Right Hand None All Thumb Index finger Long finger Ring finger Little finger				
Pain on movement	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Swelling	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Deformity	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Atrophy of disuse	None All Thumb Index finger Long finger Ring finger Little finger	None All Thumb Index finger Long finger Ring finger Little finger				
Other, describe:						
NOTE: If any of the above factors is/are associated with limitation of motion, the examiner must give an opinion on whether pain, weakness, fatigability, or incoordination could significantly limit functional ability during flare-ups or when the joint is <i>used repeatedly over a period of time</i> and that opinion, if feasible, should be expressed in terms of the degree of ROM loss or gap distances due to pain on use or during flare-ups. The following section will assist you in providing this required opinion. 6B. ARE ANY OF THE ABOVE FACTORS ASSOCIATED WITH LIMITATION OF MOTION? YES, COMPLETE QUESTIONS 6C THROUGH 6E, AND F BELOW.						
NO SKIP TO F						

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. DOES PAIN, WEAKNESS, FATIGABILITY, OR INCOORDINATION SIGNIFICANTLY LIMIT FUNCTIONAL ABILITY DURING FLARE-UPS OR WHEN THE FINGER IS USED REPEATEDLY OVER A PERIOD OF TIME?

Pickin Extension Extension Cap between the fringent pane and the provincial receives and the provincial re	LEFT HAND			Estimated ROM due to p during flare-ups or when the over a per	he joint	is used repeatedly	Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time		
Trumb				Flexion	Extension		the proximal transverse crease of the palm, with the finger	and the finger, with the thumb attempting to oppose	
P Estimate is not P Estimate is not Es	Thumb	estimated ROM)	СМС	Estimate is not feasible	СМС	Estimate is not feasible	N/A	N/A	
Ves (complete estimated RDM and goy distances) Set ROM: Est ROM: Estimate is not feasible Estimate i			IP Estimate is not		IP Estimate is not				
Index Complete Castmate ROM and gap distances PIP Estimate is not feasible Estimate is not		Yes (complete	MP	Estimate is not feasible	MP	Estimate is not	No estimated gap	No estimated gap	
DIP		estimated ROM and gap distances)	PIP	Estimate is not feasible	PIP	Estimate is not feasible	Est. cm gap Estimate is not	Est. cm gap	
Yes (complete estimated ROM and gap distances) No estimated gap Est. ROM: Estimate is not feasible PIP Est. ROM: Est. ROM: Estimate is not feasible PIP Est. ROM: Estimate is not feasible Est. ROM: Estimate is not feasible Romand gap distances) No estimated gap Est. Compare Est. ROM: Estimate is not feasible Est. ROM:			DIP	Estimate is not feasible	DIP	Estimate is not feasible		reasible	
Little Finger Mo Mo Mo Mo Mo Mo Mo M		Yes (complete	MP	Estimate is not feasible	MP	Estimate is not feasible	No estimated gap	No estimated gap	
Set, ROM: Setimate is not feasible		and gap distances)	PIP	Estimate is not feasible	PIP	Estimate is not feasible	Estimate is not	Estimate is not	
Pick			DIP	Estimate is not feasible	DIP	Estimate is not feasible			
Ring finger and gap distances PiP		Yes (complete	MP	Estimate is not feasible	MP	Estimate is not feasible	No estimated gap	No estimated gap	
DIP Estimate is not feasible Estimate is n	_	estimated ROM and gap distances)	PIP	Estimate is not feasible	PIP	Estimate is not feasible	Est. cm gap Estimate is not	Est. cm gap	
Yes (complete estimated ROM and gap distances)			DIP	Estimate is not	DIP	Estimate is not	.000.0.0	.000.010	
Little finger		Yes (complete	MP	Estimate is not	MP	Estimate is not	No estimated gap	No estimated gap	
DIP Est. ROM:		and gap distances)	PIP	Estimate is not	PIP	Estimate is not	Est. cm gap Estimate is not	Est. cm gap	
RIGHT HAND RIGHT HAND Flexion Flexion Extension Extension Extension Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible Thumb No CMC Est. ROM: CMC Estimate is not feasible Fest. ROM: Est. ROM: CMC Estimate is not feasible Find Street N/A N/A N/A N/A N/A			DIP	Estimate is not	DIP	Estimate is not	icadible	icasibic	
Flexion Extension Ex				during flare-ups or when the	he joint	is used repeatedly	during flare-ups or when the joint is used repeatedly		
Thumb	RIGHT HAND			Flexion			the proximal transverse crease of the palm, with the finger	and the finger, with the thumb attempting to oppose	
	Thumb	estimated ROM)	СМС	Estimate is not feasible	СМС	Estimate is not feasible	N/A	N/A	
		No	IP	Estimate is not	IP	Estimate is not			

SECTION VI - FUNCTIONAL LOSS AND ADDITIONAL LIMITATION OF ROM (Continued)

6C. DOES PAIN, WEAKNESS, FATIGABILITY, OR INCOORDINATION SIGNIFICANTLY LIMIT FUNCTIONAL ABILITY DURING FLARE-UPS OR WHEN THE FINGER IS USED REPEATEDLY OVER A PERIOD OF TIME?

			Estimated ROM due to p during flare-ups or when t over a per	he joint	is used repeatedly	Estimated Gap distance due to pain and/or functional loss during flare-ups or when the joint is used repeatedly over a period of time		
RIGHT HAND		Flexion			Extension	Gap between the fingertip and the proximal transverse crease of the palm, with the finger flexed to the extent possible	Gap between the thumb pad and the finger, with the thumb attempting to oppose the fingers	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible			
Index finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible	No estimated gap Est cm gap Estimate is not	No estimated gap Est. cm gap Estimate is not	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	feasible	feasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No actimated app	No potimental gap	
Long finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible	No estimated gap Est cm gap Estimate is not	No estimated gap Est. cm gap Estimate is not	
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	feasible	feasible	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	No actimated app		
Ring finger	estimated ROM and gap distances)	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible	No estimated gap Est cm gap Estimate is not	No estimated gap Est. cm gap Estimate is not feasible	
	∐ No	DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible	feasible	isasisie	
	Yes (complete	MP	Est. ROM: Estimate is not feasible	MP	Est. ROM: Estimate is not feasible	□ No setimented see	No estimated gap Est. cm gap Estimate is not feasible	
Little finger	estimated ROM and gap distances) No	PIP	Est. ROM: Estimate is not feasible	PIP	Est. ROM: Estimate is not feasible	No estimated gap Est cm gap Estimate is not feasible		
		DIP	Est. ROM: Estimate is not feasible	DIP	Est. ROM: Estimate is not feasible		leasible	
	NY JOINTS IN WHICH EST					I AND/OR FUNCTIONAL LOSS D	DURING FLARE-UPS OR WHEN	
6E. FOR ANY JOINTS IN WHICH THERE IS A FUNCTIONAL LOSS DUE TO PAIN, DURING FLARE-UPS AND/OR WHEN THE JOINT IS USED REPEATEDLY OVER A								
PERIOD OF TIME BUT THE LIMITATION OF ROM OR GAP DISTANCES CANNOT BE ESTIMATED, PLEASE DESCRIBE THE FUNCTIONAL LOSS:								
6F. INDICATE ANY FINGERS IN WHICH THERE IS FUNCTIONAL LOSS (not associated with limitation of motion) DURING FLARE-UPS OR WHEN THE JOINT IS USED								
	ATE ANY FINGERS IN WHI ATEDLY OVER A PERIOD (None All A		OR OTHERWISE:	_`	g finger Ring finge		UK WHEN THE JOINT IS USED	
Right:	None All	Thumb		_	g finger Ring finge			

SECTION VII - MUSCLE STRENGTH TESTING									
7A. MUSCLE STRENGTH - RATE STRENTH ACCORDING TO THE FOLLOWING SCALE:									
0/5 No muscle movement 1/5 Palpable or visible muscle contraction, but no joint movement 2/5 Active movement with gravity eliminated 3/5 Active movement against gravity 4/5 Active movement against some resistance 5/5 Normal strength									
All normal (5/5)									
Hand grip: Right: 5/5 4/5 3/5 2/5 1/5 0/5									
Left: 5/5 4/5 3/5 2/5 1/5 0/5									
IF THE VETERAN HAS A REDUCTION IN MUSCLE STRENGTH, IS IT DUE TO A DIAGNOSIS LISTED IN SECTION 1? YES NO IF NO, PROVIDE RATIONALE:									
7B. DOES THE VETERAN HAVE MUSCLE ATROPHY? YES NO									
IF YES, IS THE MUSCLE ATROPHY DUE TO A DIAGNOSIS LISTED IN SECTION 1?									
YES NO IF NO, PROVIDE RATIONALE:									
FOR ANY MUSCLE ATROPHY DUE TO A DIAGNOSES LISTED IN SECTION 1, INDICATE SIDE AND SPECIFIC LOCATION OF ATROPHY, PROVIDING									
MEASUREMENTS IN CENTIMETERS OF NORMAL SIDE AND CORRESPONDING ATROPHIED SIDE, MEASURED AT MAXIMUM MUSCLE BULK.									
LOCATION OF MUSCLE ATROPHY:									
RIGHT UPPER EXTREMITY (specify location of measurement):									
CIRCUMFERENCE OF MORE NORMAL SIDE: CM									
CIRCUMFERENCE OF ATROPHIED SIDE: CM									
LEFT UPPER EXTREMITY (specify location of measurement):									
CIRCUMFERENCE OF MORE NORMAL SIDE: CM									
CIRCUMFERENCE OF ATROPHIED SIDE: CM									
7C. COMMENTS, IF ANY:									
SECTION VIII - ANKYLOSIS									
Complete this section if Veteran has ankylosis of any thumb or finger joints.									
NOTE: Ankylosis is the immobilization and consolidation of a joint due to disease, injury or surgical procedure.									
8A. INDICATE LOCATION, SEVERITY AND SIDE AFFECTED (check all that apply):	-								
Left Hand No ankylosis									
Name of joint Is it ankylosed? If ankylosed, what is the position of ankylosis If ankylosed, is there rotation of a bone? If ankylosed, is there angulation of a bone?									
CMC Yes In extension In full flexion Yes Yes									
Thumb No Other, degrees of flexion No No									
No ankylosis Yes In extension In full flexion Yes Yes									
No Cother, degrees of flexion No No									
MCP Yes In extension In full flexion Yes Yes									
Index Finger No Other, degrees of flexion No No									
No ankylosis									
PIP Yes In extension In full flexion Yes Yes									
No Under, degrees of flexion No No									

OA INDICATE LOCATION	OEVEDITY.	AND OIDE AFFECT	SECTION VIII - ANKYLOSIS (Continued)				
BA. INDICATE LOCATION	, SEVERITY /	AND SIDE AFFECT	ED (check all that apply):				
Long Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Ring Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Little Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Right Hand							
	Name of joint	Is it ankylosed?	No ankylosis If ankylosed, what is the position of ankylosis	If ankylosed, is there rotation of a bone?	If ankylosed, is there angulation of a bone?		
Thumb No ankylosis	СМС	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	IP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Index Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Long Finger	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
No ankylosis	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Ring Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
Little Finger No ankylosis	MCP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
	PIP	Yes No	In extension In full flexion Other, degrees of flexion	Yes No	Yes No		
8B. DOES THE ANKYLOSIS RESULT IN LIMITATION OF MOTION OF OTHER DIGITS OR INTERFERENCE WITH OVERALL FUNCTION OF THE HAND? YES NO IF YES, PLEASE DESCRIBE AND PROVIDE RATIONALE FOR YOUR RESPONSE:							

SECTION VIII - ANKYLOSIS (Continued)
8C. COMMENTS, IF ANY:
SECTION IX - OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS, SYMPTOMS AND SCARS
9A. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS, OR ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE? YES NO IF YES, COMPLETE THE FOLLOWING SECTION
9B. DOES THE VETERAN HAVE ANY OTHER PERTINENT PHYSICAL FINDINGS, COMPLICATIONS, CONDITIONS, SIGNS OR SYMPTOMS RELATED TO ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?
YES NO IF YES, DESCRIBE (brief summary):
9C. DOES THE VETERAN HAVE ANY SCARS (surgical or otherwise) RELATED TO ANY CONDITION OR TO THE TREATMENT OF ANY CONDITIONS LISTED IN THE DIAGNOSIS SECTION ABOVE?
☐ YES ☐ NO
IF YES, ARE ANY OF THESE SCARS PAINFUL OR UNSTABLE; HAVE A TOTAL AREA EQUAL TO OR GREATER THAN 39 SQUARE CM (6 square inches); OR ARE LOCATED ON THE HEAD, FACE OR NECK?
YES NO IF YES, ALSO COMPLETE A SCARS DBQ.
IF NO, PROVIDE LOCATION AND MEASUREMENTS OF SCAR IN CENTIMETERS.
Location:
Measurements: length cm X width cm.
NOTE: An "unstable scar" is one where, for any reason, there is frequent loss of covering of the skin over the scar. If there are multiple scars, enter additional locations and measurements in Comment section below. It is not necessary to also complete a Scars DBQ.
9D. COMMENTS, IF ANY:
SECTION X - ASSISTIVE DEVICES
10A. DOES THE VETERAN USE ANY ASSISTIVE DEVICES?
YES NO IF YES, IDENTIFY ASSISTIVE DEVICES USED (check all that apply and indicate frequency):
Brace Frequency of use: Occasional Regular Constant
Other: Frequency of use: Occasional Regular Constant
10B. IF THE VETERAN USES ANY ASSISTIVE DEVICES, SPECIFY THE CONDITION AND IDENTIFY THE ASSISTIVE DEVICE USED FOR EACH CONDITION:
SECTION XI - REMAINING EFFECTIVE FUNCTION OF THE EXTREMITIES
11A. DUE TO THE VETERAN'S HAND, FINGER OR THUMB CONDITIONS, IS THERE FUNCTIONAL IMPAIRMENT OF AN EXTREMITY SUCH THAT NO EFFECTIVE FUNCTIONS REMAINS OTHER THAN THAT WHICH WOULD BE EQUALLY WELL SERVED BY AN AMPUTATION WITH PROSTHESIS? (Functions of the upper
extremity include grasping, manipulation, etc., while functions for the lower extremity include balance and propulsion, etc.)
YES, FUNCTIONING IS SO DIMINISHED THAT AMPUTATION WITH PROTHESIS WOULD EQUALLY SERVE THE VETERAN. NO
IF YES, INDICATE EXTREMITIES FOR WHICH THIS APPLIES: RIGHT UPPER LEFT UPPER
FOR EACH CHECKED EXTREMITY, IDENTIFY THE CONDITION CAUSING LOSS OF FUNCTION, DESCRIBE LOSS OF EFFECTIVE FUNCTION AND PROVIDE
SPECIFIC EXAMPLES (brief summary):
NOTE: The intention of this section is to permit the examiner to quantify the level of remaining function; it is not intended to inquire whether the Veteran should
undergo an amputation with fitting of a prothesis. For example, if the functions of grasping (hand) or propulsion (foot) are as limited as if the Veteran had an amputation and prosthesis, the examiner should check "yes" and describe the diminished functioning. The question simply asks whether the functional loss is to the same degree as if there were an amputation of the affected limb.

SECTION XII - DIAGNOSTIC TESTING								
NOTE: Testing listed below is not indicated for every condition. The diagnosis of degenerative arthritis (osteoarthritis) or traumatic arthritis must be confirmed by imaging studies. Once such arthritis has been documented, even if in the past, no further imaging studies are required by VA, even if arthritis has worsened.								
12A. HAVE IMAGING STUDIES OF THE HANDS BEEN PERFORMED AND ARE THE RESULTS AVAILABLE? YES NO								
IF YES, ARE THERE ABNORMAL FINDINGS? YES NO								
IF YES, INDICATE FINDINGS: DEGENERATIVE OR TRAUMATIC ARTHRITIS HAND: RIGHT LEFT BOTH IS DEGENERATIVE OR TRAUMATIC ARTHRITIS DOCUMENTED IN MULTIPLE JOINTS OF THE SAME HAND, INCLUDING THUMB AND FINGERS? YES NO IF YES, INDICATE HAND: RIGHT LEFT BOTH								
OTHER. DESCRIBE: HAND: RIGHT LEFT BOTH								
12B. ARE THERE ANY OTHER SIGNIFICANT D YES NO IF YES, PROVIDE		FINDINGS OR RESULTS? R PROCEDURE, DATE AND RESULTS (brie	of summary):					
12C. IF ANY TEST RESULTS ARE OTHER THAN NORMAL, INDICATE RELATIONSHIP OF ABNORMAL FINDINGS TO DIAGNOSED CONDITIONS:								
	SE	CTION XIII - FUNCTIONAL IMPACT						
NOTE: Provide the impact of only the diagnos	ed condition(s), w	ithout consideration of the impact of other i	medical conditions or factors	s, such as age.				
13. REGARDLESS OF THE VETERAN'S CURRENT EMPLOYMENT STATUS, DO THE CONDITION(S) LISTED IN THE DIAGNOSIS SECTION IMPACT HIS OR HER ABILITY TO PERFORM ANY TYPE OF OCCUPATIONAL TASK (such as standing, walking, lifting, sitting, etc.)? YES NO IF YES, DESCRIBE THE FUNCTIONAL IMPACT OF EACH CONDITION, PROVIDING ONE OR MORE EXAMPLES:								
SECTION XIV - REMARKS								
14. REMARKS, IF ANY:								
SECTION XV - PHYSICIAN'S CERTIFICATION AND SIGNATURE								
CERTIFICATION - To the best of my knowledge, the information contained herein is accurate, complete and current.								
15A. PHYSICIAN'S SIGNATURE		15B. PHYSICIAN'S PRINTED NAME		15C. DATE SIGNED				
15D. PHYSICIAN'S PHONE NUMBER	15E. PHYSICIAN'S MEDICAL LICENSE NUMBER 15		15F. PHYSICIAN'S ADDRE	SS				
NOTE: VA may request additional medical information, including additional examinations, if necessary to complete VA's review of the veteran's application.								
IMPORTANT - Physician please fax the completed form to (VA Regional Office FAX No.)								
NOTE: A list of VA Regional Office FAX Numbers can be found at www.vba.va.gov/disabilityexams or obtained by calling 1-800-827-1000.								
PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38. Code of								

PRIVACY ACT NOTICE: VA will not disclose information collected on this form to any source other than what has been authorized under the Privacy Act of 1974 or Title 38, Code of Federal Regulations 1.576 for routine uses (i.e., civil or criminal law enforcement, congressional communications, epidemiological or research studies, the collection of money owed to the United States, litigation in which the United States is a party or has an interest, the administration of VA programs and delivery of VA benefits, verification of identity and status, and personnel administration) as identified in the VA system of records, 58/VA21/22/28, Compensation, Pension, Education and Vocational Rehabilitation and Employment Records - VA, published in the Federal Register. Your obligation to respond is required to obtain or retain benefits. VA uses your SSN to identify your claim file. Providing your SSN will help ensure that your records are properly associated with your claim file. Giving us your SSN account information is voluntary. Refusal to provide your SSN by itself will not result in the denial of benefits. VA will not deny an individual benefits for refusing to provide his or her SSN unless the disclosure of the SSN is required by a Federal Statute of law in effect prior to January 1, 1975, and still in effect. The requested information is considered relevant and necessary to determine maximum benefits under the law. The responses you submit are considered confidential (38 U.S.C. 5701). Information submitted is subject to verification through computer matching programs with other agencies.

RESPONDENT BURDEN: We need this information to determine entitlement to benefits (38 U.S.C. 501). Title 38, United States Code, allows us to ask for this information. We estimate that you will need an average of 30 minutes to review the instructions, find the information, and complete the form. VA cannot conduct or sponsor a collection of information unless a valid OMB control number is displayed. You are not required to respond to a collection of information if this number is not displayed. Valid OMB control numbers can be located on the OMB Internet Page at www.reginfo.gov/public/do/PRAMain. If desired, you can call 1-800-827-1000 to get information on where to send comments or suggestions about this form.