

Demonstrate zone junction

B. Charnomordic

2017-09-12

Contents

Step 1	1
Step 2	1

Session informations	3
----------------------	---

```
library(geozoning)
library(sp)
library(fields)
```

This vignette illustrates the junction of 2 zones that do not have a common border but that are close to each other and share the same label. If the junction crosses another zone, it cannot be done.

Step 1

A map object is simulated with a Gaussian field and a variogram model. 450 points are randomly allocated on a square field of size 1. Then 1936 points are kriged on a regular grid using inverse distance weighted interpolation. A Delaunay tessellation yields point neighborhood in the sense of Voronoi.

```
seed=80
map=genMap(DataObj=NULL,seed=seed,disp=FALSE,krig=2)
```

```
## [1] "DataObj=NULL, generating DataObj-seed= 80"
## [inverse distance weighted interpolation]
```


```
# Check the mean and standard deviation of generated data.
meanvarSimu(map)
```

```
##      raw mean kriged mean      raw sd   kriged sd
##      8.327609   8.244374   1.969228   1.310783
```

Step 2

Zoning Z is generated from map and quantile vector. Given a probability vector, a vector of values is obtained using the quantile function.

```
qProb=c(0.5,0.7)
qq=quantile(map$krigGrid,na.rm=TRUE,prob=qProb)
ZK=initialZoning(qProb,map) # names(ZK) "resCrit" "resDist" "resZ" "cL" "qProb"
# plot zoning (11 zones in this case)
K=ZK$resZ
Z=K$zonePolygone
plotZ(Z)
```



```
## NULL
```

```
printLabZ(list(K)) # zones 9 to 11 have the same label(1)
```


```
## [1] "2q zone labels= c(3, 2, 2, 1, 2, 3, 2, 3, 1, 1, 1)"
```

```
## [[1]]
```

```
## [1] 3 2 2 1 2 3 2 3 1 1 1
```

Step 3: Join zone 9 with another zone near by (zone 10)- both zones have the same label

```
kmi=optiRG(K,map,9,10,disp=1)
plotZ(kmi$zonePolygone)
```



```
## NULL
```

Session informations

```
## R version 3.4.0 (2017-04-21)
## Platform: x86_64-pc-linux-gnu (64-bit)
## Running under: Debian GNU/Linux 8 (jessie)
##
## Matrix products: default
## BLAS: /usr/lib/libblas/libblas.so.3.0
## LAPACK: /usr/lib/lapack/liblapack.so.3.0
##
## locale:
##  [1] LC_CTYPE=fr_FR.utf8      LC_NUMERIC=C
##  [3] LC_TIME=fr_FR.utf8      LC_COLLATE=fr_FR.utf8
##  [5] LC_MONETARY=fr_FR.utf8  LC_MESSAGES=fr_FR.utf8
##  [7] LC_PAPER=fr_FR.utf8     LC_NAME=C
##  [9] LC_ADDRESS=C            LC_TELEPHONE=C
## [11] LC_MEASUREMENT=fr_FR.utf8 LC_IDENTIFICATION=C
##
## attached base packages:
## [1] grid      stats      graphics  grDevices  utils      datasets  methods
## [8] base
##
## other attached packages:
## [1] fields_8.15      maps_3.1.1      spam_1.4-0      rgeos_0.3-23
## [5] sp_1.2-4         ggplot2_2.2.1   geozoning_1.0.0 rmarkdown_1.6
##
## loaded via a namespace (and not attached):
## [1] Rcpp_0.12.11      compiler_3.4.0
## [3] plyr_1.8.4        tools_3.4.0
## [5] xts_0.9-7         digest_0.6.12
## [7] gstat_1.1-5       evaluate_0.10.1
## [9] tibble_1.3.1      gtable_0.2.0
## [11] lattice_0.20-35   rlang_0.1.1
## [13] yaml_2.1.14       stringr_1.2.0
## [15] knitr_1.17        raster_2.5-8
## [17] RandomFieldsUtils_0.3.25 rprojroot_1.2
## [19] spacetime_1.2-0   foreign_0.8-68
## [21] deldir_0.1-14     magrittr_1.5
## [23] backports_1.1.0   scales_0.4.1
## [25] htmltools_0.3.6   intervals_0.15.1
## [27] RandomFields_3.1.50 maptools_0.9-2
## [29] colorspace_1.3-2  labeling_0.3
## [31] stringi_1.1.5     lazyeval_0.2.0
## [33] munsell_0.4.3     FNN_1.1
## [35] zoo_1.8-0
```