

Diet	Wtloss
A	3.709
A A	7.087 6.754
A	8.994
A	9.077
A	6.413
Α	5.877
Α	2.572
Α	7.520
A	6.881
A A	7.265
A	3.477
Â	3.755 8.760
A	7.032
Α	9.052
Α	10.062
A	4.840
A	6.449
A A	9.019 -1.715
A	-1.715 4.718
Â	4.007
Α	7.241
Α	2.128
Α	6.968
Α	4.853
A	0.055
A A	2.680 3.746
A	7.033
A	5.033
Α	5.569
Α	6.712
Α	3.663
Α	2.741
A A	6.256 5.349
A	7.300
A	5.445
A	4.970
Α	3.613
Α	7.568
Α	5.861
A	4.157
A A	0.203 4.441
A	5.875
A	5.715
Α	0.280
В	-1.087
В	1.819
В	0.074
B B	1.755
В	1.889
В	3.089 4.008
В	4.551
В	1.372
В	3.413
В	-4.148
В	2.823
B B	2.865
В	4.369 6.337
U	0.331

Diet A	n	50	UCB	Frequency	Class Mark	Relative Frequency
	Mean	5.341	0	1	-1	0.02
	SD	2.536	2	3	1	0.06
			4	10	3	0.20
	Min	-1.715	6	15	5	0.30
	Max	10.062	8	15	7	0.30
	Range	11.777	10	5	9	0.10
			12	1	11	0.02
			Total	50	Total	1





Diet B	n	50.00	UCB	Frequency
	Mean	3.71	0	3
	SD	2.77	2	10
			4	15
	Min	-4.148	6	11
	Max	10.539	8	8
	Range	14.687	10	2
			12	1
				0
			Total	50

Class Mark	Relative Frequency
-1	0.06
1	0.20
3	0.30
5	0.22
7	0.16
9	0.04
11	0.02
Total	1.00

Diet A is more effective for weight loss than Diet B, with more participants achieving moderate to high weight loss, producing more consistent results, and having a lower risk of weight gain. Diet A has a higher proportion of participants with high weight loss.

6.308 3.494 10.539 3.840 B B B B B B B 5.123 5.485 -1.894 8.016 2.310 3.882 7.030 7.727 0.105 3.650 B B B B В 4.547 4.985 5.159 4.760 4.934 3.106 5.598 В B B B B В 2.162 6.520 7.046 В 1.757 1.848 1.096 2.145 8.435 6.099 В B B B B B B 3.972 2.409 0.569 7.013 2.594 B B B