

In [1]:

```
import numpy as np
import pandas as pd
import matplotlib.pyplot as plt
import seaborn as sns
```

In [2]:

```
df=pd.read_csv("2015.csv")
df
```

Out[2]:

	Country	Region	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)	Freedom
0	Switzerland	Western Europe	1	7.587	0.03411	1.39651	1.34951	0.94143	0.66557
1	Iceland	Western Europe	2	7.561	0.04884	1.30232	1.40223	0.94784	0.62877
2	Denmark	Western Europe	3	7.527	0.03328	1.32548	1.36058	0.87464	0.64938
3	Norway	Western Europe	4	7.522	0.03880	1.45900	1.33095	0.88521	0.66973
4	Canada	North America	5	7.427	0.03553	1.32629	1.32261	0.90563	0.63297
...
153	Rwanda	Sub-Saharan Africa	154	3.465	0.03464	0.22208	0.77370	0.42864	0.59201
154	Benin	Sub-Saharan Africa	155	3.340	0.03656	0.28665	0.35386	0.31910	0.48450
155	Syria	Middle East and Northern Africa	156	3.006	0.05015	0.66320	0.47489	0.72193	0.15684
156	Burundi	Sub-Saharan Africa	157	2.905	0.08658	0.01530	0.41587	0.22396	0.11850
157	Togo	Sub-Saharan Africa	158	2.839	0.06727	0.20868	0.13995	0.28443	0.36453

158 rows × 12 columns



In [3]:

```
df.head()
```

Out[3]:

	Country	Region	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)	Freedom	(Government Corruption)
0	Switzerland	Western Europe	1	7.587	0.03411	1.39651	1.34951	0.94143	0.66557	
1	Iceland	Western Europe	2	7.561	0.04884	1.30232	1.40223	0.94784	0.62877	
2	Denmark	Western Europe	3	7.527	0.03328	1.32548	1.36058	0.87464	0.64938	
3	Norway	Western Europe	4	7.522	0.03880	1.45900	1.33095	0.88521	0.66973	
4	Canada	North America	5	7.427	0.03553	1.32629	1.32261	0.90563	0.63297	



DATA CLEANING AND DATA PREPROCESSING

In [4]:

df.info()

```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 158 entries, 0 to 157
Data columns (total 12 columns):
 #   Column           Non-Null Count  Dtype  
--- 
 0   Country          158 non-null    object 
 1   Region           158 non-null    object 
 2   Happiness Rank   158 non-null    int64  
 3   Happiness Score  158 non-null    float64
 4   Standard Error   158 non-null    float64
 5   Economy (GDP per Capita) 158 non-null    float64
 6   Family            158 non-null    float64
 7   Health (Life Expectancy) 158 non-null    float64
 8   Freedom           158 non-null    float64
 9   Trust (Government Corruption) 158 non-null    float64
 10  Generosity        158 non-null    float64
 11  Dystopia Residual 158 non-null    float64
dtypes: float64(9), int64(1), object(2)
memory usage: 14.9+ KB

```

In [5]:

df.describe()

Out[5]:

	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)	Freedom	Trust (Government Corruption)
count	158.000000	158.000000	158.000000	158.000000	158.000000	158.000000	158.000000	158.000000
mean	79.493671	5.375734	0.047885	0.846137	0.991046	0.630259	0.428615	0.14342
std	45.754363	1.145010	0.017146	0.403121	0.272369	0.247078	0.150693	0.12003
min	1.000000	2.839000	0.018480	0.000000	0.000000	0.000000	0.000000	0.000000
25%	40.250000	4.526000	0.037268	0.545808	0.856823	0.439185	0.328330	0.06167

	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)	Freedom	Trust (Government Corruption)
50%	79.500000	5.232500	0.043940	0.910245	1.029510	0.696705	0.435515	0.10722
75%	118.750000	6.243750	0.052300	1.158448	1.214405	0.811013	0.549092	0.18025
max	158.000000	7.587000	0.136930	1.690420	1.402230	1.025250	0.669730	0.55191

In [6]: df.columns

Out[6]: Index(['Country', 'Region', 'Happiness Rank', 'Happiness Score', 'Standard Error', 'Economy (GDP per Capita)', 'Family', 'Health (Life Expectancy)', 'Freedom', 'Trust (Government Corruption)', 'Generosity', 'Dystopia Residual'],
dtype='object')

In [7]: df1=df.dropna(axis=1)
df1

Out[7]:

	Country	Region	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)	Freedom
0	Switzerland	Western Europe	1	7.587	0.03411	1.39651	1.34951	0.94143	0.66557
1	Iceland	Western Europe	2	7.561	0.04884	1.30232	1.40223	0.94784	0.62877
2	Denmark	Western Europe	3	7.527	0.03328	1.32548	1.36058	0.87464	0.64938
3	Norway	Western Europe	4	7.522	0.03880	1.45900	1.33095	0.88521	0.66973
4	Canada	North America	5	7.427	0.03553	1.32629	1.32261	0.90563	0.63297
...
153	Rwanda	Sub-Saharan Africa	154	3.465	0.03464	0.22208	0.77370	0.42864	0.59201
154	Benin	Sub-Saharan Africa	155	3.340	0.03656	0.28665	0.35386	0.31910	0.48450
155	Syria	Middle East and Northern Africa	156	3.006	0.05015	0.66320	0.47489	0.72193	0.15684
156	Burundi	Sub-Saharan Africa	157	2.905	0.08658	0.01530	0.41587	0.22396	0.11850

Country	Region	Happiness Rank	Happiness Score	Standard Error	Economy (GDP per Capita)	Family	Health (Life Expectancy)	Freedom
157	Togo	Sub-Saharan Africa	158	2.839	0.06727	0.20868	0.13995	0.28443

158 rows × 12 columns

In [8]: df1.columns


Out[8]: Index(['Country', 'Region', 'Happiness Rank', 'Happiness Score', 'Standard Error', 'Economy (GDP per Capita)', 'Family', 'Health (Life Expectancy)', 'Freedom', 'Trust (Government Corruption)', 'Generosity', 'Dystopia Residual'], dtype='object')

In [9]: df1=df1[['Happiness Rank', 'Happiness Score', 'Standard Error', 'Economy (GDP per Capita)', 'Family', 'Health (Life Expectancy)', 'Freedom', 'Trust (Government Corruption)', 'Generosity', 'Dystopia Residual']]

EDA AND VISUALIZATION

In [10]: sns.pairplot(df1)


Out[10]: <seaborn.axisgrid.PairGrid at 0x20220142400>



In [11]: `sns.distplot(df1['Economy (GDP per Capita)'])`


```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning:
`distplot` is a deprecated function and will be removed in a future version. Please adapt your code to use either `displot` (a figure-level function with similar flexibility) or `histplot` (an axes-level function for histograms).
warnings.warn(msg, FutureWarning)
```

Out[11]: <AxesSubplot:xlabel='Economy (GDP per Capita)', ylabel='Density'>



```
In [12]: sns.heatmap(df1.corr())
```

```
Out[12]: <AxesSubplot:
```



TO TRAIN THE MODEL AND MODEL BUILDING

```
In [13]: x=df[['Happiness Rank', 'Happiness Score',
           'Standard Error', 'Economy (GDP per Capita)', 'Family',
           'Health (Life Expectancy)', 'Freedom', 'Trust (Government Corruption)',
           'Generosity',]]
y=df['Dystopia Residual']
```

```
In [14]: from sklearn.model_selection import train_test_split  
x_train,x_test,y_train,y_test=train_test_split(x,y,test_size=0.3)
```

```
In [15]: from sklearn.linear_model import LinearRegression  
lr=LinearRegression()  
lr.fit(x_train,y_train)
```

```
Out[15]: LinearRegression()
```

```
In [16]: lr.intercept_
```


```
Out[16]: -0.0019073306143950752
```

```
In [17]: coeff=pd.DataFrame(lr.coef_,x.columns,columns=['Co-efficient'])  
coeff
```

	Co-efficient
Happiness Rank	0.000006
Happiness Score	1.000220
Standard Error	0.000570
Economy (GDP per Capita)	-1.000078
Family	-0.999948
Health (Life Expectancy)	-0.999850
Freedom	-0.999709
Trust (Government Corruption)	-0.999765
Generosity	-0.999998

```
In [18]: prediction =lr.predict(x_test)  
plt.scatter(y_test,prediction)
```

```
Out[18]: <matplotlib.collections.PathCollection at 0x20226b8b340>
```



ACCURACY

```
In [19]: lr.score(x_test,y_test)
```

```
Out[19]: 0.9999994806600487
```

```
In [22]: lr.score(x_train,y_train)
```

```
Out[22]: 0.9999998082608405
```

```
In [20]: from sklearn.linear_model import Ridge,Lasso
```

```
In [21]: rr=Ridge(alpha=10)  
rr.fit(x_train,y_train)
```

```
Out[21]: Ridge(alpha=10)
```

```
In [23]: rr.score(x_test,y_test)
```

```
Out[23]: 0.6257373388370999
```

```
In [24]: rr.score(x_train,y_train)
```

```
Out[24]: 0.6990386807660707
```

```
In [25]: la=Lasso(alpha=10)  
la.fit(x_train,y_train)
```

```
Out[25]: Lasso(alpha=10)
```

```
In [26]: la.score(x_test,y_test)
```

```
Out[26]: 0.19693390016199774
```

```
In [27]: la.score(x_train,y_train)
```

```
Out[27]: 0.13759016501499755
```