

20104028

Heamnath N

Importing Libraries

In [1]:

```
import numpy as np
import pandas as pd
import seaborn as sns
import matplotlib.pyplot as plt
```

Importing Datasets

In [2]:

```
df=pd.read_csv("rainfall_bihar.csv")
df
```

Out[2]:

| | index | SUBDIVISION | YEAR | JAN | FEB | MAR | APR | MAY | JUN | JUL | AUG | SEP | OCT | NOV |
|-----|-------|-------------|------|------|------|------|------|-------|-------|-------|-------|-------|-------|------|
| 0 | 897 | BIHAR | 1901 | 51.8 | 19.6 | 11.9 | 1.1 | 65.6 | 66.3 | 245.9 | 319.4 | 155.1 | 8.3 | 7.3 |
| 1 | 898 | BIHAR | 1902 | 4.6 | 0.7 | 24.3 | 17.3 | 66.3 | 118.2 | 361.0 | 225.5 | 358.7 | 28.5 | 1.1 |
| 2 | 899 | BIHAR | 1903 | 5.3 | 4.7 | 2.0 | 4.7 | 28.2 | 192.9 | 115.0 | 342.6 | 173.9 | 147.0 | 0.1 |
| 3 | 900 | BIHAR | 1904 | 6.3 | 1.7 | 3.5 | 5.3 | 118.7 | 191.6 | 394.4 | 351.3 | 84.4 | 98.1 | 10.6 |
| 4 | 901 | BIHAR | 1905 | 16.0 | 30.1 | 32.6 | 21.4 | 77.5 | 50.5 | 409.1 | 495.3 | 353.9 | 11.6 | 0.0 |
| ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... | ... |
| 110 | 1007 | BIHAR | 2011 | 4.2 | 7.7 | 9.2 | 23.9 | 74.5 | 211.0 | 241.1 | 278.7 | 234.1 | 10.0 | 2.0 |
| 111 | 1008 | BIHAR | 2012 | 18.1 | 2.7 | 7.3 | 20.4 | 18.8 | 96.2 | 354.0 | 240.4 | 233.8 | 34.3 | 6.4 |
| 112 | 1009 | BIHAR | 2013 | 5.1 | 22.6 | 0.6 | 32.3 | 89.5 | 183.3 | 182.0 | 213.6 | 143.3 | 197.1 | 0.4 |
| 113 | 1010 | BIHAR | 2014 | 17.0 | 33.5 | 8.4 | 0.7 | 103.9 | 115.2 | 265.4 | 307.6 | 160.3 | 47.8 | 0.0 |
| 114 | 1011 | BIHAR | 2015 | 12.8 | 1.8 | 27.2 | 38.7 | 39.5 | 122.1 | 231.5 | 287.0 | 101.7 | 10.4 | 0.0 |

115 rows × 20 columns

Data Cleaning and Data Preprocessing

In [3]:

```
df=df.dropna()
```

```
In [4]: df.columns
```

```
Out[4]: Index(['index', 'SUBDIVISION', 'YEAR', 'JAN', 'FEB', 'MAR', 'APR', 'MAY',
       'JUN', 'JUL', 'AUG', 'SEP', 'OCT', 'NOV', 'DEC', 'ANNUAL', 'Jan-Feb',
       'Mar-May', 'Jun-Sep', 'Oct-Dec'],
      dtype='object')
```


```
In [5]: df.info()
```

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
 ---  --          -----          --    
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object 
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

Line chart

```
In [6]: df.plot.line(subplots=True)
```


```
Out[6]: array([<AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>, <AxesSubplot:>,
       <AxesSubplot:>, <AxesSubplot:>], dtype=object)
```



Line chart

```
In [7]: df.plot.line()
```


```
Out[7]: <AxesSubplot:>
```



Bar chart

```
In [8]: df.plot.bar()
```


```
Out[8]: <AxesSubplot:>
```



Histogram

```
In [9]: df.plot.hist()
```


```
Out[9]: <AxesSubplot:ylabel='Frequency'>
```



Area chart

```
In [10]: df.plot.area()
```


```
Out[10]: <AxesSubplot:>
```



Box chart

```
In [11]: df.plot.box()
```


```
Out[11]: <AxesSubplot:>
```




Pie chart

```
In [12]: df.plot.pie(y='ANNUAL')
```

```
Out[12]: <AxesSubplot:ylabel='ANNUAL'>
```






Scatter chart

In [13]: `df.plot.scatter(x='SUBDIVISION' ,y='ANNUAL')`

Out[13]: <AxesSubplot:xlabel='SUBDIVISION', ylabel='ANNUAL'>



In [14]:

`df.info()`

```
<class 'pandas.core.frame.DataFrame'>
Int64Index: 115 entries, 0 to 114
Data columns (total 20 columns):
 #   Column      Non-Null Count  Dtype  
--- 
 0   index       115 non-null    int64  
 1   SUBDIVISION 115 non-null    object  
 2   YEAR        115 non-null    int64  
 3   JAN         115 non-null    float64 
 4   FEB         115 non-null    float64 
 5   MAR         115 non-null    float64 
 6   APR         115 non-null    float64 
 7   MAY         115 non-null    float64 
 8   JUN         115 non-null    float64 
 9   JUL         115 non-null    float64 
 10  AUG         115 non-null    float64 
 11  SEP         115 non-null    float64 
 12  OCT         115 non-null    float64 
 13  NOV         115 non-null    float64 
 14  DEC         115 non-null    float64 
 15  ANNUAL      115 non-null    float64 
 16  Jan-Feb     115 non-null    float64 
 17  Mar-May     115 non-null    float64 
 18  Jun-Sep     115 non-null    float64 
 19  Oct-Dec     115 non-null    float64 
dtypes: float64(17), int64(2), object(1)
memory usage: 18.9+ KB
```

In [15]:

`df.describe()`

Out[15]:


| | index | YEAR | JAN | FEB | MAR | APR | MAY | JUN |
|--------------|------------|-------------|------------|------------|------------|------------|------------|------------|
| count | 115.000000 | 115.000000 | 115.000000 | 115.000000 | 115.000000 | 115.000000 | 115.000000 | 115.000000 |
| mean | 954.000000 | 1958.000000 | 13.386087 | 14.393913 | 10.124348 | 16.918261 | 53.081739 | 174.315652 |
| std | 33.341666 | 33.341666 | 14.791960 | 15.075036 | 11.695340 | 15.978278 | 27.941714 | 76.167930 |
| min | 897.000000 | 1901.000000 | 0.000000 | 0.000000 | 0.000000 | 0.100000 | 1.300000 | 48.100000 |
| 25% | 925.500000 | 1929.500000 | 2.350000 | 2.750000 | 1.800000 | 5.250000 | 31.550000 | 117.100000 |

| | index | YEAR | JAN | FEB | MAR | APR | MAY | JUN |
|------------|-------------|-------------|-----------|-----------|-----------|-----------|------------|------------|
| 50% | 954.000000 | 1958.000000 | 9.400000 | 8.400000 | 6.500000 | 12.600000 | 46.200000 | 165.500000 |
| 75% | 982.500000 | 1986.500000 | 18.700000 | 21.400000 | 12.850000 | 24.500000 | 76.200000 | 211.000000 |
| max | 1011.000000 | 2015.000000 | 81.200000 | 66.300000 | 65.500000 | 91.400000 | 118.700000 | 446.000000 |

EDA AND VISUALIZATION

In [16]: `sns.pairplot(df)`


Out[16]: <seaborn.axisgrid.PairGrid at 0x1e14ea6c8b0>



In [17]: `sns.distplot(df['ANNUAL'])`

```
C:\ProgramData\Anaconda3\lib\site-packages\seaborn\distributions.py:2557: FutureWarning:  
`distplot` is a deprecated function and will be removed in a future version. Please adapt  
your code to use either `displot` (a figure-level function with similar flexibility) o  
r `histplot` (an axes-level function for histograms).  
warnings.warn(msg, FutureWarning)
```

```
Out[17]: <AxesSubplot:xlabel='ANNUAL', ylabel='Density'>
```



```
In [18]: sns.heatmap(df.corr())
```

```
Out[18]: <AxesSubplot:>
```

