

# MOLECULAR TEST REQUISITION FORM EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION FULL PANEL

# INDEX PATIENT/ FAMILIAR INFORMATION (obligatory field, delete as applicable)

Name:  Ethnicity and geographical of a from the mother  Consultancy Referral Number	rigin: - from index patient	father	Place here the identification label
SPECIMEN SOURCE (0	oligatory field)		
☐ Whole blo	ood 🗆 DNA	Saliva	URGENT  Reason:
PHYSICIAN INFORMA	ATION (obligatory field)		
•			_
Telephone:	Fax:	E-mail:	
Evaluation of genetic varia	ular risk markers f		sion - Full panel  k markers predisposing for arterial hypertension, function of the 1) renin-angiotensin-aldosterone
system and 7) mendelian d	iseases associated with ar		m, 5) sodium channels, 6) autonomous nervous erapy effectiveness.
PREVIOUS GENETIC C	ONSULTANCY: Date _	/; AGE O	F DIAGNOSTIC:

## **FAMILIAR INFORMATION**

Previously studied familial members: identification in genealogical tree. Point out the individual in the present study with an arrow ( >).

V.1.1 / 2014 Page **1** / **4** 



### MOLECULAR TEST REQUISITION FORM

# **EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION**

**FULL PANEL** 

Name:
Consultancy Referral Number:

101	102	103	104	105	106	107	108	109	110	111	112
201 2	02 20	3 20	205	206	20	7 20	8 20	9 21	21	11 21	12
301	302	303	304	305	306	307	308	309	310	311	312
401 40	02 40	3 40	4 405	406	40	7 40	8 40	9 41	0 41	1 41	12

Position in the tree	Name / Consultancy Referral Number	Clinical information and age of diagnostic *

<sup>\*</sup> Legend: age (A) arterial hypertension (AHTN), AHTN in pregnancy, acute myocardial infarction (AMI), congestive heart failure (CHF), stroke (S), acute pulmonary edema (APE), peripheral artery disease (PAD), retinopathy (R), sudden death (SD)

#### **CLINICAL INFORMATION: COMPLEMENTARY DIAGNOSTIC EXAMS**

By filling these fields you are contributing to improve your future patient diagnostics as we are developing tools to model clinical and genetic data regarding. Arterial Hypertension risk factors.

Clinical information	Data
AHTN diagnostic date	(day) /(month) /(year), years
Age of AHTN diagnostic	
AP (previous to therapeutics)	(systolic)(diastolic) mmHg
Cardiac frequency (bpm)	
Physical activity (hours / week)	
AP (subsequent to therapeutics)	(systolic)(diastolic) mmHg
Antihypertensive therapeutics	
(dose frequency)	
Secondary AHTN - disease	renal $\Box$ , endocrinology $\Box$ , conjunctive tissue $\Box$ , arterial vessels $\Box$
associated	

V.1.1 / 2014 Page **2** / **4** 



## MOLECULAR TEST REQUISITION FORM

# **EVALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION**

**FULL PANEL** 

Name:	
Consultancy Referral Number:	

Associated risk factors	poor diet with high sodium intake $\Box$ , fast food $\Box$ , lack of physical activity $\Box$ , smoking			
	□, nº cigarettes /day, nº packs /day, stop smoking at years,			
	ethanolism $\square$ , stress $\square$ , anxiety $\square$			
Associated diseases	metabolic syndrome $\Box$ , diabetes mellitus $\Box$ , dyslipidemia $\Box$ , renal artery disease $\Box$ ,			
	aortic diseases □			
	ischemic stroke $\square$ $^{(A)}$ , hemorrhagic stroke $\square$ $^{(A)}$ ; AMI $\square$ $^{(A)}$ , APE $\square$ $^{(A)}$ ,			
Target organs *	angina $\square$ $^{(A)}$ , CHF $\square$ $^{(A)}$ , renal disease $\square$ $^{(A)}$ , , PAD $\square$ $^{(A)}$ , AHTN crisis $\square$ $^{(A)}$			
AH pregnancy	preeclampsia 🗆, eclampsia 🗅, fetal losses 🗆			
Chronic diseases				
Long life therapeutics				
Diagnostic Exams				
Mg CHOL, TRIG, HE, TSH, T3 cortisol cathecolamines autoantibodies, uric aci - protein /albumin	, urea, creatinine, uric acid, Na, K, Cl, Ca, P, DL, LDL, APOB, VLDL, protein /albumin, vit.D, ACTH, T4, PTH, renin, angiotensin, aldoesterone, blood glomerular flitration rate, (serum)  d, urine II, Na, K, Cl, Ca, P(urinary), urine metanephrines 24h			
- ' '				
- Doppler ultrasound of carotid <sup>(alteration</sup>				
	reries (alterations)			

V.1.1 / 2014 Page **3** / **4** 

<sup>\*</sup> age (A), acute myocardial infarction (AMI), congestive heart failure (CHF), acute pulmonary edema (APE), peripheral artery disease (PAD).



## MOLECULAR TEST REQUISITION FORM

# **E**VALUATION OF MOLECULAR RISK MARKERS FOR ARTERIAL HYPERTENSION

**FULL PANEL** 

	Name:
	Consultancy Referral Number:
ANNEX	
Sample tubes labeled with index of	case / patient / familiar information
☐ Whole blood (preferable) (Date collection tube	obtained: / ), Conditions: 4mL or 2 X 3mL in $K_2EDTA$ or $K_3EDT$
DNA (Date obtained: / _	/); VolumeμL; Concentration μg/mL; Purification Method
; Conditions: minimum	
Saliva (Recommended kit: Oragen	ne DNA collection kit Genotek)
	<u> </u>
INFORMED CONSENT INFORM	IATION (It is mandatory to be signed)
or the genetic test specified in this re	ly/ my child's
give permission for the anonymously	processing of the obtained digital data: yes $\square$ no $\square$
	processing of the obtained digital data: yes $\square$ no $\square$ ecimen and clinical information to be anonymously used in research studies: yes $\square$ no $\square$
give permission for the biological spe	
give permission for the biological spe	ecimen and clinical information to be anonymously used in research studies: yes $\ \square$ no $\ \square$

Physician signature \_\_\_\_\_

V.1.1 / 2014 Page **4** / **4**