

MOLECULAR TEST REQUISITION FORM MOLECULAR RISK MARKERS OF HIGH RISK AND

PREVALENCE FOR ARTERIAL HYPERTENSION

INDEX PATIENT/ FAMILIAR INFORMATION (obligatory field, delete as applicable)

Ethnicity and geographical o	; Date of birth: rigin: - from index patient , - from the father r:	;	Identification Label / Barcode Place here the identification label	
SPECIMEN SOURCE (ot	oligatory field)			
☐ Whole blo	od 🗆 DNA 🗀 Saliv	ra e	URGENT Reason:	
PHYSICIAN INFORMA	TION (obligatory field)			
Physician_	во во поводил во во во на во поводил во пово	повисянов на вна вна вна вна вна вна вна вна вна		
Institution:	Departa	iment:		
Telephone:	Fax:	E-mail:		
MOLECULAR TEST REC	DOM STREET COM CENTRAL POR MEMBER 1900 E CHECE POR MEMBER 1904 A FRANCISCO MEMBER 1904 CHECE POR	isk and prevalen	ce for arterial hypertension □	
Evaluation of genetic variants in 35 genes that can be considered molecular markers 1) of high risk predisposing for arterial hypertension and 2) with a high prevalence in hypertensive patients. In particular, are evaluated genetic variants that are related with the regulation and / or dysfunction of the 1) renin-angiotensin-aldosterone system, 2) vascular endothelium 3) renal tubule, 4) signal transduction system, 5) sodium channels and 6) autonomous nervous system. Evaluation of genetic variants that contribute to anti-hypertensive therapy effectiveness.				
PREVIOUS GENETIC CO	DNSULTANCY: Date/	/; AGE OF DI	AGNOSTIC:	

FAMILIAR INFORMATION

Previously studied familial members: identification in genealogical tree. Point out the individual in the present study with an arrow (/) .

V.1.2 / 2014 Page **1** / **4**



MOLECULAR TEST REQUISITION FORM

MOLECULAR RISK MARKERS OF HIGH RISK AND

PREVALENCE FOR ARTERIAL HYPERTENSION

Name:	
Consultancy Referral Number: _	

101	102	103	104	105	106	107	108	109	110	111	112
201 2	02 20	3 20	205	206	20	7 20	8 20	9 21	21	11 21	12
301	302	303	304	305	306	307	308	309	310	311	312
401 40	02 40	3 40	4 405	406	40	7 40	8 40	9 41	0 41	1 41	12

Position in the tree	Name / Consultancy Referral Number	Clinical information and age of diagnostic *	

^{*} Legend: age (A) arterial hypertension (AHTN), AHTN in pregnancy, acute myocardial infarction (AMI), congestive heart failure (CHF), stroke (S), acute pulmonary edema (APE), peripheral artery disease (PAD), retinopathy (R), sudden death (SD)

CLINICAL INFORMATION: COMPLEMENTARY DIAGNOSTIC EXAMS

By filling these fields you are contributing to improve your future patient diagnostics as we are developing tools to model clinical and genetic data regarding. Arterial Hypertension risk factors.

Clinical information	Data
AHTN diagnostic date	(day) /(month) /(year), years
Age of AHTN diagnostic	
AP (previous to therapeutics)	(systolic)(diastolic) mmHg
Cardiac frequency (bpm)	
Physical activity (hours / week)	
AP (subsequent to therapeutics)	(systolic)(diastolic) mmHg
Antihypertensive therapeutics	
(dose frequency)	
Secondary AHTN - disease	renal \Box , endocrinology \Box , conjunctive tissue \Box , arterial vessels \Box
associated	

V.1.2 / 2014 Page **2** / **4**



MOLECULAR TEST REQUISITION FORM

MOLECULAR RISK MARKERS OF HIGH RISK AND

PREVALENCE FOR ARTERIAL HYPERTENSION

Name:	
Consultancy Referral Number:	

Associated risk factors	poor diet with high sodium intake \Box , fast food \Box , lack of physical activity \Box , smoking				
	□, nº cigarettes /day, nº packs /day, stop smoking at years,				
	ethanolism \Box , stress \Box , anxiety \Box				
Associated diseases	metabolic syndrome \Box , diabetes mellitus \Box , dyslipidemia \Box , renal artery disease \Box ,				
	aortic diseases □				
	ischemic stroke \square $^{(A)}$, hemorrhagic stroke \square $^{(A)}$; AMI \square $^{(A)}$, APE \square $^{(A)}$,				
Target organs *	angina \square $^{(A)}$, CHF \square $^{(A)}$, renal disease \square $^{(A)}$, , PAD \square $^{(A)}$, AHTN crisis \square $^{(A)}$				
AH pregnancy	preeclampsia \square , eclampsia \square , fetal losses \square				
Chronic diseases					
Long life therapeutics					
Diagnostic Exams					
- HgB, MCV, glycemia, urea, creatinine, uric acid, Na, K, Cl, Ca, P, Mg, TRIG, HDL, LDL, APOB, VLDL, protein /albumin, vit.D, ACTH, TSH, T3, T4, PTH, renin, angiotensin, aldoesterone, cortisol cathecolamines, blood glomerular flitration rate, autoantibodies					
	urine metanephrines 24h				
- Echocardiography (alterations)					
- Radiography of chest ^(alterations)					
- Ultrasound (alterations)					
- Doppler ultrasound of carotid (alterations)					
- Doppler ultrasound of lower limb arteries (alterations)					
- Ambulatory blood pressure (alterations)					
- Cardiac exercise stress test (alterations)					
- TAC/Angio-TAC					
- Arterial pulse wave velocity ^(alterations)					
- Others					

V.1.2 / 2014 Page **3** / **4**

^{*} age (A), acute myocardial infarction (AMI), congestive heart failure (CHF), acute pulmonary edema (APE), peripheral artery disease (PAD).



Physician signature __

MOLECULAR TEST REQUISITION FORM

MOLECULAR RISK MARKERS OF HIGH RISK AND

PREVALENCE FOR ARTERIAL HYPERTENSION

	Name: Consultancy Referral Number:
ANNEW	Consultancy (Celeffal Number
ANNEX	
collection tube	obtained: / /), Conditions: 4mL or 2 X 3mL in K_2EDTA or K_3EDTA
DNA (Date obtained: /; Conditions: minimum 3	/); VolumeμL; Concentration μg/mL; Purification Method: 300ng of 35ng/μL,
☐ Saliva (Recommended kit: Oragene	e DNA collection kit Genotek)
INFORMED CONSENT INFORMA	ATION (IT IS MANDATORY TO BE SIGNED)
for the genetic test specified in this re	y/ my child's
, , ,	processing of the obtained digital data: yes \square no \square cimen and clinical information to be anonymously used in research studies: yes \square no \square
Place and Date	_;// 20 Signature

V.1.2 / 2014 Page **4** / **4**