$$1. \int u \, \mathrm{d}v = uv - \int v \, \mathrm{d}u$$

2.
$$\int u^n du = \frac{u^{n+1}}{n+1} + C, \quad n \neq -1$$

$$3. \int \frac{1}{u} \, \mathrm{d}u = \ln|u| + C$$

$$4. \int e^u \, \mathrm{d} u = e^u + C$$

$$5. \int a^u \, \mathrm{d}u = \frac{a^u}{\ln a} + C$$

$$\mathbf{6.} \int \sin u \, \mathrm{d}u = -\cos u + C$$

7.
$$\int \cos u \, \mathrm{d}u = \sin u + C$$

8.
$$\int \sec^2 u \, \mathrm{d}u = \tan u + C$$

$$9. \int \csc^2 u \, \mathrm{d}u = -\cot u + C$$

$$\mathbf{10.} \quad \int \sec u \tan u \, \mathrm{d}u = \sec u + C$$

11.
$$\int \csc u \cot u \, du = -\csc u + C$$

$$103. \int \sinh u \, \mathrm{d}u = \cosh u + C$$

$$104. \int \cosh u \, \mathrm{d}u = \sinh u + C$$

$$I_{12} = \int \tan u \, du$$

$$= \int \frac{\sin u}{\cos u} \, du$$
Let $v = \cos u \longrightarrow dv = -\sin u \, du \longrightarrow -dv = \sin u \, du$

$$= -\int \frac{1}{v} \, dv$$

$$= -\ln|v| + C$$

$$=-\ln|\cos u|+C$$

$$I_{13} = \int \cot u \, \mathrm{d}u$$
$$= \int \frac{\cos u}{\sin u} \, \mathrm{d}u$$

Let $v = \sin u \longrightarrow dv = \cos u du$

$$= \int \frac{1}{\nu} \, \mathrm{d}\nu$$
$$= \ln|\nu| + C$$

$$= \ln|\sin u| + C$$

$$I_{14} = \int \sec u \, du$$

$$= \int \sec u \cdot \frac{\sec u + \tan u}{\sec u + \tan u} \, du$$

$$= \int \frac{\sec^2 u + \sec u \cdot \tan u}{\sec u + \tan u} \, du$$

Let $v = \sec u + \tan u \longrightarrow dv = \sec^2 u + \sec u \tan u du$

$$= \int \frac{\mathrm{d}v}{v}$$
$$= \ln|v| + C$$

$$=\ln|\sec u + \tan u| + C$$

$$\begin{split} I_{15} &= \int \csc u \, \mathrm{d}u \\ &= \int \csc u \cdot \frac{\csc u - \cot u}{\csc u - \cot u} \, \mathrm{d}u \\ &= \int \frac{\csc^2 u - \csc u \cdot \cot u}{\csc u - \cot u} \, \mathrm{d}u \end{split}$$

Let $v = \csc u - \cot u \longrightarrow dv = \csc^2 u - \csc u \cot u du$

$$= \int \frac{\mathrm{d}v}{v}$$
$$= \ln|v| + C$$

$$=\ln|\csc u - \cot u| + C$$

$$I_{16} = \int \frac{1}{\sqrt{a^2 - u^2}} du$$
Let $\sin \theta = \frac{u}{a}$, $\cos \theta = \frac{\sqrt{a^2 - u^2}}{a}$ $\longrightarrow \tan \theta = \frac{u}{\sqrt{a^2 - u^2}}$ and so $u = a \sin \theta$ $\longrightarrow du = a \cos \theta d\theta$
$$= \int \frac{a \cos \theta}{a \cos \theta} d\theta$$
$$= \int 1 d\theta$$
$$= \theta + C$$

Reverse the substitution of
$$u$$
, where $\sin \theta = \frac{u}{a} \longrightarrow \theta = \arcsin \frac{u}{a}$
$$= \arcsin \frac{u}{a} + C$$

$$\int \frac{1}{\sqrt{a^2 - u^2}} \, \mathrm{d}u = \arcsin \frac{u}{a} + C$$

$$I_{17} = \int \frac{1}{a^2 + u^2} du$$

$$\text{Let} v = \frac{u}{a} \longrightarrow av = u \longrightarrow a dv = du$$

$$= \int \frac{a}{a^2 + (av)^2} dv$$

$$= \int \frac{a}{a^2 (1 + v^2)} dv$$

$$= \frac{1}{a} \int \frac{1}{1 + v^2} dv$$

$$= \frac{1}{a} \arctan v$$

$$=\frac{1}{a}\arctan\frac{u}{a}+C$$

$$\int \frac{1}{a^2 + u^2} \, \mathrm{d}u = \frac{1}{a} \arctan \frac{u}{a} + C$$

$$I_{18} = \int \frac{1}{u\sqrt{u^2 - a^2}} \, \mathrm{d}u$$

Let
$$\sin \theta = \frac{\sqrt{u^2 - a^2}}{u}$$
, $\cos \theta = \frac{a}{u} \longrightarrow \tan \theta = \frac{\sqrt{u^2 - a^2}}{a}$ u θ and so $u = a \sec \theta \longrightarrow du = a \sec \theta \tan \theta d\theta$

and
$$\sqrt{u^2 - a^2} = a \tan \theta$$

$$I_{18} = \int \frac{a \sec \theta \tan \theta}{a \sec \theta \cdot a \tan \theta} d\theta$$
$$= \int \frac{1}{a} d\theta$$
$$= \frac{1}{a} \theta + C$$

Reverse the substitution, where $u = a \sec \theta \longrightarrow \theta = \operatorname{arcsec} \frac{u}{a}$

$$=\frac{1}{a}\operatorname{arcsec}\frac{u}{a}+C$$

$$\int \frac{1}{u\sqrt{u^2-a^2}} du = \frac{1}{a} \operatorname{arcsec} \frac{u}{a} + C$$

$$I_{19} = \int \frac{1}{a^2 - u^2} du$$
$$= \int \frac{A}{a + u} + \frac{B}{a - u} du$$

Where
$$A(a-u) + B(a+u) = 1 \longrightarrow A + B = \frac{1}{a}$$
 and $B - A = 0$
 $\longrightarrow B = A \longrightarrow 2A = \frac{1}{a} \longrightarrow A = \frac{1}{2a} \longrightarrow B = \frac{1}{2a}$

$$= \int \frac{\frac{1}{2a}}{a+u} + \frac{\frac{-1}{2a}}{a-u} du$$

$$= \frac{1}{2a} \cdot \int \frac{1}{a+u} + \frac{1}{a-u} du$$

Rearranging so *u* preceeds *a* for aesthetic reasons

$$= \frac{1}{2a} \cdot \int \frac{1}{u+a} - \frac{1}{u-a} du$$

$$= \frac{1}{2a} \left(\ln|u+a| - \ln|u-a| \right) + C$$

$$= \frac{1}{2a} \cdot \ln\left| \frac{u+a}{u-a} \right| + C$$

$$\int \frac{1}{a^2 - u^2} \, \mathrm{d}u = \frac{1}{2a} \ln \left| \frac{u + a}{u - a} \right| + C$$

$$I_{20} = \int \frac{1}{u^2 - a^2} du$$
$$= \int \frac{A}{u - a} + \frac{B}{u + a} du$$

Where
$$A(u+a) + B(u-a) = 1$$
 \longrightarrow $A+B=0$ and $A-B=\frac{1}{a}$ \longrightarrow $B=-A$ \longrightarrow $2A=\frac{1}{a}$ \longrightarrow $A=\frac{1}{2a}$ \longrightarrow

$$\int \frac{1}{u^2 - a^2} du = \frac{1}{2a} \ln \left| \frac{u - a}{u + a} \right| + C$$

$$I_{21} = \int \sqrt{a^2 + u^2} \, du$$

$$\sin \theta = \frac{u}{\sqrt{a^2 + u^2}}, \cos \theta = \frac{a}{\sqrt{a^2 + u^2}} \longrightarrow$$

Let
$$\sin \theta = \frac{u}{\sqrt{a^2 + u^2}}$$
, $\cos \theta = \frac{a}{\sqrt{a^2 + u^2}}$ $\longrightarrow \tan \theta = \frac{u}{a}$ and so $u = a \tan \theta$ $\longrightarrow du = a \sec \theta \tan \theta d\theta$ and $\sqrt{u^2 + a^2} = a \sec \theta$

$$= a \sec \theta a \sec^2 \theta \, d\theta$$

$$=a^2\int \sec^3\theta\,\mathrm{d}\theta$$

Apply integal identity (71):

$$\int \sec^3 u \, du = \frac{1}{2} \sec u \tan u + \frac{1}{2} \ln|\sec u + \tan u| + C$$

$$=a^{2}\left(\frac{1}{2}\sec\theta\tan\theta+\frac{1}{2}\ln|\sec\theta+\tan\theta|+C\right)$$

$$= \frac{a^2}{2} \frac{\sqrt{u^2 + a^2}}{a} \cdot \frac{u}{a} + \frac{a^2}{2} \ln \left| \frac{\sqrt{u^2 + a^2}}{a} + \frac{u}{a} \right| + C$$

$$= \frac{u}{2}\sqrt{u^2 + a^2} + \frac{a^2}{2}\ln\left|\frac{u + \sqrt{u^2 + a^2}}{a}\right| + C$$

$$= \frac{u}{2}\sqrt{u^2 + a^2} + \frac{a^2}{2}\ln\left|u + \sqrt{u^2 + a^2}\right| - \frac{a^2}{2}\ln|a| + C$$

$$=\frac{u}{2}\sqrt{u^2+a^2}+\frac{a^2}{2}\ln\left|u+\sqrt{u^2+a^2}\right|+C$$

$$\int \sqrt{a^2 + u^2} \, du = \frac{u}{2} \sqrt{u^2 + a^2} + \frac{a^2}{2} \ln \left| u + \sqrt{u^2 - a^2} \right| + C \quad (21)$$

$$\begin{split} I_{63} &= \int \sin^2 u \, \mathrm{d}u \\ &= \int \frac{1 - \cos 2u}{2} \, \mathrm{d}u \\ &= \frac{1}{2} \cdot \int 1 - \cos 2u \, \mathrm{d}u \\ &= \frac{1}{2} \cdot \left(u - \frac{1}{2} \sin 2u \right) + C \\ &= \frac{1}{2} u - \frac{1}{4} \sin 2u + C \end{split}$$

$$I_{64} = \int \cos^2 u \, du$$

$$= \int \frac{1 + \cos 2u}{2} \, du$$

$$= \frac{1}{2} \cdot \int 1 + \cos 2u \, du$$

$$= \frac{1}{2} \cdot \left(u + \frac{1}{2} \sin 2u \right) + C$$

$$= \frac{1}{2}u + \frac{1}{4} \sin 2u + C$$

$$I_{65} = \int \tan^2 u \, \mathrm{d}u$$

Rewrite using trigonometric identity $\tan^2 u = \sec^2 u - 1$

$$= \int \sec^2 u - 1 \, \mathrm{d}u$$
$$= \tan u - u + C$$

$$I_{66} = \int \cot^2 u \, \mathrm{d}u$$

Rewrite using trigonometric identity $tan^2 u = csc^2 u - 1$

$$= \int \csc^2 u - 1 \, \mathrm{d}u$$
$$= -\cot u - u + C$$

$$\int \cot^2 u \ du = -\cot u - u + C$$

$$I_{71} = \int \sec^3 u \, du$$

$$Integrate \text{ by parts} \quad \begin{cases} (\sec u)' = \sec u \tan u \\ \sec^2 u = (\tan u)' \end{cases}$$

$$= (\sec u)(\tan u) - \int (\sec u \tan u)(\tan u) \, du$$

$$= \sec u \tan u - \int \sec u \tan^2 du$$

$$= \sec u \tan u - \int \sec u(\sec^2 u - 1) \, du$$

$$= \sec u \tan u - \int \sec^3 u \, du + \int \sec u \, du$$

$$2 \int \sec^3 u \, du = \sec u \tan u + \int \sec u \, du$$

$$\int \sec^3 u \, du = \frac{1}{2} \sec u \tan u + \frac{1}{2} \int \sec u \, du$$

$$= \frac{1}{2} \sec u \tan u + \frac{1}{2} \ln|\sec u + \tan u| + C$$

$$I_{72} = \int \csc^3 u \, du$$

$$Integrate by parts \begin{cases} (\csc u)' = -\csc u \cot u \\ \csc^2 u = (-\cot u)' \end{cases}$$

$$= (\csc u)(-\cot u) - \int (-\csc u \cot u)(-\cot u) \, du$$

$$= -\csc u \cot u - \int \csc u \cot^2 du$$

$$= -\csc u \cot u - \int \csc u(\csc^2 u - 1) \, du$$

$$= -\csc u \cot u - \int \csc^3 u \, du + \int \csc u \, du$$

$$2 \int \csc^3 u \, du = -\csc u \cot u + \int \csc u \, du$$

$$\int \csc^3 u \, du = -\frac{1}{2} \csc u \cot u + \frac{1}{2} \int \csc u \, du$$

$$= \frac{1}{2} \csc u \cot u + \frac{1}{2} \ln|\csc u - \cot u| + C$$

$$I_{82} = \int u \sin u \, du$$
Integrate by parts
$$\begin{cases} (u)' = 1 \\ \sin u = (-\cos u)' \end{cases}$$

$$= (u)(-\cos u) - \int (1)(-\cos u) \, du$$

$$= \int \cos u \, du - u \cos u$$

$$= \sin u - u \cos u$$

$$I_{83} = \int u \cos u \, du$$
Integrate by parts
$$\begin{cases} (u)' = 1 \\ \cos u = (\sin u)' \end{cases}$$

$$= (u)(\sin u) - \int (1)(\sin u) \, du$$

$$= u \sin u - (-\cos u)$$

$$= \cos u + u \sin u$$

$$I_{92} = \int u \arctan u \, \mathrm{d}u$$

Integrate by parts
$$\begin{cases} u = \left(\frac{1}{2}u^2\right)' \\ (\arctan u)' = \frac{1}{1+u^2} \end{cases}$$
$$= \left(\frac{1}{2}u^2\right)(\arctan u) - \int \left(\frac{1}{2}u^2\right)\left(\frac{1}{1+u^2}\right) du$$
$$= \frac{u^2}{2}\arctan u - \frac{1}{2}\int \frac{u^2+1-1}{1+u^2} du$$
$$= \frac{u^2}{2}\arctan u - \frac{1}{2}\int 1 - \frac{1}{1+u^2} du$$
$$= \frac{u^2}{2}\arctan u - \frac{1}{2}(u - \arctan u) + C$$
$$= \frac{u^2+1}{2}\arctan u - \frac{u}{2} + C$$

$$I_{96} = \int ue^{au} du$$
Integrate by parts
$$\begin{cases} (u)' = 1 \\ e^{au} = \left(\frac{e^{au}}{a}\right)' \end{cases}$$

$$= (u)\left(\frac{e^{au}}{a}\right) - \int (1)\left(\frac{e^{au}}{a}\right) du$$

$$= \frac{1}{a}ue^{au} - \frac{1}{a}\int e^{au} du$$

$$= \frac{1}{a}ue^{au} - \frac{1}{a^2}e^{au} + C$$

$$= \left(\frac{1}{a}u - \frac{1}{a^2}\right)e^{au} + C$$
Simplify
$$= \frac{1}{a^2}(au - 1)e^{au} + C$$

$$I_{100} = \int \ln u \, du$$
Integrate by parts
$$\begin{cases} 1 = (u)' \\ (\ln u)' = \frac{1}{u} \end{cases}$$

$$= (u)(\ln u) - \int (u)(\frac{1}{u}) \, du$$

$$= u \ln u - \int 1 \, du$$

$$= u \ln u - u + C$$

$$I_{102} = \int \frac{1}{u \ln u} du$$
Let $v = \ln u \longrightarrow dv = \frac{1}{u} du$

$$= \int \frac{1}{v} dv$$

$$= \ln v + C$$

$$=\ln|\ln u|$$

$$\int \frac{1}{u \ln u} \, \mathrm{d}u = \ln |\ln u| + C$$