



# Numerical Representation and Codes

## Exercises Digital Design

### 1 | NUM - Number systems

#### 1.1 Determine up to what value you can count with numbers coded on:

- a) 4 bits
- b) 8 bits
- c) 10 bits
- c) 16 bits
- d) 32 bits

*num/number-systems-01*

#### 1.2 Determine up to which value can be counted, with hexadecimal numbers encoded on:

- a) 4 Digits
- b) 8 Digits

*num/number-systems-02*



## 2 | NUM - Converting from one numbering system to another

### 2.1 Perform the conversion of the following pure binary numbers in decimal format:

a)  $110_2 = ?_{10}$

c)  $01001010_2 = ?_{10}$

e)  $11111111_2 = ?_{10}$

b)  $1111_2 = ?_{10}$

d)  $1011_2 = ?_{10}$

*num/conversion-01*

### 2.2 Perform the conversion of the following decimal numbers in binary format:

a)  $125_{10} = ?_2$

c)  $65113_{10} = ?_2$

e)  $9_{10} = ?_2$

b)  $16_{10} = ?_2$

d)  $256_{10} = ?_2$

*num/conversion-02*

### 2.3 Perform the conversion of the following hexadecimal numbers in binary format:

a)  $E_{16} = ?_2$

c)  $AB3D_{16} = ?_2$

e)  $2346_{16} = ?_2$

b)  $15C_{16} = ?_2$

d)  $9F7_{16} = ?_2$

*num/conversion-03*

### 2.4 Perform the conversion of the following binary numbers in hexadecimal format:

a)  $1010_2 = ?_{16}$

c)  $11101011_2 = ?_{16}$

e)  $1100_2 = ?_{16}$

b)  $110_2 = ?_{16}$

d)  $0101111_2 = ?_{16}$

*num/conversion-04*

### 2.5 Perform the conversion of the following hexadecimal numbers in decimal format:

a)  $D_{16} = ?_{10}$

c)  $234_{16} = ?_{10}$

e)  $A6B9_{16} = ?_{10}$

b)  $15C_{16} = ?_{10}$

d)  $FE_{16} = ?_{10}$

*num/conversion-05*

### 2.6 Perform the conversion of the following decimal numbers in hexadecimal format:

1.  $128_{10} = ?_{16}$

3.  $65113_{10} = ?_{16}$

5.  $9_{10} = ?_{16}$

2.  $16_{10} = ?_{16}$

4.  $209_{10} = ?_{16}$

*num/conversion-06*



### 3 | NUM - Operation on logical numbers

#### 3.1 Perform the following additions in the binary system:

1.  $0000\ 1100_2 + 0001\ 1110_2$
2.  $0000\ 1111_2 + 0101\ 1010_2$
3.  $0011\ 0100_2 + 0111\ 1111_2$
4.  $0111\ 1111_2 + 0000\ 0001_2$

*num/operation-01*

#### 3.2 Perform the following subtractions in the binary system:

1.  $0100\ 0011_2 - 0000\ 1001_2$
2.  $1010\ 0110_2 - 0110\ 1100_2$
3.  $0011\ 0100_2 - 0010\ 1000_2$
4.  $1000\ 0000_2 - 0000\ 0001_2$

*num/operations-02*

#### 3.3 Perform the following multiplications in binary:

1.  $1010_2 * 0110_2$
2.  $0110_2 * 1010_2$
3.  $1000_2 * 0110_2$
4.  $0111_2 * 1110_2$

*num/operation-03*

#### 3.4 Perform the following additions in the hexadecimal system:

1.  $1234_{16} + CC_{16}$
2.  $8888_{16} + FC_{16}$
3.  $1234_{16} + FF_{16}$
4.  $89AB_{16} + AB89_{16}$

*num/operation-04*

#### 3.5 Determine the binary value of:

1.  $(11_2)^2$
2.  $(111_2)^2$
3.  $(1111_2)^2$

By analogy, estimate the binary value of  $(11111_2)^2$  and use it to check the formula:  
 $(2^n - 1)^2 = 2^{2n} - 2 * 2^n + 1$ .

*num/operation-05*



## 4 | NUM - Codes

### 4.1 Perform the following additions on BCD encoded numbers:

- |  |  |
|--|--|
| 1. $0001\ 0010\ 0011_{\text{BCD}} + 0011\ 0010\ 0001_{\text{BCD}}$ | 3. $1000\ 0101_{\text{BCD}} + 0000\ 0111_{\text{BCD}}$ |
| 2. $0011\ 0110\ 1001_{\text{BCD}} + 0010\ 0110\ 0100_{\text{BCD}}$ | 4. $1001\ 1001_{\text{BCD}} + 0000\ 0001_{\text{BCD}}$ |

*num/codes-01*

### 4.2 Perform the conversion of the Gray code $1001_{\text{Gray}}$ using the recursion formula in the script.

*num/codes-02*



## 5 | NUM - Representation of signed numbers

**5.1 Represent the following decimal and pure binary numbers encoded to 8 bits using the sign-size, one's complement, and two's complement methods:**

- |               |                   |
|---------------|-------------------|
| 1. $+18_{10}$ | 4. $0001\ 1010_2$ |
| 2. $-3_{10}$  | 5. $1010_2$       |
| 3. $0_{10}$   | 6. $-100_{10}$    |

*num/representation-01*

- |                   |                   |              |
|-------------------|-------------------|--------------|
| 1. $0000\ 0001_2$ | 3. $1111\ 0000_2$ | 5. $44_{16}$ |
| 2. $0111\ 1000_2$ | 4. $01_{16}$      | 6. $81_{16}$ |

*num/representation-02*

**5.2 Given the numbers  $0001_2$  and  $1001_2$  expressed as two's complement encoded on 4 bits. Represent the same numbers encoded as two's complement on 8 bits.**

*num/representation-03*