1 Variables

2 root

| | var | symbol | documentation | type | units | tokens | eqs |
|---|-------|---------|--------------------------------------|----------|-------|--------|-----|
| 5 | F | F | incidence matrix of a directed graph | network | | [] | |
| 6 | t | t | time | frame | s | | |
| 7 | t_o | to | starting time | frame | s | | 4 |
| 8 | t_e | te | end time | frame | s | | 5 |
| 1 | # | value | numerical value | constant | | | |
| 2 | 0 | zero | numerical value zero | constant | | | 1 |
| 3 | 1 | one | numerical value one | constant | | | 2 |
| 4 | 0.5 | onehalf | numerical value one half | constant | | | 3 |

3 physical

| | var | symbol | documentation | type | units | tokens | eqs |
|----|------------|-------------|------------------------------------|---------------|--|--------|-----|
| 9 | r_{xN} | r_x | x-coordinate | frame | m | [] | |
| 10 | r_{yN} | r_y | y-coordinate | frame | $\mid m \mid$ | | |
| 23 | r_{zN} | r_z | z-coordinate | frame | $\mid m \mid$ | | |
| 11 | U_N | U | foundation state – internal energy | state | $ kg m^2 s^{-2} kg m^2 K^{-1} s^{-2} $ | | |
| 12 | S_N | S | foundation state – entropy | state | $kg m^2 K^{-1} s^{-2}$ | | |
| 13 | V_N | V | foundation state – volume | state | m^3 | | |
| 18 | H_N | Н | enthalpy | state | $kg m^2 s^{-2}$ | | 9 |
| 19 | A_N | A | Helmholtz energy | state | $kg m^2 s^{-2}$ | | 10 |
| 20 | G_N | G | Gibbs energy | state | $kg m^2 s^{-2}$ | | 11 |
| 42 | n_{NS} | n | species molar mass | state | mol | | |
| 26 | A^v | Avogadro | Avogadro number | constant | mol^{-1} | | |
| 27 | Bo_N | Boltzmann | Boltzmann constant | constant | $kg m^2 K^{-1} s^{-2}$ | | 16 |
| 28 | R_N | GasConstant | Gas constant | constant | $kg m^2 mol^{-1} K^{-1} s^{-2}$ | | 17 |
| 15 | p_N | p | thermodynamic pressure | effort | $kg m^{-1} s^{-2}$ | | 6 |
| 16 | T_N | Т | temperature | effort | K | | 7 |
| 45 | μ_{NS} | chem_pot | chemical potential | effort | $kg m^2 mol^{-1} s^{-2}$ | | 32 |
| 21 | v_{xN} | v_x | velocity in x-direction | seconaryState | ms^{-1} | | 12 |
| 22 | v_{yN} | v_y | velocity in y direction | seconaryState | ms^{-1} | | 13 |
| 24 | v_{zN} | v_z | velocity in z-direction | seconaryState | ms^{-1} | | 14 |
| 25 | v_N | v | velocity vector | seconaryState | ms^{-1} | | 15 |

4 control

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

5 reactions

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

6 material

| | var | symbol | documentation | type | units | tokens | eqs |
|----|--------------|--------|---|---------------|------------------------------|--------|-----|
| 29 | S | Mm | species molecular masses | constant | $kg mol^{-1}$ | | |
| 46 | C_{pN} | C_p | total heat capacity at constant pressure | seconaryState | $kg m^2 K^{-1} s^{-2}$ | | 33 |
| 47 | C_{vN} | C_v | specific heat capacity at constant volume | seconaryState | $kg m^2 K^{-1} s^{-2}$ | | 34 |
| 48 | c_{pS} | ср | specific heat capacity at constant pressure | seconaryState | $m^2 mol^2 K^{-1} s^{-2}$ | | 35 |
| 49 | c_{vS} | cv | specific heat capacity at constant volume | seconaryState | $m^2 mol^2 K^{-1} s^{-2}$ | | 36 |
| 30 | C_{pN} | Cp | total heat capacity at constant pressure | property | $kg m^2 K^{-1} s^{-2}$ | | 18 |
| 31 | C_{vN} | Cv | total heat capacity at constant volume | property | $kg m^2 K^{-1} s^{-2}$ | | 19 |
| 34 | k_{xN}^q | kq_x | thermal conductivity in x-direction | property | $kg K^{-1} s^{-3}$ | | 22 |
| 35 | k_{yN}^q | kq_y | thermal conductivity in y-direction | property | $kg K^{-1} s^{-3}$ | | 23 |
| 36 | k_{zN}^q | kq_z | thermal conductivity in z-direction | property | $kg K^{-1} s^{-3}$ | | 24 |
| 37 | $k^q{}_N$ | kq | Carthesian thermal conductivity vector | property | $kg K^{-1} s^{-3}$ | | 25 |
| 50 | k_{xN}^c | kc_x | convective mass convectivity in x-direction | property | $m^{-1} s$ | | 37 |
| 51 | k_{yN}^c | kc_y | convective mass convectivity in y-direction | property | $m^{-1} s$ | | 38 |
| 52 | k_{zN}^c | kc_z | convective mass convectivity in z-direction | property | $m^{-1} s$ | | 39 |
| 53 | $k^c{}_N$ | kc | Cartesian convective mass convectivity vector | property | $m^{-1} s$ | | 40 |
| 54 | k_{xNS}^d | kd_x | diffusional mass conductivity in x-direction | property | $kg^{-1} m^{-4} mol^2 s$ | | 41 |
| 55 | k_{yNS}^d | kd_y | diffusional mass conductivity in y-direction | property | $kg^{-1} m^{-4} mol^2 s$ | | 42 |
| 56 | k_{zNS}^d | kd_z | diffusional mass conductivity in z-direction | property | $kg^{-1} m^{-4} mol^2 s$ | | 43 |
| 57 | $k^d{}_{NS}$ | kd | Cartesian dffusional mass conductivity vector | property | $kg^{-1} m^{-4} mol^2 s$ | | 44 |
| 58 | h_{NS} | h | partial molar enthalpies | property | $kg m^2 mol^{-1} s^{-2}$ | | 45 |

7 macroscopic

| | var | symbol | documentation | type | units | $_{ m tokens}$ | eqs |
|----|---------------------|---------|---|------------|-------|----------------|-----|
| 59 | $P_N S_A S_{NS,AS}$ | P_NS_AS | node species to arc species projection | projection | | [] | |
| 60 | $P_{KN}K_{KS,NS}$ | P_K_NK | projection of conversion to node x conversion | projection | | | |

8 solid

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

9 fluid

| var symbol documentation type units tokens | | var symbol | | type | units | tokens | eqs |
|--|--|--------------|--|------|-------|--------|-----|
|--|--|--------------|--|------|-------|--------|-----|

10 liquid

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

11 gas

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

12 control-control

| var symbol documentation type units tokens | | var symbol | documentation | type | | | eqs |
|--|--|--------------|---------------|------|--|--|-----|
|--|--|--------------|---------------|------|--|--|-----|

13 gas-liquid

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

14 gas-gas

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

15 liquid-liquid

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

16 gas-solid

| var symbol documentation | type | units | tokens | eqs |
|--------------------------|------|-------|--------|-----|
|--------------------------|------|-------|--------|-----|

17 solid-solid

| var symbol documentation type units tokens | | var symbol | documentation | type | | | eqs |
|--|--|--------------|---------------|------|--|--|-----|
|--|--|--------------|---------------|------|--|--|-----|

18 liquid-solid

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

19 material-material

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

20 reactions—reactions

| | var | symbol | documentation | type | units | tokens | eqs |
|--|-----|--------|---------------|------|-------|--------|-----|
|--|-----|--------|---------------|------|-------|--------|-----|

21 Equations

22 Generic

| no | equation | documentation | layer |
|----|--|--------------------------|----------|
| 1 | 0 := Instantiate(#, #) | numerical value zero | root |
| 2 | 1 := Instantiate(#, #) | numerical value one | root |
| 3 | 0.5 := Instantiate(#, #) | numerical value one half | root |
| 4 | $t_o := \text{Instantiate}(t, \#)$ | starting time | root |
| 5 | $t_e := \text{Instantiate}(t, \#)$ | end time | root |
| 6 | $p_N := \left(- \frac{\partial U_N}{\partial V_N} \right)$ | thermodynamic pressure | physical |
| 7 | $T_N := \frac{\partial U_N}{\partial S_N}$ | temperature | physical |
| 9 | $H_N := U_N - p_N \cdot V_N$ | enthalpy | physical |
| 10 | $A_N := U_N - T_N \cdot S_N$ | Helmholtz energy | physical |
| 11 | $G_N := U_N + p_N \cdot V_N - T_N \cdot S_N$ | Gibbs energy | physical |
| 12 | $v_{xN} := \frac{\partial r_{xN}}{\partial t}$ | velocity in x-direction | physical |
| 13 | $v_{yN} := \frac{\partial r_{yN}}{\partial t}$ | velocity in y direction | physical |
| 14 | $v_{zN} := \frac{\partial r_{zN}}{\partial t}$ | velocity in z-direction | physical |
| 15 | $v_N := \operatorname{Stack}\left(v_{xN}, v_{yN}, v_{zN}\right)$ | velocity vector | physical |
| 16 | $Bo_N := \operatorname{Instantiate}(S_N, \#)$ | Boltzmann constant | physical |
| 17 | $R_N := A^v \cdot Bo_N$ | Gas constant | physical |

Continued on next page

| no | equation | documentation | layer |
|----|--|---|----------|
| 18 | $C_{pN} := \frac{\partial H_N}{\partial T_N}$ | total heat capacity | material |
| 19 | $C_{vN} := rac{\partial U_N}{\partial T_N}$ | total heat capacity at constant volume | material |
| 22 | $k_{xN}^q := \left(V_N\right)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{xN}$ | thermal conductivity in x-direction | material |
| 23 | $k_{yN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{yN}$ | thermal conductivity in y-direction | material |
| 24 | $k_{zN}^q := (V_N)^{-1} \cdot \frac{\partial U_N}{\partial T_N} \cdot v_{zN}$ | thermal conductivity in z-direction | material |
| 25 | $k^q{}_N := \operatorname{Stack}\left(k^q_{xN}, k^q_{yN}, k^q_{zN}\right)$ | Carthesian thermal conductivity vector | material |
| 32 | $\mu_{NS} := \frac{\partial U_N}{\partial n_{NS}}$ | chemical potential | physical |
| 33 | $C_{pN} := \frac{\partial H_N}{\partial T_N}$ | total heat capacity at constant pressure | material |
| 34 | $C_{vN} := \frac{\partial U_N}{\partial T_N}$ | specic heat capacity at constant volume | material |
| 35 | $c_{pS} := C_{pN} \cdot \left(_{S}\right)^{-1} \overset{N \in NS}{\star} n_{NS}$ | specific heat capacity at constant pressure | material |
| 36 | $c_{vS} := C_{vN} \cdot (_S)^{-1} \overset{N \in NS}{\star} n_{NS}$ | specific heat capacity at constant volume | material |
| 37 | $k_{xN}^c := \left(s \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{xN}$ | convective mass convectivity in x-direction | material |
| 38 | $k_{yN}^c := \left(s \overset{S \in NS}{\star} (\mu_{NS})^{-1}\right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{yN}$ | convective mass convectivity in y-direction | material |
| 39 | $k_{zN}^c := \left(s \overset{S \in NS}{\star} (\mu_{NS})^{-1} \right) \cdot (V_N)^{-1} \cdot \frac{\partial U_N}{\partial p_N} \cdot v_{zN}$ | convective mass convectivity in z-direction | material |
| 40 | $k^{c}{}_{N} := \operatorname{Stack}\left(k^{c}_{xN}, k^{c}_{yN}, k^{c}_{zN}\right)$ | Cartesian convective mass convectivity vector | material |

Continued on next page

| no | equation | documentation | layer |
|----|---|--|----------|
| 41 | $k_{xNS}^d := (\mu_{NS})^{-1} \cdot \left(v_{xN} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$ | diffusional mass conductivity in x-direction | material |
| 42 | $k_{yNS}^d := (\mu_{NS})^{-1} \cdot \left(v_{yN} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$ | diffusional mass conductivity in y- direction | material |
| 43 | $k_{zNS}^d := (\mu_{NS})^{-1} \cdot \left(v_{zN} \odot \left((V_N)^{-1} \odot \frac{\partial U_N}{\partial \mu_{NS}} \right) \right)$ | diffusional mass conductivity in z- direction | material |
| 44 | $k^d_{NS} := \operatorname{Stack}\left(k^d_{xNS}, k^d_{yNS}, k^d_{zNS}\right)$ | Cartesian dffusional mass conductivity vector | material |
| 45 | $h_{NS} := H_N \odot \left(n_{NS} \right)^{-1}$ | partial molar enthalpies | material |