Equation assignment sequence for variable \dot{n}

| no | var | equ | quations | token |
|----|-----|-----|---|-------|
| 45 | 12 | _ | S_N :: port variable | |
| 44 | 26 | _ | A^v :: port variable | |
| 43 | 64 | - | $P_{NS,KS}$:: port variable | |
| 42 | 88 | - | K^{o}_{K} :: port variable | |
| 41 | 62 | - | $P_{N,NK}$:: port variable | |
| 40 | 127 | _ | $D_{N,A}::$ port variable | |
| 39 | 23 | _ | r_{zN} :: port variable | |
| 38 | 10 | _ | r_{yN} :: port variable | |
| 37 | 86 | _ | $N_{S,K}$:: port variable | |
| 36 | 61 | - | $P_{S,NS}$:: port variable | |
| 35 | 60 | _ | $P_{K,NK}$:: port variable | |
| 34 | 63 | - | $P_{NK,KS}$:: port variable | |
| 33 | 59 | - | $P_{NS,AS}$:: port variable | |
| 32 | 5 | _ | $F_{N,A}$:: port variable | |
| 31 | 128 | - | $D_{NS,AS}$:: port variable | |
| 30 | 13 | _ | $V_N :: 	ext{port variable}$ | |
| 29 | 1 | _ | # :: port variable | |
| 28 | 27 | 16 | $Bo_N := \operatorname{Instantiate}(S_N, \#)$ | |
| 27 | 69 | 47 | $m_N := \lambda_S \overset{S \in NS}{\star} n_{NS}$ | |

Continued on next page

| no | var | equ | quations | token |
|----|-----|-----|---|-------|
| 26 | 87 | 64 | $E_{aNK} := \text{Instantiate}(P_{N,NK} * R_N . T_{NK}, \#)$ | |
| 25 | 28 | 17 | $R_N := A^v \cdot Bo_N$ | |
| 24 | 115 | 91 | $c^o_{KS} := \operatorname{Instantiate}(c_{KS}, \#)$ | |
| 23 | 114 | 90 | $c_{KS} := c_{NS} \overset{NS}{\star} P_{NS,KS}$ | |
| 22 | 71 | 49 | $\rho_N := m_N \cdot (V_N)^{-1}$ | |
| 21 | 50 | 134 | $k_{xN}^c := \text{Instantiate}(k_{xN}^c, \#)$ | |
| 20 | 65 | 46 | $d_A := \operatorname{sign}\left(F_{N,A} \stackrel{N}{\star} p_N\right)$ | |
| 19 | 4 | 3 | 0.5 := Instantiate(#, #) | |
| 18 | 108 | 84 | $c_{NS} := (V_N)^{-1} \odot n_{NS}$ | |
| 17 | 77 | 55 | $T_{NK} := P_{N,NK} \stackrel{N}{\star} T_N$ | |
| 16 | 89 | 65 | $K_{NK} := K^o_K \odot exp((-E_{aNK}) \cdot \left(R_N * P_{N,NK} \cdot T_{NK}\right)^{-1})$ | |
| 15 | 116 | 92 | $\phi_{KS} := \prod \left(c_{KS} \cdot \left(c^o_{KS} \right)^{-1} \right)$ | |
| 14 | 98 | 74 | $\hat{V}_A := (\rho_N)^{-1} \cdot k_{xN}^c \cdot A_{yzN} \cdot D_{N,A} \stackrel{N}{\star} p_N$ | |
| 13 | 109 | 85 | $c_{AS} := (0.5 \cdot (F_{NS,AS} - d_A \odot F_{NS,AS})) \stackrel{NS}{\star} c_{NS}$ | |
| 12 | 95 | 71 | $A_{yzN} := r_{yN} \cdot r_{zN}$ | |
| 11 | 54 | 137 | $k_{xNS}^d := \text{Instantiate}(k_{xNS}^d, \#)$ | |
| 10 | 93 | 69 | $N_{NS,NK} := P_{S,NS} * ((P_{K,NK} . T_{NK} . (T_{NK})^{-1}) * N_{S,K})$ | |
| 9 | 117 | 93 | $\xi_{NK} := K_{NK} \cdot P_{NK,KS} \overset{KS}{\star} \phi_{KS}$ | |
| 8 | 110 | 86 | $\hat{n}^c{}_{AS} := \hat{V}_A \odot c_{AS}$ | |
| 7 | 73 | 51 | $F_{NS,AS} := F_{N,A} \odot P_{NS,AS}$ | |

Continued on next page

| no | var | equ | quations | token |
|----|-----|-----|---|-------|
| 6 | 104 | 80 | $\hat{n}^d_{AS} := A_{yzN} \odot \left(-k^d_{xNS} \right) \cdot D_{NS,AS} \stackrel{NS}{\star} \mu_{NS}$ | |
| 5 | 118 | 94 | $\left \; 	ilde{n}_{NS} := V_N \odot \left(N_{NS,NK} \stackrel{NK}{\star} \xi_{NK} ight) \;$ | |
| 4 | 111 | 87 | $\hat{n}^c{}_{NS} := F_{NS,AS} \overset{AS}{\star} \hat{n}^c{}_{AS}$ | |
| 3 | 105 | 81 | $\hat{n}^d_{NS} := F_{NS,AS} \overset{AS}{\star} \hat{n}^d_{AS}$ | |
| 2 | 2 | 1 | 0 := Instantiate(#, #) | |
| 1 | 119 | 95 | $\dot{n}_{NS} := \hat{n}^c{}_{NS} + \hat{n}^d{}_{NS} + \tilde{n}_{NS}$ | |
| 0 | 119 | 129 | $\dot{n}_{NS} := \operatorname{Instantiate}(\dot{n}_{NS}, 0)$ | |