


Welcome

INTRODUCTION TO SQL SERVER



John MacKintosh
Instructor



s tructured
Q uery
L anguage

SQL Server & Transact-SQL

- SQL Server - relational database system developed by Microsoft
- Transact-SQL (T-SQL) - Microsoft's implementation of SQL, with additional functionality
- In this course: Master the fundamentals of T-SQL
- Learn how to write queries

LET'S GET
STARTED

Querying 101

- SQL-Server: the *store* containing databases and tables
- Queries: how we *pick* different items, from different aisles, and load up our cart
- `SELECT` : key term for retrieving data



```
SELECT description  
FROM grid;
```

description
Severe Weather Thunderstorms
Severe Weather Thunderstorms
Severe Weather Thunderstorms
Fuel Supply Emergency Coal
Physical Attack Vandalism
Physical Attack Vandalism
Physical Attack Vandalism
Severe Weather Thunderstorms
Severe Weather Thunderstorms
Suspected Physical Attack
Physical Attack Vandalism
...

Selecting more than one column

SELECT

```
artist_id,  
artist_name  
FROM  
artist;
```

artist_id	artist_name
1	AC/DC
2	Accept
3	Aerosmith
4	Alanis Morissette
5	Alice In Chains
6	Antônio Carlos Jobim
7	Apocalyptica
8	Audioslave
9	BackBeat
10	Billy Cobham

Query formatting

```
SELECT description, event_year, event_date  
FROM grid;
```

```
SELECT  
    description,  
    event_year,  
    event_date  
FROM  
    grid;
```

Keeping keywords such as SELECT and FROM in uppercase, and table and column names in lower case, makes queries easier to read.

Select TOP ()

limit the number of rows returned

```
-- Return 5 rows  
SELECT TOP(5) artist  
FROM artists;
```

N is the percent of rows to return

```
-- Return top 5% of rows  
SELECT TOP(5) PERCENT artist  
FROM artists;
```

artist
AC/DC
Accept
Aerosmith
Alanis Morissette
Alice in Chains

Select DISTINCT

```
-- Return all rows in the table  
SELECT nerc_region  
FROM grid;
```

```
+-----+  
| nerc_region |  
+-----+  
| RFC          |  
| RFC          |  
| MRO          |  
| MRO          |  
| ....         |  
+-----+
```

```
-- Return unique rows  
SELECT DISTINCT nerc_region  
FROM grid;
```

```
+-----+  
| nerc_region |  
+-----+  
| NPCC        |  
| NPCC RFC    |  
| RFC          |  
| ERCOT        |  
| ...          |  
+-----+
```

Select *

```
-- Return all rows
```

```
SELECT *
```

```
FROM grid;
```

- NOT suitable for large tables

Aliasing column names with AS

```
SELECT demand_loss_mw AS lost_demand  
FROM grid;
```

```
+-----+  
| lost_demand |  
+-----+  
| 424 |  
| 217 |  
| 494 |  
| 338 |  
| 3900 |  
| 3300 |  
+-----+
```

```
SELECT description AS cause_of_outage  
FROM grid;
```

```
+-----+  
| cause_of_outage |  
+-----+  
| Severe Weather Thunderstorms |  
| Fuel Supply Emergency Coal |  
| Physical Attack Vandalism |  
| Suspected Physical Attack |  
| Electrical System Islanding |  
+-----+
```

Let's write some T-SQL!

INTRODUCTION TO SQL SERVER

Ordering and Filtering



INTRODUCTION TO SQL SERVER



John MacKintosh
Instructor

Order! Order!

- Tables comprise of rows and columns
- Queries return *sets*, or *subsets*
- Sets have no inherent order
- If order is important, use `ORDER BY`



```
SELECT TOP (10) prod_id, year_intro  
FROM products  
-- Order in ascending order  
ORDER BY year_intro, product_id;
```

product_id	year_intro
36	1981
37	1982
38	1983
39	1984
40	1984
41	1984
52	1985
43	1986
44	1987
54	1987

```
SELECT TOP (10) product_id, year_intro  
FROM products  
-- Order year_intro in descending order  
ORDER BY year_intro DESC, product_id;
```

product_id	year_intro
158	2015
173	2015
170	2014
171	2014
172	2014
144	2013
146	2013
147	2013
148	2013
149	2013

```
SELECT
```

```
TOP (10) channels,  
year_intro  
FROM products  
-- Order in different directions  
ORDER BY  
    year_intro DESC,  
    channels;
```

channels	year_intro
35	2015
74	2015
29	2014
45	2014
48	2014
12	2013
13	2013
14	2013
22	2013
24	2013

```
SELECT
```

```
TOP (10) channels,  
year_intro  
FROM products  
-- Both columns in descending order  
ORDER BY  
    year_intro DESC,  
    channels DESC;
```

channels	year_intro
74	2015
35	2015
48	2014
45	2014
29	2014
837	2013
642	2013
561	2013
491	2013
198	2013

```
SELECT city_id, name_alias  
FROM invoice  
-- Ordering text (Ascending order)  
ORDER BY name_alias;
```

city_id	name_alias
48	Amsterdam
59	Bangalore
36	Berlin
38	Berlin
42	Bordeaux
23	Boston
13	Brasília
8	Brussels
45	Budapest
56	Buenos Aires

```
SELECT city_id, name_alias  
FROM invoice  
-- Ordering text (Descending order)  
ORDER BY name_alias DESC;
```

city_id	name_alias
33	Yellowknife
32	Winnipeg
49	Warsaw
7	Vienne
15	Vancouver
27	Tucson
29	Toronto
2	Stuttgart
51	Stockholm
55	Sydney

What if we only wanted to return rows that met certain criteria?

```
SELECT customer_id, total  
FROM invoice  
WHERE total > 15;
```

First 3 customers with invoice value > 15

customer_id	total
57	17.91
7	18.86
45	21.86

```
-- Rows with points greater than 10  
WHERE points > 10
```

```
-- Rows with points less than 10  
WHERE points < 10
```

```
-- Rows with points greater than or equal to 10  
WHERE points >= 10
```

```
-- Rows with points less than or equal to 20  
WHERE points <= 20
```

```
-- Character data type  
WHERE country = 'Spain'
```

```
-- Date data type  
WHERE event_date = '2012-01-02'
```

As with ORDER BY, we can use a column that is not in the main SELECT statement, as part of our WHERE clause.

```
SELECT customer_id, total  
FROM invoice  
-- Testing for non-equality  
WHERE total <> 10;
```

customerid	total
2	1.98
4	3.96
8	5.94
14	8.91
23	13.86
37	0.99

Between

```
SELECT customer_id, total  
FROM invoice  
WHERE total BETWEEN 20 AND 30;
```

customerid	total
45	21.86
46	21.86
26	23.86
6	25.86

```
SELECT customer_id, total  
FROM invoice  
WHERE total NOT BETWEEN 20 AND 30;
```

customerid	total
2	1.98
4	3.96
8	5.94
14	8.91

What is NULL?

- NULL indicates there is no value for that record
- NULLs help highlight gaps in our data

```
SELECT
```

```
TOP (6) total,  
      billing_state  
FROM invoice  
WHERE billing_state IS NULL;
```

total	billing_state
1.98	NULL
3.96	NULL
5.94	NULL
0.99	NULL
1.98	NULL
1.98	NULL

```
SELECT
```

```
TOP (6) total,  
      billing_state  
FROM invoice  
WHERE billing_state IS NOT NULL;
```

total	billing_state
8.91	AB
13.96	MA
5.94	Dublin
0.99	CA
1.98	WA
1.98	CA

Let's sort it!

INTRODUCTION TO SQL SERVER

WHERE the wild things are

INTRODUCTION TO SQL SERVER



John MacKintosh
Instructor



```
SELECT song, artist  
FROM songlist  
WHERE  
    artist = 'AC/DC';
```

song	artist
Baby, Please Don't Go	AC/DC
Back In Black	AC/DC
Big Gun	AC/DC
CAN'T STOP ROCK'N'ROLL	AC/DC
Girls Got Rhythm	AC/DC
Hard As A Rock	AC/DC
Have a Drink On Me	AC/DC
Hells Bells	AC/DC

```
SELECT song, artist  
FROM songlist  
WHERE  
    artist = 'AC/DC'  
AND release_year < 1980;
```

song	artist
Dirty Deeds Done Dirt Cheap	AC/DC
Highway To Hell	AC/DC
It's A Long Way To The Top	AC/DC
Let There Be Rock	AC/DC
Night Prowler	AC/DC
T.N.T.	AC/DC
Touch Too Much	AC/DC
Whole Lotta Rosie	AC/DC

AND again

- Returns 3 rows:

```
SELECT *
FROM songlist
WHERE
    release_year = 1994
    AND artist = 'Green Day' ;
```

- Returns 1 row:

```
SELECT *
FROM songlist
WHERE
    release_year = 1994
    AND artist = 'Green Day'
    AND song = 'Basket Case' ;
```

```
SELECT
```

```
    song,  
    artist,  
    release_year
```

```
FROM songlist
```

```
WHERE release_year = 1994;
```

song	artist	release_year
Black Hole Sun	Soundgarden	1994
Fell On Black Days	Soundgarden	1994
Spoonman	Soundgarden	1994
Big Empty	Stone Temple Pilots	1994
Interstate Love Song	Stone Temple Pilots	1994
Vaseline	Stone Temple Pilots	1994

```
SELECT
```

```
    song,  
    artist,  
    release_year
```

```
FROM songlist
```

```
WHERE
```

```
    release_year = 1994
```

```
    OR release_year > 2000;
```

song	artist	release_year
Doom And Gloom	Rolling Stones	2012
Remedy	Seether	2005
45	Shinedown	2003
Black Hole Sun	Soundgarden	1994
Fell On Black Days	Soundgarden	1994
Spoonman	Soundgarden	1994
It's Been Awhile	Staind	2001
Big Empty	Stone Temple Pilots	1994
Interstate Love Song	Stone Temple Pilots	1994
Vasoline	Stone Temple Pilots	1994

```
SELECT song  
FROM songlist  
WHERE  
    artist = 'Green Day'  
AND release_year = 1994;
```

```
+-----+  
| song |  
+-----+  
| Basket Case |  
| Longview |  
| When I Come Around |  
+-----+
```

```
SELECT song  
FROM songlist  
WHERE  
    artist = 'Green Day'  
AND release_year > 2000;
```

```
+-----+  
| song |  
+-----+  
| Boulevard Of Broken Dreams |  
| Holiday (Live) |  
| Holiday |  
+-----+
```

```
SELECT song
FROM songlist
WHERE
    artist = 'Green Day'
    AND release_year = 1994
    OR release_year > 2000;
```

```
+-----+
| song
|-----|
| Doom And Gloom
| Remedy
| 45
| It's Been Awhile
| Goodbye Daughters of the Revolution
| Gold On The Ceiling
| Lonely Boy
| Seven Nation Army
| Get Together
| Vertigo
| When I'm Gone
| ...
| ...
+-----+
```

What went wrong?

```
SELECT *
FROM songlist
WHERE
    artist = 'Green Day'
    AND release_year = 1994
    OR release_year > 2000;
```

```
SELECT *
FROM songlist
WHERE
    artist = 'Green Day'
    AND release_year = 1994;
```

OR

```
SELECT *
FROM songlist
WHERE
    release_year > 2000;
```

```
SELECT song
FROM songlist
WHERE
    artist = 'Green Day'
    AND (
        release_year = 1994
        OR release_year > 2000
    );
```

Another way of writing the query:

```
SELECT song
FROM songlist
WHERE
(
    artist = 'Green Day'
    AND release_year = 1994
)
OR (
    artist = 'Green Day'
    AND release_year > 2000
);
```

song
Basket Case
Boulevard Of Broken Dreams
Holiday (Live)
Holiday / Boulevard of Broken Dreams
Longview
When I Come Around

```
SELECT song, artist  
FROM songlist  
WHERE  
    artist IN ('Van Halen', 'ZZ Top')  
ORDER BY song;
```

song	artist
(Oh) Pretty Woman	Van Halen
1984/jump	Van Halen
A Fool for Your Stockings	ZZ Top
Ain't Talkin' 'bout Love	Van Halen
And the Cradle Will Rock...	Van Halen
Arrested For Driving While Blind	ZZ Top
Atomic Punk	Van Halen

```
SELECT song, release_year  
FROM songlist  
WHERE  
    release_year IN (1985, 1991, 1992);
```

song	release_year
Addicted to Love	1985
Don't You	1985
Come As You Are	1991
Money for Nothing	1985
Walk of Life	1985
Man On the Moon	1992
Breaking the Girl	1992
You Belong to the City	1985
Enter Sandman	1991
In Bloom	1991

```
SELECT song      wildcard searches on text fields  
FROM songlist  
WHERE song LIKE 'a%' ;
```

```
+-----+  
| song |  
+-----+  
| Addicted to Love |  
| Ain't Too Proud to Beg |  
+-----+
```

```
SELECT artist  
FROM songlist  
WHERE artist LIKE 'f%' ;
```

```
+-----+  
| artist |  
+-----+  
| Faces |  
| Faith No More |  
+-----+
```

Let's practice!

INTRODUCTION TO SQL SERVER